



DOTI| Right-of-Way Services
 Engineering and Regulatory Office
 201 W. Colfax Avenue, Dept. 507
 Denver, CO 80202
 P: 720-865-3003
DOTI.ER@denvergov.org

Easement Relinquishment Submittal Checklist

Any submittal not meeting all minimum checklist criteria herein shall be rejected as incomplete.

Easement Relinquishment submittal documents will include the following:

- Application (Page 2&3 of this document) - Must be signed by owner, or a vested party
- Original holding document of the easement - eg. Ordinance, PNEE, Subdivision plan, etc.:
 - Must include the Clerk and Recorder's Book and Page, and/or Recordation Number.
- A Legal Description and Exhibits are required if you are relinquishing a portion of the easement as held in the original document. The Legal Description and Exhibit of the easement(s) to be relinquished, must be prepared by a Professional Land Surveyor (PLS), licensed in the State of Colorado:
 - PDF format (**must be PLS signed and stamped**) **and**
 - Word format (Does not need to be PLS signed and stamped)
- Site Plan - accurately engineered drawings to include:
 - Numerical and Bar Scale (Scale not to exceed 1:40)
 - North arrow
 - Legend
 - Vicinity map, if necessary
 - Plan set date and revision number (if applicable)
 - Call out the location of the easement proposed to be relinquished and hatch area**
 - Call out the location if new easement will be conveyed** (if applicable)
 - Property lines
 - Right-of-Way width
 - Edge of Pavement and/or Curb and Gutter
 - Sidewalks
 - Trees and landscaping in the ROW
 - Nearby driveways and alleys
 - Street names
 - Aerial imagery is allowed, but does not replace the required Engineered drawings**

FEES:

Must be paid immediately after project is logged in and a project number is provided by your Coordinator along with the project invoice.

Initial Processing Fee = \$1,000.00 (Non-Refundable)

Legal Description Review Fee = \$300.00 (Non-Refundable)

Ordinance Fee = \$300.00 (Non-Refundable)

I hereby attest that all above information has been incorporated into our plan submittal.

Luis R. Samanego 8/20/25
Owner/Vested Party/Applicant Signature **Date**





DOTI | Right-of-Way Services
 Engineering and Regulatory Office
 201 W. Colfax Avenue, Dept. 507
 Denver, CO 80202 P: 720-865-3003
 DOTI.ER@denvergov.org

APPLICATION EASEMENT RELINQUISHMENT

Please complete this application to apply for an ordinance to relinquish easements held by the City in the Public Right of Way. Please reference Rules and Regulations for Easement Relinquishments for more details on the relinquishment process. Please type or print. If necessary attach additional sheets to fully answer any of the following sections. Submit the complete application electronically to: DOTI.ER@denvergov.org.

DATE: 08/20/2023

PROJECT NAME: Partial Reliquishment of Easement vacations in Lot 7 of Adams Country Club

IS THIS PROJECT ASSOCIATED WITH A SITE DEVELOPMENT REVIEW? Yes No

If you checked 'Yes' above, provide Project Master, Site Plan and/or Concept Development project numbers:

2022-ZLAM-0000066, 2022-ZLAM-0000066, 2022-ZLAM-0000066

ADDRESS (approx.) OF EASEMENT: 2565 East Alameda Circle 80209

APPLICANT:

Name: Lupe-Rebeka Samaneigo
 Company (if applicable): _____ Title: Ordinance #793 series of 200
 Address: 2565 East Alameda Circle
 Telephone number: 720-409-7993 Email address: rdpeter2@gmail.com

PROPERTY OWNER (where the easement is located): Check if the same as Applicant

Company: _____
 Owner Contact: _____
 Address: _____
 Telephone Number: _____ Email address: _____

ORIGINAL HOLDING DOCUMENT THE EASEMENT IS HELD IN:

Title of document: Ordinance #793 series of 2002 and ordinance #20200309
 Clerk & Recorder Recordation Number: 2002180543 and 2020056724
 Ordinance Number (if applicable): Ordinance # 793 series of 2002 and Ordinance # 20200309 series of 2020

PORTION OF EASEMENT IF BEING RELINQUISHED:

Easement in its entirety A portion of the easement (as described in the legal description)





DENVER
THE MILE HIGH CITY

DOTI| Right-of-Way Services
Engineering and Regulatory
Office 201 W. Colfax Avenue, Dept. 507
Denver, CO 80202 P: 720-865-3003
DOTI.ER@denvergov.org

**APPLICATION
EASEMENT RELINQUISHMENT**

QUANTITY OF EASEMENTS TO BE RELINQUISHED: 2

Easement Groupings if submitting with multiple easements:

DESCRIBE THE CURRENT STATE OF THE EASEMENT(S):

In the space below, please describe what the easement was granted for, if it is a partial relinquishment or being relinquished in it's entirety and any addition background information

The easements were grants as part of Ordinance #793 series of 2002 and Ordinance #20200309 series of 2020. This application is for the partial easement relinquishment of both easements. Both easements are specific and limited to Lot 7 of the Adams Country Club. The exact legal language is as writeen in Ordinance #793 series of 2002 and Ordinance #20200309 series of 2020 for Lot 7 of the Adams Country Club. See additional attached documentation.

EXISTING UTILITIES:

If there are existing utilities in the easement, please explain how these utilities will be accommodated and whether they will be removed or relocated.

If there are no existing utilities in the easement to the best of your knowledge, please state NO Utilities or N/A

To our knowledge, there is an existing utility easement for Denver Water running north and south. This easement is not in scope for this partial relinquishment application

EXPLANATION OF WHY THE EASEMENT RELINQUISHMENT IS BEING REQUESTED:

Please explain why the easement needs to be relinquished.

The easements need to be partially relinquished in order to receive zoningpermits from the City of Denver for an addition-remodel projec at 2565 East Alameda Circle 80209

I/WE HEREBY CERTIFY THAT I/WE ARE THE OWNER(S) OF THE REAL PROPERTY WHICH IS THE SUBJECT OF THIS APPLICATION AND THAT THE FOREGOING INFORMATION ON THIS APPLICATION IS TRUE AND COMPLETE.

Suje K Saranya

(Owner/Vested Party Signature)

8/20/23
DATE



EASEMENT EXHIBIT

PARCEL 1: ORD. NO. 309, SERIES OF 2020

PARCEL 2: ORD. NO. 793, SERIES OF 2002

LAND DESCRIPTION

PARCEL 1:

PARCEL 1 LYING SOUTH OF LOT 7, ADAMS COUNTRY CLUB SUBDIVISION AND ABUTTING THE VACATED PORTION OF ALAMEDA AVE., AS DESCRIBED IN ORDINANCE NO. 793, SERIES 2002 IN THE CITY AND COUNTY OF DENVER CLERK AND RECORDER'S OFFICE, LOCATED IN THE SW 1/4 OF SECTION 12, TOWNSHIP 4 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHEAST CORNER OF SAID LOT 7;
THENCE S00°26'44"E ALONG THE SOUTHERLY EXTENSION OF THE EAST LINE OF SAID LOT 7, A DISTANCE OF 20.00 FEET TO THE SOUTH LINE OF SAID VACATED PORTION OF ALAMEDA AVE., AND THE POINT OF BEGINNING;

THENCE CONTINUING S00°26'44"E ALONG SAID SOUTHERLY EXTENSION, A DISTANCE OF 8.00 FEET;
THENCE S89°51'46"W ALONG A LINE 8.00 FEET SOUTH OF AND PARALLEL WITH THE SOUTH LINE OF SAID VACATED PORTION OF ALAMEDA AVE., A DISTANCE OF 88.16 FEET;
THENCE N59°09'01"W, A DISTANCE OF 18.87 FEET TO A POINT OF TANGENCY ON THE SOUTHWESTERLY LINE OF SAID VACATED PORTION OF ALAMEDA AVE.;

THENCE THE FOLLOWING TWO (2) COURSES ALONG THE SOUTHWESTERLY AND SOUTHERLY LINES OF SAID VACATED PORTION OF ALAMEDA AVE.;

- 1) 6.49 FEET ALONG THE ARC OF A CURVE TO THE LEFT, HAVING A RADIUS OF 12.00 FEET, A CENTRAL ANGLE OF 30°59'13", AND WHOSE CHORD BEARS S74°38'37"E, A DISTANCE OF 6.41 FEET;
- 2) N89°51'46"E, A DISTANCE OF 98.11 FEET TO THE POINT OF BEGINNING.

CONTAINING 759 SQUARE FEET (0.017 ACRES) MORE OR LESS.

THE BASIS OF BEARINGS: BEARINGS ARE BASED ON A GRID BEARING OF N05°01'14"E FROM USGS BM_65 TO CCD BM183A. USGS BM_65 IS A FOUND USGS BM DISK SET IN CONCRETE AND CCD BM183A IS A FOUND CCD BRASS CAP.

TOGETHER WITH:

PARCEL 2:

THAT PART OF ALAMEDA AVENUE AS SHOWN ON THE PLAT OF ADAMS COUNTRY CLUB SUBDIVISION, RECORDED IN BOOK 23 AT PAGE 52 IN THE CLERK AND RECORDERS OFFICE, LOCATED IN THE SW 1/4 OF SECTION 12, T. 4 S., R. 68 W. OF THE 6TH P.M. MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE SW CORNER OF LOT 7, ADAMS COUNTRY CLUB SUBDIVISION;
THENCE SOUTH ALONG THE WEST LINE OF SAID LOT 7 EXTENDED SOUTH A DISTANCE OF 8.00 FEET TO A POINT OF CURVATURE;
THENCE ALONG THE ARC OF A CURVE TO THE LEFT WITH A CENTRAL ANGLE OF 90°00'00" A RADIUS OF 12.00 FEET AND AN ARC LENGTH OF 18.85 FEET TO THE POINT OF TANGENCY;
THENCE EASTERLY PARALLEL WITH THE SOUTH LINE OF SAID LOT 7 A DISTANCE OF 98.11 FEET;
THENCE ON A DEFLECTION ANGLE TO THE LEFT OF 90°18'30" A DISTANCE OF 20.00 FEET ALONG THE EAST LINE OF LOT 7 EXTENDED SOUTH TO THE SE CORNER OF SAID LOT 7;
THENCE WESTERLY ON A DEFLECTION ANGLE TO THE LEFT OF 89°41'30" AND ALONG THE SOUTH LINE OF SAID LOT 7, A DISTANCE OF 110.00 FEET TO THE POINT OF BEGINNING, CONTAINING 2170 SQ. FT. MORE OR LESS.

EASEMENT EXHIBIT SURVEYOR'S CERTIFICATION

I HEREBY CERTIFY THAT THIS EASEMENT EXHIBIT WAS PREPARED FOR ROSS PETERSON AND THE CITY AND COUNTY OF DENVER. AND THAT IT IS NOT A LAND SURVEY PLAT OR IMPROVEMENT SURVEY PLAT, AND THAT IT IS NOT TO BE RELIED UPON FOR THE ESTABLISHMENT OF FENCE, BUILDING, OR OTHER FUTURE IMPROVEMENT LINES. THIS CERTIFICATE IS VALID ONLY FOR USE BY ROSS PETERSON AND THE CITY AND COUNTY OF DENVER AND DESCRIBES PARCEL'S APPEARANCE ON 8/18/2023.

PAGE 1 OF 2

ORDERED BY:

ROSS PETERSON

REVISIONS

Colorado ilc
LAND SURVEYING

DATE PREPARED:
8/18/2023

3000 Lawrence Street
Ste. 111, Denver, CO 80205
303-668-7540

DRAWN BY:
CHRIS FRANKS
JOB# 23-6-590

DAVID L. SWANSON,
COLORADO P.L.S# 36070
ELECTRONICALLY STAMPED

Electronically Sealed, Signed & Dated
this 18th Day of August 2023




SURVEYOR'S SEAL


EASEMENT EXHIBIT

PARCEL 1: ORD. NO. 309, SERIES OF 2020

PARCEL 2: ORD. NO. 793, SERIES OF 2002



LINE	BEARING	DISTANCE
L1	S 00°26'44" E	8.00'
L2	S 89°51'46" W	88.16'
L3	N 59°19'01" W	18.87'
L4	N 89°51'46" E	98.11'



PAGE 2 OF 2

ORDERED BY:
ROSS PETERSON

Colorado ilc
LAND SURVEYING

REVISIONS

DATE PREPARED:
8/18/2023

3000 Lawrence Street
Ste. 111, Denver, CO 80205
303-668-7540

DRAWN BY:
CHRIS FRANKS
JOB# 23-6-590

LEGEND

- = FOUND SECTION CORNER
- = FOUND CHISELED CROSS
- = EASEMENT LINE
- = LOT LINE
- = SECTION LINE

2565 E Alameda Cir Relinquishments

11/02/2023

Master ID: 2023-PROJMSTR-0000129 **Project Type:** ROW Relinquishment
Review ID: 2023-RELINQ-0000009 **Review Phase:**
Location: **Review End Date:** 04/18/2023

Any denials listed below must be rectified in writing to this office before project approval is granted.

Reviewing Agency: Asset Management Review	Review Status: Approved
Reviewers Name: Yohanna Harrison	
Reviewers Email: Yohanna.Harrison@denvergov.org	
Status Date: 04/10/2023	
Status: Approved	
Comments:	

Reviewing Agency: City Forester Review	Review Status: Approved
Reviewers Name: Erin Hatch	
Reviewers Email: Erin.Hatch@denvergov.org	
Status Date: 04/11/2023	
Status: Approved	
Comments: Approved.	

Reviewing Agency: Comcast Referral	Review Status: Approved - No Response
Status Date: 04/19/2023	
Status: Approved - No Response	
Comments:	

Reviewing Agency: Denver Water Referral	Review Status: Approved w/Conditions
Status Date: 05/26/2023	
Status: Approved w/Conditions	
Comments: PWPRS Project Number: 2023-RELINQ-0000009 - 2565 E Alameda Cir Relinquishments	
Reviewing Agency/Company: Denver Water	
Reviewers Name: Gina Belgy	
Reviewers Phone: 303-628-6219	
Reviewers Email: gina.begly@denverwater.org	
Approval Status: Approved with conditions	
Comments:	
The Denver Water Easement with this property owner, (Denver Reception #2019130522, Denver Water project #20131-1) shall remain in full force and effect.	
Status Date: 04/19/2023	
Status: Denied	
Comments: PWPRS Project Number: 2023-RELINQ-0000009 - 2565 E Alameda Cir Relinquishments	
Reviewing Agency/Company: Denver Water	
Reviewers Name: Gina Begly	
Reviewers Phone: 303-628-6219	

Comment Report

2565 E Alameda Cir Relinquishments

11/02/2023

Master ID: 2023-PROJMSTR-0000129 **Project Type:** ROW Relinquishment
Review ID: 2023-RELINQ-0000009 **Review Phase:**
Location: **Review End Date:** 04/18/2023

Any denials listed below must be rectified in writing to this office before project approval is granted.

Reviewers Email: gina.begly@denverwater.org
Approval Status: Denied

Comments:
Sending attachments

Attachment: Attachment 3 legal description of parcel one with survey and satellite image.pdf

Attachment: 2019130522.

Status Date: 04/19/2023
Status: Denied
Comments: PWPRS Project Number: 2023-RELINQ-0000009 - 2565 E Alameda Cir Relinquishments
Reviewing Agency/Company: Denver Water
Reviewers Name: Gina Begly
Reviewers Phone: 303-628-6219
Reviewers Email: gina.begly@denverwater.org
Approval Status: Denied

Comments:
There are no exhibits showing where the 2020 vacation with reserved easement is but this may be an area of concern for Denver Water. Denver Water has an easement for a waterline near/under the sidewalk running east-west on owners property. No new improvements may be within our easement. Easement is attached. No concerns to requish the other reserved easement at reception# 2002180543 Ord 793 Council Bill 776.

Status Date: 04/19/2023
Status: Approved - No Response
Comments:

Reviewing Agency: Survey Review Review Status: Approved

Reviewers Name: Brian Pfohl
Reviewers Email: Brian.Pfohl@denvergov.org

Status Date: 08/24/2023
Status: Approved
Comments: PWPRS Project Number: 2023-RELINQ-0000009 - 2565 E Alameda Cir Relinquishments
Reviewing Agency/Company: DOTI-ROWS Survey
Reviewers Name: Brian Pfohl
Reviewers Phone: 630.202.6564
Reviewers Email: brian.pfohl@denvergov.org
Approval Status: Approved

Comments:

Status Date: 08/15/2023
Status: Denied
Comments: PWPRS Project Number: 2023-RELINQ-0000009 - 2565 E Alameda Cir Relinquishments
Reviewing Agency/Company: DOTI-ROWS Survey

Comment Report

2565 E Alameda Cir Relinquishments

11/02/2023

Master ID: 2023-PROJMSTR-0000129 **Project Type:** ROW Relinquishment
Review ID: 2023-RELINQ-0000009 **Review Phase:**
Location: **Review End Date:** 04/18/2023

Any denials listed below must be rectified in writing to this office before project approval is granted.

Reviewers Name: Brian Pfohl
Reviewers Phone: 630.202.6564
Reviewers Email: brian.pfohl@denvergov.org
Approval Status: Denied

Comments:

Attachment: 20230814_2023-RELINQ-0000009_SurveyCommentsAndRedlines2.pdf

Status Date: 04/19/2023
Status: Denied
Comments: PWPRS Project Number: 2023-RELINQ-0000009 - 2565 E Alameda Cir Relinquishments
Reviewing Agency/Company: DOTI-ROWS Survey
Reviewers Name: Brian Pfohl
Reviewers Phone: 630.202.6564
Reviewers Email: brian.pfohl@denvergov.org
Approval Status: Denied

Comments:

Attachment: 20230418_2023-RELINQ-0000009_SurveyComments1.docx

Status Date: 04/18/2023
Status: Denied
Comments: Comments in project folder

REDLINES are uploaded to the E-Review webpage

Reviewing Agency: Case Manager Review/Finalize Review Status: Confirmation of Payment

Reviewers Name: Jessica Eusebio
Reviewers Email: Jessica.Eusebio@denvergov.org

Status Date: 09/18/2023
Status: Confirmation of Payment
Comments:

Status Date: 04/19/2023
Status: Confirmation of Payment
Comments:

Status Date: 04/19/2023
Status: Comments Compiled
Comments:

Reviewing Agency: Denver Fire Department Review Review Status: Approved

Comment Report

2565 E Alameda Cir Relinquishments

11/02/2023

Master ID: 2023-PROJMSTR-0000129 **Project Type:** ROW Relinquishment
Review ID: 2023-RELINQ-0000009 **Review Phase:**
Location: **Review End Date:** 04/18/2023

Any denials listed below must be rectified in writing to this office before project approval is granted.

Reviewers Name: Brian Dimock
Reviewers Email: Brian.Dimock@denvergov.org
Status Date: 04/14/2023
Status: Approved
Comments:

Reviewing Agency: Landmark Review **Review Status:** Approved

Reviewers Name: Emma-Marie Censky
Reviewers Email: emma.censky@denvergov.org
Status Date: 03/30/2023
Status: Approved
Comments:

Reviewing Agency: Metro Wastewater Referral **Review Status:** Approved - No Response

Status Date: 04/19/2023
Status: Approved - No Response
Comments:

Reviewing Agency: Office of Emergency Management Referral **Review Status:** Approved - No Response

Status Date: 04/19/2023
Status: Approved - No Response
Comments:

Reviewing Agency: Parks and Recreation Review **Review Status:** Approved

Reviewers Name: Jennifer Cervera
Reviewers Email: Jennifer.Cervera@denvergov.org
Status Date: 04/12/2023
Status: Approved
Comments:

Reviewing Agency: Construction Engineering Review **Review Status:** Approved - No Response

Reviewers Name: Kim Blair
Reviewers Email: Kim.Blair@denvergov.org
Status Date: 04/19/2023
Status: Approved - No Response
Comments:

Reviewing Agency: Policy and Planning Review **Review Status:** Approved - No Response

Reviewers Name: Emily Gloeckner
Reviewers Email: Emily.Gloeckner@denvergov.org

Comment Report

2565 E Alameda Cir Relinquishments

11/02/2023

Master ID: 2023-PROJMSTR-0000129 **Project Type:** ROW Relinquishment
Review ID: 2023-RELINQ-0000009 **Review Phase:**
Location: **Review End Date:** 04/18/2023

Any denials listed below must be rectified in writing to this office before project approval is granted.

Status Date: 04/19/2023
Status: Approved - No Response
Comments:

Reviewing Agency: TES Sign and Stripe Review **Review Status:** Approved - No Response

Reviewers Name: Brittany Price
Reviewers Email: Brittany.Price@denvergov.org

Status Date: 04/19/2023
Status: Approved - No Response
Comments:

Reviewing Agency: CenturyLink Referral **Review Status:** Approved

Status Date: 11/02/2023
Status: Approved
Comments: PWPRS Project Number: 2023-RELINQ-0000009 - 2565 E Alameda Cir Relinquishments
Reviewing Agency/Company: CenturyLink/Lumen
Reviewers Name: Rebekah Anthony
Reviewers Phone: 307-717-0420
Reviewers Email: rebekah.anthony@lumen.com
Approval Status: Approved

Comments:

Status Date: 04/19/2023
Status: Approved w/Conditions
Comments: PWPRS Project Number: 2023-RELINQ-0000009 - 2565 E Alameda Cir Relinquishments
Reviewing Agency/Company: CenturyLink/Lumen
Reviewers Name: Rebekah Anthony
Reviewers Phone: 307-717-0420
Reviewers Email: rebekah.anthony@lumen.com
Approval Status: Approved with conditions

Comments:

There is Lumen fiber and copper in this area. They should have the utilities located. If any Lumen facilities need to be relocated the cost would be paid by the property owner. The property owner should have the facilities located as they might be dealing with a conduit structure.

Reviewing Agency: Xcel Referral **Review Status:** Approved

Status Date: 05/26/2023
Status: Approved
Comments: PWPRS Project Number: 2023-RELINQ-0000009 - 2565 E Alameda Cir Relinquishments
Reviewing Agency/Company: Public Service Company of Colorado dba Xcel Energy
Reviewers Name: Donna George
Reviewers Phone: 3035713306
Reviewers Email: donna.l.george@xcelenergy.com
Approval Status: Approved

Comment Report

2565 E Alameda Cir Relinquishments

11/02/2023

Master ID: 2023-PROJMSTR-0000129 **Project Type:** ROW Relinquishment
Review ID: 2023-RELINQ-0000009 **Review Phase:**
Location: **Review End Date:** 04/18/2023

Any denials listed below must be rectified in writing to this office before project approval is granted.

Comments:

Status Date: 04/19/2023
Status: Denied
Comments: PWPRS Project Number: 2023-RELINQ-0000009 - 2565 E Alameda Cir Relinquishments
Reviewing Agency/Company: Public Service Company of Colorado dba Xcel Energy
Reviewers Name: Donna George
Reviewers Phone: 3035713306
Reviewers Email: donna.l.george@xcelenergy.com
Approval Status: Denied

Comments:

Please be aware PSCo owns and operates existing underground electric (north-south) and natural gas (east-west) in this area and requests that they be shown on a survey in relation to the requested relinquishment area.

Reviewing Agency: City Councilperson and Aides Referral Review Status: Approved - No Response

Status Date: 04/19/2023
Status: Approved - No Response
Comments:

Reviewing Agency: DS Project Coordinator Review Review Status: Approved - No Response

Reviewers Name: Olga Mikhailova
Reviewers Email: Olga.Mikhailova@denvergov.org

Status Date: 04/19/2023
Status: Approved - No Response
Comments:

Reviewing Agency: DES Transportation Review Review Status: Approved

Reviewers Name: Matthew Farmen
Reviewers Email: Matt.Farmen@denvergov.org

Status Date: 03/28/2023
Status: Approved
Comments:

Reviewing Agency: DES Wastewater Review Review Status: Approved

Reviewers Name: Chris Brinker
Reviewers Email: Christopher.Brinker@denvergov.org

Status Date: 04/18/2023
Status: Approved
Comments:

Reviewing Agency: RTD Referral Review Status: Approved

Comment Report

2565 E Alameda Cir Relinquishments

11/02/2023

Master ID: 2023-PROJMSTR-0000129 **Project Type:** ROW Relinquishment
Review ID: 2023-RELINQ-0000009 **Review Phase:**
Location: **Review End Date:** 04/18/2023

Any denials listed below must be rectified in writing to this office before project approval is granted.

Status Date: 04/19/2023
Status: Approved
Comments: PWPRS Project Number: 2023-RELINQ-0000009 - 2565 E Alameda Cir Relinquishments
Reviewing Agency/Company: RTD
Reviewers Name: C. Scott Woodruff
Reviewers Phone: 303-299-2943
Reviewers Email: clayton.woodruff@rtd-denver.com
Approval Status: Approved

Comments:
This review is for Design concepts and to identify any necessary improvements to RTD stops and property affected by the design. This review of the plans does not eliminate the need to acquire, and/or go through the acquisition process of any agreements, easements or permits that may be required by the RTD for any work on or around our facilities and property.

Reviewing Agency: CDOT Referral Review Status: Approved

Status Date: 05/26/2023
Status: Approved
Comments: PWPRS Project Number: 2023-RELINQ-0000009 - 2565 E Alameda Cir Relinquishments
Reviewing Agency/Company: CDOT Region 1 ROW/survey
Reviewers Name: dane courville
Reviewers Phone: 7206720231
Reviewers Email: dane.courville@state.co.us
Approval Status: Approved

Comments:
Does not affect CDOT on-system ROW. Proposed effort is approved as the location does not affect CDOT ROW.

Status Date: 04/19/2023
Status: Approved
Comments: PWPRS Project Number: 2023-RELINQ-0000009 - 2565 E Alameda Cir Relinquishments
Reviewing Agency/Company: CDOT Region 1 ROW/survey
Reviewers Name: dane courville
Reviewers Phone: 7206720231
Reviewers Email: dane.courville@state.co.us
Approval Status: Approved

Comments:
Does not affect CDOT on-system ROW. Proposed effort is approved as the location does not affect CDOT ROW.