

ORDINANCE/RESOLUTION REQUEST

Please email requests to the Mayor's Legislative Team
at MileHighOrdinance@DenverGov.org by **3:00pm on Monday**.

****All fields must be completed.****

Incomplete request forms will be returned to sender which may cause a delay in processing.

Date of Request: October 26, 2015

Please mark one: Bill Request or Resolution Request

1. Has your agency submitted this request in the last 12 months?

Yes No

If yes, please explain:

2. Title: *(Include a concise, one sentence description – please include name of company or contractor and contract control number - that clearly indicates the type of request: grant acceptance, contract execution, amendment, municipal code change, supplemental request, etc.)*

Requests approval of an amendment (GENRL-CE63083-01) to an existing contract for the purchase of chilled water from Public Service Company of Colorado (Xcel Energy) in order to add the Permit Center at 200 W. 14th Avenue to the contract.

3. Requesting Agency: General Services

4. Contact Person: *(With actual knowledge of proposed ordinance/resolution.)*

- **Name:** David Basich
- **Phone:** 720-913-5708
- **Email:** David.Basich@denvergov.org

5. Contact Person: *(With actual knowledge of proposed ordinance/resolution who will present the item at Mayor-Council and who will be available for first and second reading, if necessary.)*

- **Name:** Dionne Williams
- **Phone:** 720-913-3072
- **Email:** Dionne.Williams@denvergov.org

6. General description of proposed ordinance including contract scope of work if applicable:

Requests approval of an amendment to the existing contract for the purchase of chilled water for cooling the Denver Justice Center in order to add service to the Permit Center at 200 W. 14th Avenue. Additional service will require the addition of \$2,445, 448.00 to the original contract, for a new contract maximum of \$19,619,792.00. Construction costs associated with connecting the building to Public Service Company of Colorado's chilled water infrastructure will be \$325,000.00, and will be paid using already approved capital funds. All other terms of the original 2007 contract, including the pricing structure, remain unchanged.

****Please complete the following fields:** *(Incomplete fields may result in a delay in processing. If a field is not applicable, please enter N/A for that field.)*

- a. **Contract Control Number:** GENRL-CE63083-01
- b. **Duration:** February 26, 2007 – December 31, 2034
- c. **Location:** Permit Center, 200 W. 14th Avenue
- d. **Affected Council District:** 10
- e. **Benefits:** The existing HVAC system used for cooling the Permit Center is over thirty years old and requires frequent maintenance and repairs. Connecting to Xcel's chilled water infrastructure will provide a reliable and cost-effective alternative.
- f. **Costs:** \$2,455, 448.00 through December 31, 2034

7. Is there any controversy surrounding this ordinance? *(Groups or individuals who may have concerns about it?)* **Please explain.** No.

To be completed by Mayor's Legislative Team:

SIRE Tracking Number: _____

Date Entered: _____

To be completed by Mayor's Legislative Team:

SIRE Tracking Number: _____

Date Entered: _____