



O.J. Watson Company, Inc.
 5335 Franklin Street
 Denver, Colorado 80216
 303-295-2885 or 800-332-2124
 Fax: 303-296-8049
 www.ojwatson.com

Quotation

Page 1 of 19

Customer: DENINTL
 Denver Int'l Airport
 DEN Maintenance Center
 27500 East 80th Ave.
 Denver CO 80249-6340

Salesperson: Dick Eckrich

Quote Number: RKE196-1

Quote Date: 4/5/2017

Quote valid until: 5/5/2017

Revision Number: 1

EXHIBIT A

Contact: Victor Lovato
Phone: 303-342-2860
 2nd :
Fax: 303-350-0120

Work Order:
PO Number:

Vehicle Information:

Year, Make & Model	2017 International 7500	Key #	
VIN #		Unit #	

Quoted Items:

Description of Work

Reference C-DOT award number: 311000523

MCV-180-84-56 in mild steel		\$ 17,352.00
MCV-180-84-62 in mild steel	+	3,250.00
MCV-180-84-62 in stainless steel	+	13,549.00
1300 Galion liquid system with stainless hardware	+	14,685.00
TOVAR stainless steel light system mounted on system	+	1,532.00
Total		\$ 50,368.00

Furnish and install a Monroe model MCV-180-84-62,304ss per the following:

MODEL AND DESCRIPTION

MCV-180-84-62,304ss MSV HYDRAULIC SPREADER IS FURNISHED WITH:

- * 10 gauge stainless steel hopper with 45 degree sloped sides
- * Top edge of body is 2" double crimped
- * Hopper is 84" in width
- * 7 gauge longitudinals with the longitudinals extended for supporting the spinner assembly
- * Longitudinals shall be tied together with 3" channel cross sills
- * The channel cross sills shall tie the lower edge of the longitudinals to each side support
- * The cross supports shall be wide enough to allow to body to slide into a dump body
- * A bolt-on 6" x 9.0# wide flange "H" beam will be elevated 3" above the top edge of the hopper, thus providing a longitudinal brace and hinge point for the top screens
- * There shall be a 2" x 2" angle welded from the "H" beam to each hopper side for additional side support
- * The 12" x 18", 10 gauge feed gate and ruler shall be provided at the rear of the hopper to allow for accurate discharge
- * A Self-locking screw type gate jack shall open and close gate
- * There shall be 10 gauge formed side supports that extend the full side angle height spaced on approximately two foot centers
- * A heavy duty lift loop shall be provided at each corner for lifting of body
- * The rear endplate shall be reinforced inside and supported to give it



O.J. Watson Company, Inc.
5335 Franklin Street
Denver, Colorado 80216
303-295-2885 or 800-332-2124
Fax: 303-296-8049
www.ojwatson.com

Quotation

Page 2 of 19

Description of Work

maximum strength

- * Conveyor system shall be of chain bar flight type running longitudinally with the body feeding material to the feed gate opening
- * The overall conveyor width shall be 24"
- * To protect the chain link strands, a 10 gauge replaceable chain shield shall cover the strands exposing only the drag bar to the material
- * The conveyor floor shall be of flat design and manufactured of replaceable 3/16" steel and rolled over edges
- * The conveyor chain shall be driven through the worm drive gearbox by a low speed/high-torque "orbital type" hydraulic motor. The motor shall be directly coupled to the gearbox and protected from the elements by a cast housing
- * The worm gear drive shaft shall have provision for a servo sensor, integral with the driveshaft
- * The cast iron gearbox shall have hardened and ground bronze gears mounted on 2" diameter drive shaft and supported on tapered roller bearings
- * The gears shall be machine cut and mounted in anti-friction sealed bearings and running in oil
- * The gearbox ratio shall be 50:1
- * The drive and idler sprockets shall be 8 tooth cast grey iron sprockets keyed to the 2" diameter drive shaft and 2" idler shaft
- * Both conveyor shafts shall have heavy duty, dust sealed self-aligning four bolt flange bearings equipped with grease fittings
- * The conveyor shall have an internal front wiper and an external rear wiper
- * A heavy duty spring loaded idler adjustment assembly with 4" of adjustment
- * Conveyor chain is heat treated, 2.25 pitch, self-cleaning, pintle type, with 7/16" pins and tensile strength per strand of 21,000 pounds
- * Chain shall utilize a 3/8" x 1-1/2" x 18-3/4" cross bar welded on both the top and bottom to every other chain link, and shall have an overall width of 22-1/4"
- * Cross bars are approximately 4.5" on center
- * Spinner disc is 20" in diameter, manufactured from poly and is installed
- * The disc is mounted on a cast iron replaceable hub that is connected directly to the top mounted spinner motor
- * Material is guided from the conveyor to the spinner assembly with two internal adjustable 10 gauge stainless steel material deflectors
- * Entire spinner assembly is manufactured of 10 gauge STAINLESS steel and is adjustable in height
- * There are 4 external baffles on the spinner assembly that are adjustable without the use of tools
- * Top screens are constructed of 3/8" rods welded to form a 2.5" square mesh the frame is a combination of 1/4" x 1-1/2" flat steel and 2" angle iron, with the edge supports reinforced by 1/4" x 1" flat steel bars
- * Each top screen section is supported by two 5/8" hinges
- * All hardware and fasteners are electronically plated and corrosion resistant
- Hopper length is 14 feet; 84" width; 62" height
- Hopper capacity is 11.0 cubic yards
- * Speed sensor.
- * Inverted V p/n 00012444IB
- * C-DOT deflector kit p/n 00013472
- * Light kit p/n 00016986IA
- * Rear chain adjusters p/n 00034164I
- * Rear ladder/bumper kit p/n 00012522IA
- * Rear conveyor cover kit p/n 00012939IB
- * Bolt-on spinner assembly with poly spinner disc
- * 1300 Galion (4 ploy tank) liquid kit installed, closed loop pre-wet system with stainless steel mounting hardware. This system can be used



O.J. Watson Company, Inc.
 5335 Franklin Street
 Denver, Colorado 80216
 303-295-2885 or 800-332-2124
 Fax: 303-296-8049
 www.ojwatson.com

Quotation

Description of Work

- with roller mill or with the three lane anti-ice system.
- * Three lane anti-ice system with cast iron pump.
- * Stainless steel chassis mounting kit for frame mounted fenders. Stainless fenders to be supplied and installed.
- * Stainless steel cab shield installed.
- * Rear oilier system for front bearing.
- * Furnish and install a TOVAR stainless steel light bar housing on the rear of sander with seven marker lights, two stop/tail and turn and two amber strobes.

Furnish and install a Shurco Tarp system. This system will be install on the sander and will rotate from curb side to street side to close.

Furnish and install a Whelen light system per the following:

- One- Whelen 72" light bar installed on top of truck cab.
- "LED" light system installed in rear post of sander.
- Snow plow light system installed on stainless steel brackets.

System per award	\$ 5,428.00
Up-charge for DIA System	2,750.00

Furnish and install a hydraulic system consisting of the following:

Pricing per C-DOT award	
System	\$ 15,920.00
Mount controls in pedestal	488.00
Hydraulics for all functions	7,852.00
Pedestal mount	1,742.00
Total	26,002.00

- Force- America hydraulics.
- VT35, 35 gallon tank with in tank valve system
- Electric controls, floor mounted commandall
- ADD-A-FOLD
- Valve for de-icing.
- Valve for auger
- Valve for spinner.
- Double acting plow lift
- Double acting plow angle.
- Electric sander control:
 - Force MPJC 6100 controller
 - Direct liquid module with 3 lane switch box.
- 6.0 cubic inch pump
- IP68 sealed wiring system.
- Install the Force liquid module in a NEMA box at the rear of sander
- Solid hydraulic tubes from the back of cab to rear of frame under the sander body. Supply short hydraulic lines at each end of the tubes. Clamp tubes every 18".

Hydraulic system will include Stucchi quick couplers for plow.

Furnish and install a Fore-America model 6100 ULTRA electronic control system.



O.J. Watson Company, Inc.
 5335 Franklin Street
 Denver, Colorado 80216
 303-295-2885 or 800-332-2124
 Fax: 303-296-8049
 www.ojwatson.com

Quotation

Page 4 of 19

Description of Work	
Up-charge for controller	\$ 3,020.00

Furnish and install a Monroe model MPPJ45R12-ISTT, PARA-LIFT, parallelogram style lift, 12' poly plow with trip edge. Rubber snow deflector installed on plow with poly sight markers.
 Furnish and install brackets drilled for Snow Wheel casters. (Casters not included).
 Install truck half of hitch using side cheek plates.

Costing for plow per C-DOT disc pg. 21	\$ 11,374.65
Charge for Parallelogram hitch pg. 25	\$ 8,409.60
Labor to install 12 hours @ 100.00	1,200.00
Truck portion of hitch pg. 67	2,291.10
Poly markers pg. 24	51.45
Snow deflectors pg. 24	483.63
Side plates pg 68	399.42
90% =	\$ 20,656.00
33 hours to install @ 100.00	3,300.00
Total	\$ 23,956.00
Unit Price FOB Denver:	\$ 111,524.00
X7=	780,668.00

Total Price not including Options or Taxes: \$780,668.00

Optional Items:

Options	Amount	Accepted
Factory Inspection Trip Per Person:	\$790.00	Yes / No

Notes:

Accepted
 By: _____ Quoted By: _____ Dick Eckrich
 Date: _____ Date: _____ April 11, 2017



O.J. Watson Company, Inc.
 5335 Franklin Street
 Denver, Colorado 80216
 303-295-2885 or 800-332-2124
 Fax: 303-296-8049
 www.ojwatson.com

Quotation

Page 5 of 19

Customer: DENINTL
 Denver Int'l Airport
 DEN Maintenance Center
 27500 East 80th Ave.
 Denver CO 80249-6340

Salesperson: Dick Eckrich

Quote Number: RKE202

Quote Date: 4/9/2017

Quote valid until: 5/9/2017

Revision Number: 0

EXHIBIT B

Contact: Victor Lovato
Phone: 303-342-2860
 2nd :
Fax: 303-350-0120

Work Order:
PO Number:

Vehicle Information:

Year, Make & Model	2017 International 7500	Key #	
VIN #		Unit #	

Quoted Items:

Description of Work

Reference C-DOT award number: 311000523

Furnish and install a Monroe model MSV-120-84-62,304ss per the following:

MODEL AND DESCRIPTION

MSV-180-84-62,304ss MSV HYDRAULIC " FRAME MOUNTED" SPREADER IS FURNISHED WITH:

- 10" length
- 84" width
- 62" height
- 304 stainless steel construction
- 10 gauge hopper
- 7 gauge long sills
- Conveyor chain 3/8" X 1-1/2" bars
- Conveyor chain spacing: 4.5" CC
- 6.3 CI White hydraulic motor
- Speed sensor
- 50:1 drive kit
- 2" drive and idler shaft
- Stainless steel inverted "V"
- Mild steel top grate kit with Stainless hardware
- Stainless steel spinner assembly with dual stainless steel discs for airport application
- Tovar stainless steel light bar mounted on rear of sander with seven marker lights, two stop.tail and turn and two amber strobes
- Rear slack adjusters
- Grease extension kit
- Stainless steel cab shield
- Stainless steel rear conveyor cover
- Spinner deflector kit
- Stainless steel rear folding ladder
- Stainless steel cat walks
- Furnish and install a Shurco tarp system. Install on sander to rotate from curb side to street side.

Furnish and install a Whelen light system per the following:

- One- Whelen 72" light bar installed on top of truck cab.
- "LED" light system installed in rear post of sander.



O.J. Watson Company, Inc.
5335 Franklin Street
Denver, Colorado 80216
303-295-2885 or 800-332-2124
Fax: 303-296-8049
www.ojwatson.com

Quotation

Page 6 of 19

Description of Work

Snow plow light system installed on stainless steel brackets.

Furnish and install a hydraulic system consisting of the following:

Force- America hydraulics.

System to operate plow and sander with dual spinners

VT35, 35 gallon tank with in tank valve system

Electric controls, floor mounted commandall

ADD-A-FOLD

Valve for de-icing.

Valve for auger

Valve for spinner.

Double acting plow lift

Double acting plow angle.

Electric sander control:

Force MPJC 6100 controller

6.0 cubic inch pump

IP68 sealed wiring system.

Solid hydraulic tubes from the back of cab to rear of frame under the sander body. Supply short hydraulic lines at each end of the tubes.

Clamp tubes every 18".

Install the Force liquid module in a NEMA box at the rear of sander

Hydraulic system will include Stucchi quick couplers for plow.

Furnish and install a Fore-America model 6100 ULTRA electronic control system.

Supply an install a Monroe "J" style trip edge plow with a poly moldboard & integral snow shield

Model MPPJ39R12-ISTT to include:

12' moldboard

39" high

6 adjustable 3/4" square trip springs

One piece cutting edge

Double acting reverse cylinders

Monroe "Level Lift" lift assembly

10' X 12" rubber snow deflector

36" side markers

Monroe #MC6000 plow portion quick hitch

Monroe MC7092 truck portion quick hitch

4" X 10" lift cylinder

Supply the following M-B truck mounted broom:

M-b model TKH/10PW/2/S/H/B/N/N/N/M/MC6000 plow mount

32" x 120" PLOY/WIRE COMBO

Dual standard motors

Hydraulic swing

Bulkhead fittings

Painted M-B yellow

Monroe model MC6000 plow mount furnished and installed on broom.



O.J. Watson Company, Inc.
 5335 Franklin Street
 Denver, Colorado 80216
 303-295-2885 or 800-332-2124
 Fax: 303-296-8049
 www.ojwatson.com

Quotation

Page 7 of 19

Description of Work

NOTE: Ground to pin height needs to be determined

Unit Price FOB Denver: \$ 101,804.00
 X2= 203,608.00
Total Price not including Options or Taxes: \$203,608.00

Optional Items:

Options	Amount	Accepted
Supply a 12' M-B truck mounted broom in lieu of a 10"	\$948.00	Yes / No

Notes:

Accepted
 By: _____ Quoted By: _____ Dick Eckrich
 Date: _____ Date: April 11, 2017



O.J. Watson Company, Inc.
 5335 Franklin Street
 Denver, Colorado 80216
 303-295-2885 or 800-332-2124
 Fax: 303-296-8049
 www.ojwatson.com

Quotation

Page 8 of 19

DENINTL
Customer: Denver Int'l Airport
 DIA Maintenance Center
 27500 East 80th Ave.
 Denver CO 80249-6340

Salesperson: Dick Eckrich

Quote Number: RKE205

Quote Date: 4/26/2017

Quote valid until: 5/26/2017

Revision Number: 0

EXHIBIT C

Contact: Victor Lovato
Phone: 303-342-2860
 2nd : 303-350-0120
Fax: 303-342-2811

Work Order:
PO Number:

Vehicle Information:

Year, Make & Model	Key #
VIN #	Unit #

Quoted Items: Pricing Per C-DOT Award Number 311000480

Description of Work

Furnish and install a Whelen light system per the following:

One- Whelen 72" light bar installed on top of truck cab.
 "LED" light system installed in rear of Dump body.

Furnish and install a hydraulic system consisting of the following:

Three line dump
 Extended shaft PTO
 In cab controls

Furnish and install a 10' Crysteel dump body with the following specifications:

96" OD
 8" Western Tubular Frame
 46" Front Height
 38" Sides
 46" Gate
 High Lift Gate with Air Valve Kit
 Front, sides and rear: 7 gauge A1011 steel
 Floor: 1/4" AR400 Steel
 Radius Front and Sides to Floor
 24" Rear Pillar
 Air Power "HIGH LIFT" Tail Gate
 Large Welded Hinge Assembly
 Marathon Model M5399 Front Mounted Hoist
 40" 7 gauge cab shield
 Paint airport color
 Furnish and install pull tarp

Furnish and install a heated dump body kit to include modification to the exhaust system
 Furnish and install parts necessary for a "Watertight" tail gate



O.J. Watson Company, Inc.
 5335 Franklin Street
 Denver, Colorado 80216
 303-295-2885 or 800-332-2124
 Fax: 303-296-8049
 www.ojwatson.com

Quotation

Description of Work



Furnish and install a spreader apron with quick disconnects on the dump.

Furnish and install a vibrator on the dump with a delay switch.

Furnish and install a rear hitch fabricated from 3/4" steel plate reinforced to the truck frame. Supply with a PH 30, 60,000# pintle hook.



Supply and install a 7 way round trailer plug.
 Supply and install two 5/8" "D" rings.
 Paint as necessary.

Unit Price FOB Denver: \$ 49,591.00
 X3= 148,773.00

Total Price not including Options or Taxes: \$148,773.00

Optional Items:

Options	Amount	Accepted Yes / No
---------	--------	----------------------

Notes:
 Dump:

Three dump bodies with hydraulics to haul snow in the winter and general construction items in the summer
 Quote is for a 10" dump on an 84" CA.

Accepted By: _____ Quoted By: _____ Dick Eckrich
 Date: _____ Date: _____ April 26, 2017



O.J. Watson Company, Inc.
 5335 Franklin Street
 Denver, Colorado 80216
 303-295-2885 or 800-332-2124
 Fax: 303-296-8049
 www.ojwatson.com

Quotation

Customer: DENINTL
 Denver Int'l Airport
 DIA Maintenance Center
 27500 East 80th Ave.
 Denver CO 80249-6340

Salesperson: Dick Eckrich

Quote Number: RKE210

Quote Date: 6/7/2017

Quote valid until: 7/7/2017

Revision Number: 0

Work Order:

PO Number:

EXHIBIT D

Contact: Victor Lovato
Phone: 303-342-2860
 2nd : 303-350-0120
Fax: 303-342-2811

Vehicle Information:

Year, Make & Model		Key #	
VIN #		Unit #	

Quoted Items:

Description of Work

Furnish and install a Monroe 1035 gallon frame mounted liquid system to include:
 1035 gallon liquid de-icer tank
 Gallon markers provided at one end of tank
 Adjustable 304 stainless steel center spray bar
 Side lane spray bars to have adjustable solid stream nozzles.
 Three lane system
 Closed loop flow meter at 100 gpm.
 Chassis mounted tank frame to powder coated
 Liquid pump to have stainless steel housing.
 Low level sensor kit.
 78" LED light kit mounted on pedestal just below the top of tank.
 Stainless steel single axle chassis fender kit.



Furnish and install a Whelen light system per the following:

- One- Whelen 72" light bar installed on top of truck cab.
- Light bar to have amber strobe on street side and blue strobe on curb side.
- "LED" light system installed in rear light bar mounted on liquid system.
- Snow plow light system installed on heated spot mirror brackets.
- Strobe lights installed on rear of liquid system.

Furnish and install a hydraulic system consisting of the following:



O.J. Watson Company, Inc.
 5335 Franklin Street
 Denver, Colorado 80216
 303-295-2885 or 800-332-2124
 Fax: 303-296-8049
 www.ojwatson.com

Quotation

Description of Work

Force- America hydraulics.
 VT35, 35 gallon tank with in tank valve system
 Electric controls, floor mounted commandall
 ADD-A-FOLD
 Electric sander control:
 Force 6100-3 ultra-controller
 Direct liquid module with 3 lane switch box.
 6.0 cubic inch pump
 IP68 sealed wiring system.
 Solid hydraulic tubes from the back of cab to rear of frame under the liquid tank. Supply short hydraulic lines at each end of the tubes.
 Clamp tubes every 18".

Hydraulic system will include Stucchi quick couplers for plow.

Furnish and install a Monroe model MPPJ39R10-ISTT torsion trip snow plow including:

- 10' x 39" poly plow with trip edge with integral snow shield
- Rubber snow deflector
- ORANGLE poly sight markers
- Monroe Level-Lift style lift
- MTE-MC-7082 FOLD FLAT style truck hitch quick hitch
- MTE-MC-6000 plow quick hitch
- Check plate hitch to truck frame
- 4"x10" DA lift ram



Total Price not including Options or Taxes: \$70,205.00

Optional Items:

Options	Amount	Accepted Yes / No
---------	--------	----------------------

Notes:

Equipment to be installed on a 25,999# GVW truck with an 84" CA.

NOTE: This quote replaces quote #RKE206 dated 4/26/17.

Accepted By: _____ Quoted By: _____ Dick Eckrich

Date: _____ Date: _____ June 7, 2017



O.J. Watson Company, Inc.
 5335 Franklin Street
 Denver, Colorado 80216
 303-295-2885 or 800-332-2124
 Fax: 303-296-8049
 www.ojwatson.com

Quotation

Page 12 of 19

Customer: DENINTL
 Denver Int'l Airport
 DIA Maintenance Center
 27500 East 80th Ave.
 Denver CO 80249-6340

Salesperson: Dick Eckrich

Quote Number: RKE207

Quote Date: 4/27/2017

Quote valid until: 5/27/2017

Revision Number: 0

EXHIBIT E

Contact: Victor Lovato
Phone: 303-342-2860
 2nd: 303-350-0120
Fax: 303-342-2811

Work Order:
PO Number:

Vehicle Information:

Year, Make & Model	2017 Chevrolet 3500 Gasoline	Key #	
VIN #		Unit #	

Quoted Items: Pricing Per C-DOT Award Number 311000480

Description of Work

Furnish and install an 9' Crysteel dump body with the following specs:

- Body Style: ETIP
- Hoist Model: LBDUMP
- 1/2 Integral Cab shield.
- Side Style: Both Rigid.
- Front Material: 10 gauge mild steel. 40"
- Side Material: 12 gauge mild steel. 12"
- Floor Material: 10 gauge mild steel.
- 9" X 35" Tapered window.
- Body to be undercoated.
- Pull tarp system.
- LED Marker, stop/tail and turn lights.
- Paint Airport Yellow.

Pricing per C-DOT award number 311000480. New award good through 5/31/16.

Furnish and install a Monroe 8' stainless steel slid-in sander to include:

- 2.5 cu. yd.
- Hydraulic driven
- 12 gauge 201 stainless hopper
- Self-cleaning heat treated conveyer chain
- Poly spinner disc
- Extended spinner assembly for dump body mounting.
- Inverted "V".

Furnish and install a winch/strap hold down for front of sander with a tailgate latch system for the rear of sander.

Furnish and install an under hood hydraulic system to operate the dump body and sander.
 System to include all hydraulic hoses, fittings and oil.

Furnish and install a light system per the following:

Install two steel light boxes on rear corner post.



O.J. Watson Company, Inc.
 5335 Franklin Street
 Denver, Colorado 80216
 303-295-2885 or 800-332-2124
 Fax: 303-296-8049
 www.ojwatson.com

Quotation

Description of Work

Furnish and install an "LED" stop/tail&turn and amber strobes.
 Furnish and install two "LED" back up lights in oval cutouts on the dump body rear apron.
 Install four steel light boxes in the corner front of the dump cab shield.
 Furnish & install "LED" amber strobes in boxes.
 Install two steel light boxes on the out side/rear portion of the cab shield.
 Furnish and install two amber strobes in boxes.
 Furnish and install small "LED" marker lights.
 Furnish and install an "LED" three marker light system.
 Furnish and install licenses plate light.
 Lights to be grommet mounted.
 All wiring to be C-DOT spec with DUETCH connectors.

Furnish and install a rear trailer hitch from 1/2" steel welded to the frame rails with two "D" rings.

Furnish and install a 7 way trailer plug.
 NOTE: Chassis needs to be ordered with electrical cord to the rear.

Furnish and install a Boss 8'0" super duty poly straight plow with an electric/hydraulic power unit and Boss Smart Hitch2

Unit Price FGOB Denver: \$ 34,725.00

Total Price not including Options or Taxes: \$34,725.00

Optional Items:

Options	Amount	Accepted Yes / No
---------	--------	----------------------

Notes:

Truck to have a 60" CA and dual rear wheels.

Accepted By: _____ Quoted By: _____ Dick Eckrich
 Date: _____ Date: _____ April, 27, 2017



O.J. Watson Company, Inc.
 5335 Franklin Street
 Denver, Colorado 80216
 303-295-2885 or 800-332-2124
 Fax: 303-296-8049
 www.ojwatson.com

Quotation

Page 14 of 19

DENINTL
Customer: Denver Int'l Airport
 DIA Maintenance Center
 27500 East 80th Ave.
 Denver CO 80249-6340

Salesperson: Dick Eckrich

Contact: Victor Lovato
Phone: 303-342-2860
 2nd: 303-350-0120
Fax: 303-342-2811

Quote Number: RKE204
Quote Date: 4/26/2017
Quote valid until: 5/26/2017
Revision Number: 0

EXHIBIT F

Work Order:
PO Number:

Vehicle Information:

Year, Make & Model	2017 Chevy 3500 HD Gasoline	Key #	
VIN #		Unit #	

Quoted Items: Pricing Per C-DOT Award Number 311000480

Description of Work

Furnish and install the following body per C-DOT class 4 bid number HAA08-11MM and award number 311000480:

One 9' extra heavy duty flat bed with 42" stake sides, outside tie downs, undercoating and painted black.

LED marker lights and LED three ID lights.

Tommy Gate Model G2-92-1650 TP41



Supply a 12' body in lieu of the standard 9' C-DOT body.
 with a deck plate floor
 This is an up charge.

Furnish and install an Extra Heavy Duty, reinforced expanded metal head board.

Furnish and install a DIA light system in lieu of the C-DOT standard system:
 Furnish and install LED marker lights, LED clearance lights, LED ST&T lights and LED plate light.



O.J. Watson Company, Inc.
 5335 Franklin Street
 Denver, Colorado 80216
 303-295-2885 or 800-332-2124
 Fax: 303-296-8049
 www.ojwatson.com

Quotation

Page 15 of 19

Description of Work

Furnish and install a Whelen model "Justice Super LED" light bar with 50" Length and full lighting. Mounted on top of truck cab.



Total Price not including Options or Taxes: \$23,405.00

Optional Items:

Options	Amount	Accepted Yes / No
---------	--------	----------------------

Notes:

Truck to have an 84" CA

Accepted

By: _____

Quoted By: _____ Dick Eckrich

Date: _____

Date: _____ April 26, 2017



O.J. Watson Company, Inc.
 5335 Franklin Street
 Denver, Colorado 80216
 303-295-2885 or 800-332-2124
 Fax: 303-296-8049
 www.ojwatson.com

Quotation

Page 16 of 19

Customer: DENINTL
 Denver Int'l Airport
 DIA Maintenance Center
 27500 East 80th Ave.
 Denver CO 80249-6340

Salesperson: Dick Eckrich

Contact: Victor Lovato
Phone: 303-342-2860
2nd :
Fax: 303-342-2811

Quote Number: RKE208
Quote Date: 4/27/2017
Quote valid until: 5/27/2017
Revision Number: 0

EXHIBIT G

Work Order:
PO Number:

Vehicle Information:

Year, Make & Model	2017 Chevrolet 2500HD	Key #	
VIN #		Unit #	


Quoted Items: Pricing Per C-DOT Award Number 311000480

Description of Work

Furnish and install Tommy Gate model G260-1542TP38 with a 38" platform, 1500 lbs.

G2 Series Liftgate Features

- Dual hydraulic cylinders
- Virtually maintenance-free components
- Recessed control
- Larger platforms
- Fully-enclosed hydraulic system located within the lift mainframe



Unit Price FOB Denver: \$ 3,235.00
 X2= 6,470.00

Total Price not including Options or Taxes: \$6,470.00

Optional Items:

Options	Amount	Accepted Yes / No
---------	--------	----------------------

Notes:

Lift Gate Serial

Accepted By: _____ Quoted By: _____ Dick Eckrich
 Date: _____ Date: _____ April 27, 2017



O.J. Watson Company, Inc.
 5335 Franklin Street
 Denver, Colorado 80216
 303-295-2885 or 800-332-2124
 Fax: 303-296-8049
 www.ojwatson.com

Quotation

Page 17 of 19

Customer: DENINTL
 Denver Int'l Airport
 DIA Maintenance Center
 27500 East 80th Ave.
 Denver CO 80249-6340

Salesperson: Dick Eckrich

Quote Number: RKE209

Quote Date: 4/27/2017

Quote valid until: 5/27/2017

Revision Number: 0

EXHIBIT H

Contact: Victor Lovato
Phone: 303-342-2860
 2nd :
Fax: 303-342-2811

Work Order:
PO Number:

Vehicle Information:

Year, Make & Model	2017 Chevy Silverado	Key #	
VIN #		Unit #	


Quoted Items: Pricing Per C-DOT Award Number 311000480

Description of Work

Furnish and install Tommy Gate model G260-1342TP38 with a 38" platform, 1300 lbs.

G2 Series Liftgate Features

- Dual hydraulic cylinders
- Virtually maintenance-free components
- Recessed control
- Larger platforms
- Fully-enclosed hydraulic system located within the lift mainframe



Total Price not including Options or Taxes: \$3,202.00

Optional Items:

Options	Amount	Accepted Yes / No
---------	--------	----------------------

Notes:

Accepted By: _____ Quoted By: _____ Dick Eckrich
 Date: _____ Date: _____ April 27, 2017



O.J. Watson Company, Inc.
 5335 Franklin Street
 Denver, Colorado 80216
 303-295-2885 or 800-332-2124
 Fax: 303-296-8049
 www.ojwatson.com

Quotation

Page 18 of 19

Customer: DENINTL
 Denver Int'l Airport
 DIA Maintenance Center
 27500 East 80th Ave.
 Denver CO 80249-6340

Salesperson: Dick Eckrich

Quote Number: RKE206-1

Quote Date: 5/18/2017

Quote valid until: 6/17/2017

Revision Number: 1

Work Order:

PO Number:

EXHIBIT I

Contact: Victor Lovato
Phone: 303-342-2860
 2nd: 303-350-0120
Fax: 303-342-2811

Vehicle Information:

Year, Make & Model	Key #
VIN #	Unit #

Quoted Items:

Description of Work

Furnish and install a Monroe 1035 gallon frame mounted liquid system to include:
 1035 gallon liquid de-icer tank
 Gallon markers provided at one end of tank
 Adjustable 304 stainless steel center spray bar
 Side lane spray bars to have adjustable solid stream nozzles.
 Three lane system
 Closed loop flow meter at 100 gpm.
 Chassis mounted tank frame to powder coated
 Liquid pump to have stainless steel housing.
 Low level sensor kit.
 78" LED light kit mounted on pedestal just below the top of tank.
 Stainless steel single axle chassis fender kit.

Furnish and install a Whelen light system per the following:

One- Whelen 72" light bar installed on top of truck cab.
 Light bar to have amber strobe on street side and blue strobe on curb side.
 "LED" light system installed in rear light bar mounted on liquid system.
 Snow plow light system installed on heated spot mirror brackets.
 Strobe lights installed on rear of liquid system.

Furnish and install a hydraulic system consisting of the following:

Force- America hydraulics.
 VT35, 35 gallon tank with in tank valve system
 Electric controls, floor mounted commandall
 ADD-A-FOLD
 Valve for auger
 Valve for spinner.
 Double acting plow lift
 Double acting plow angle.
 Double acting dump cylinder.



O.J. Watson Company, Inc.
 5335 Franklin Street
 Denver, Colorado 80216
 303-295-2885 or 800-332-2124
 Fax: 303-296-8049
 www.ojwatson.com

Quotation

Page 19 of 19

Description of Work

Electric sander control:
 Force 6100-3 ultra-controller
 Direct liquid module with 3 lane switch box.
 6.0 cubic inch pump
 IP68 sealed wiring system.
 Solid hydraulic tubes from the back of cab to rear of frame under the liquid tank. Supply short hydraulic lines at each end of the tubes.
 Clamp tubes every 18".

Hydraulic system will include Stucchi quick couplers for plow.

Furnish and install a Monroe model MPPJ45R12-ISTT, PARA-LIFT, parallelogram style lift, 12' poly plow with trip edge. Rubber snow deflector installed on plow with poly sight markers.

Furnish and install brackets drilled for Snow Wheel casters. (Casters not included).

Install truck half of hitch using side cheek plates.

Unit Price FOB Denver: \$ 82,240.00
 X2= 164,480.00

Total Price not including Options or Taxes: \$164,480.00

Optional Items:

Options	Amount	Accepted Yes / No
---------	--------	----------------------

Notes:

Equipment to be installed on a 25,999# GVW truck with an 84" CA.

Accepted By: _____ Quoted By: _____ Dick Eckrich

Date: _____ Date: _____ May 18, 2017