

DO NOT INVOICE THIS ADDRESS

City and County of Denver
 Purchasing Division
 201 W. Colfax Ave Dept. 304
 Denver, CO 80202
 United States of America
 Ph: 720-913-8100 Fax: 720-913-8101



Purchase Order Number	PO-00145218
Purchase Order Date	Feb 7, 2024
Contract ID	
Payment Terms	Net 30
Payment Type	ACH
Buyer	Leann Rush (303) 342-2298 Leann.Rush@denvergov.org

Supplier
M - B CO INC P O BOX 200 NEW HOLSTEIN, WI 53061 United States of America Ph: (920) 8984203

Ship-To
DEN Maint Center 27500 E 80th Ave Unit A Denver, CO 80249 United States of America Steven Ricci

Bill To
Denver International Airport 8500 Pena Boulevard Room 8870 Denver, CO 80249-6340 United States of America Steven Ricci

Currency	Total Lines Amount	Tax Exempt	Total PO Amount
USD	\$2,505,563.50	98-02890-0000	\$2,505,563.50
Shipping Terms	Shipping Method	Shipping Instructions	
FOB Destination	Common Carrier		

Goods Lines								
Line Number	Item Name	Supplier Item Identifier	Description	Due Date	Unit of Measure	Quantity	Unit Price	Line Amount
1			MB4 Snow Blower - Attachment A		Each	2	\$878,450.55	\$1,756,901.1
2024 Capital replacements for W-16-051 and W-16-052								
2			MB3 front mount broom - Attachment B		Each	1	\$748,662.40	\$748,662.40
2024 Capital replacements for W-11-041								

The Procurement of M-B OEM Snow Equipment including all options as specifically outlined in Quote dated February 2, 2024.

Two (2) current model year MB4 Snow Blower - As described in Exhibit A, Attachment A

One (1) current model year MB3 front mount broom - -As described in Exhibit A, Attachment B

Shipping: F.O.B. Denver, CO. 80249, Payment: Pricing listed includes volume discount and delivery. Term: Net 30 upon receipt of vehicles.

* This Purchase Order is contingent upon approval by City Council as required in DRMC 3.26(e) *

Purchased pursuant to DRMC 20-64.5 supported by State of Minnesota award #222955. The City and County of Denver Colorado's terms and conditions herein supersede and replace all terms and conditions of State of Minnesota award #193051

All Titles to Read:
City and County of Denver
201 West Colfax Avenue Dept. 304
Denver, CO 80202

Contact person for delivery and other questions is Steve Ricci at 303-342-2778 or steven.ricci@flydenver.com

Vendor to fill in and submit Vehicle Check-In Sheet.
Delivery will NOT be considered complete without it.
Delivery: Monday through Friday between 8:00am and 4:00pm. Location:
DENVER INTERNATIONAL AIRPORT FLEET
27500 E 80th Ave, Unit A
Denver, CO 80249

Purchase Order price listed herein includes all shipping and handling.

Upon service completion and/or delivery of goods, please reference Purchase Order (PO) number. Please send/copy invoices to accounts.payable@flydenver.com

All billing inquiries are to be directed to the billing agency contact listed above.

CHANGES TO THIS PURCHASE ARE NOT VALID WITHOUT PRIOR APPROVAL FROM PURCHASING.



Authorized By

By accepting this Purchase Order you agree to the Terms and Conditions of the General Services Purchasing Division.
Follow the URL provided to the Purchase Order Terms and Conditions –
https://denvergov.org/files/assets/public/v/1/purchasing/documents/generalservicespurchasing_general_conditions_of_purchase_11242021.pdf

January 18, 2024

EXHIBIT A

Denver International Airport
ATTN: Steve Ricci
8500 Pena BLVD
Denver, CO 80249

Dear Mr. Ricci,

M-B Companies, Inc. is pleased to quote to the Denver International Airport MB4 Rotary Plow units and MB3 front mount dedicated brooms. Units will be purchased and built-in accordance to the options you selected utilizing the M-B Companies Minnesota State Contract #222955 and relevant MB4 & MB3 pricing sheet (see attached).

MB4 Snow Blower

Net Price each:	\$	878450.55
Each Additional Unit:	\$	878450.55
MB3 Front Mount Broom	\$	748,662.40
Each Additional Unit	\$	748,662.40

Terms and Conditions

- Shipping: F.O.B. Denver CO
- Payment: Pricing listed includes volume discount.
- Term: Net 30
- Pricing does not include any applicable taxes.
- Estimated delivery: 500 Days from date the order is received by MB.
- Warranty: chassis 1-year, engines 2-years, and transmission 3-years.
- Onsite training included (operators and mechanics), not to exceed 3 days in order to accommodate multiple shifts.
- Factory training or pre-shipment inspection at Chilton, WI location available upon request.
- Quote good until 4/30/2024

Thank you for this opportunity, if you have any questions please contact myself at 920-242-4134 or email at jessie.carr@aebi-schmidt.com

Respectfully,

Jessie Carr

Jessie Carr
Regional Sales Manager
M-B Companies, Inc.

Attachment A



M-B Companies, Inc.
 Airport Maintenance Products
 201 MB Lane | Chilton, WI 53014 | USA
 Phone: +1 920 849 2313 | Fax: +1 920 849 2629
 www.m-bco.com
 sales.mb@aebe-schmidt.com

Verisys Registrars®
 Helpful Auditing
 ISO 9001 2015 Certified

Effective 11/15/2022	MB List Price Schedule		
Quotation For:			
Customer	Denver International Airport	Date	2/2/2024
Address	8500 Pena Blvd	Quotation #:	MN ST 222955
City, State, Zip Code	Denver Colorado, 80249	Customer ID:	
Point of Contact	Steve Ricci	Quotation valid until:	4/30/2024
Phone and Email Address		Prepared by:	Jessie Carr

Comments or Special Instructions:

Delivery charges will be figured based on end user location and current ship rates.
 Startup and Training charges will be included at end user location
 Final quote to end user will include this information.

PRODUCT CODE	DESCRIPTION	QTY	UNIT LIST PRICE	EXT. AMOUNT
MB4 Blower	Custom Chassis Snow Blower - The MB4 chassis is designed to host the M-B MH7500 snow blower head and can be equipped to interchange for use with front plows, front brooms, tow brooms, and other equipment as desired. MB4 High Performance Airport Snow Blower design provides more than 1,000 HP to power snow blower head. The standard 755 HP electronic turbocharged T4F EPA emission certified auxiliary engine provides its entire 755 HP to the impeller drive. The hydrostatic blower ribbon is powered by the chassis engine. The ribbon is independently reversible and the speed is independent of impeller speed. Unique programming assures ribbon speed is automatically adjusted to compensate for vehicle speed. The efficient use of power from both engines provides a capacity up to 7500 tons per hour and cast distances in excess of 150 feet. Head cutting height is 58 inches and the 52.5" diameter ribbon has a cutting width is 102 inches. The 59" diameter fabricated impeller includes replaceable blades, mechanical drive and shear bolts to protect impeller and impeller drive. The rotating impeller housing and discharge chute allow adjustable cast direction, rotating 140 degrees from standard flat cast right. Steel cutting edge, pneumatic casters, Integrated carbide skid shoes, and rubber side containment blades are standard.	1	\$ 845,132.00	\$ 845,132.00
<i>Bulleled Items are Included or are features of the Base Unit</i>				

- Rear engine type chassis with four wheel Tru-Trac™ 4x4 drive
- Standard 164 inch wheel base with sharp steering axle crank angles efficiently provide small turning circles
- Butterfly type hood enclosure for both chassis and auxiliary engines, opens with power assist for maintenance and repair access
- 496 HP electronic turbocharged diesel T4F EPA emission certified chassis engine, includes ether start
- Allison RDS 4000, 6 speed transmission
- M-B "Torque Flow" transfer case featuring the Eaton Tru-Trac automatic differential. Single speed produces a wide torque / speed range. for low speed torque and speeds up to 45 MPH. Automatically and constantly proportions torque delivery between front and rear axles. Uses helical gears for positive and smooth torque transmission.
- M-B 29,000 pound front driving / steering axle with limited slip differential
- Dana 23,000 pound rear driving axle with limited slip differential
- Tapered spring suspension for smoother ride and increased driver control
- ABS air brake control system (4-channel) with automatic traction control
- Dual 125 gallon fuel tanks for drive and snow blower engines for up to 12 hours of operation
- 445/65R22.5 LR L traction tread front and rear tires
- M-B two-man, air ride cab: Panoramic view. All flat glass for easy and local replacement. Forward slope windshield. Four windshield wipers with three motor system for reduced linkage issues and to provide better snow removal on windshield. Air-ride driver and passenger seats with adjustable lumbar support. Standard features include FMVSS compliant lighting, side light bars, heated windshield, cab heater, heated power mirrors, power windows, and FAA approved strobes on cab and rear engine enclosure .
- Operator friendly, cab integrated microprocessor CAN bus controls with MDC (Monitor, Diagnose, Control) color screen display for chassis and equipment, with CAN joystick for attachment operation
- 1 yr warranty included in base unit.

SUBTOTAL	\$	845,132.00
OTHER		
TOTAL	\$	845,132.00

Price for base unit:

OPTIONS

Chassis Options			
Four wheel steering with 27,000 pound rear drive/steer axle	1	\$ 22,003.00	\$ 22,003.00
Engine oil pan heater, pad type		\$ 776.00	\$ -
Engine block heater, immersion type	1	\$ 537.00	\$ 537.00
Battery trickle charger, 1.5 amp	1	\$ 622.00	\$ 622.00
Battery charger, 20 amp		\$ 707.00	\$ -
Battery heater, pad type		\$ 1,146.00	\$ -
Remote battery jump start lugs	1	\$ 384.00	\$ 384.00
Remote air fill port	1	\$ 232.00	\$ 232.00
Hydraulic oil tank heater, pad type		\$ 652.00	\$ -
Fuel heater, immersion tank type		\$ 776.00	\$ -
Coolant filter	1	\$ 236.00	\$ 236.00
Rear bumper chevron striping	1	\$ 385.00	\$ 385.00
Eight inch reflective stripe	1	\$ 918.00	\$ 918.00
Numbers and lettering on unit	1	\$ 674.00	\$ 674.00
Rustproofing: under floor, fenders and battery box	1	\$ 925.00	\$ 925.00
Rear mounted pintle hook	1	\$ 256.00	\$ 256.00
Spare chassis tire and wheel		\$ 2,682.00	\$ -
Chassis Cab Options			
Air Conditioning	1	\$ 4,043.00	\$ 4,043.00
Dual Core Heater		\$ 2,554.00	\$ -
Deluge System (Requires side door wipers)	1	\$ 2,298.00	\$ 2,298.00
Side door window wipers	1	\$ 923.00	\$ 923.00
Heated option for side door window wipers		\$ 408.00	\$ -
Heated option for windshield wipers		\$ 597.00	\$ -
Radio, AM/FM with weather band and CD player	1	\$ 697.00	\$ 697.00
Rear view camera system, color (Includes rear facing LED flood lights)	1	\$ 2,238.00	\$ 2,238.00
Golight Strkyer remote spot light on cab, (1)	1	\$ 927.00	\$ 927.00
HID lights on cab light bar, flood, (2)	1	\$ 1,966.00	\$ 1,966.00
HID lights on cab light bar, trapezoid, (2)	1	\$ 1,829.00	\$ 1,829.00
HID lights on cab light bar, spot, (2)	1	\$ 1,843.00	\$ 1,843.00
LED lights on cab light bar, flood, (2)		\$ 1,158.00	\$ -
LED lights on cab light bar, trapezoid, (2)		\$ 1,085.00	\$ -
LED lights on cab light bar, spot, (2)		\$ 1,092.00	\$ -

Rear facing LED flood lights, (2)		\$ 411.00	\$ -
Amber snow plow lights on cab light bar, (2)		\$ 565.00	\$ -
Fire extinguisher, 2A:10BC, 5 lb. with mounting bracket	1	\$ 288.00	\$ 288.00
Fire extinguisher, 10A:40BC, 10 lb. with mounting bracket		\$ 350.00	\$ -
Snow Blower Options:			
800 HP T4F Snowblower Engine in place of 755 HP T4F Snowblower engine	1	\$ 6,371.00	\$ 6,371.00
496 HP T4F Snowblower Engine in place of 755 Hp T4F Snowblower Engine. Capacity up to 4000 tons per hour with a cast distance up to 100 feet.		\$ (30,061.00)	\$ -
Loading chute with directional flipper control for dump truck or spot casting		\$ 16,647.00	\$ -
Poly cutting edge in place of steel cutting edge	1	\$ 760.00	\$ 760.00
Blower Engine Options:			
Blower engine oil pan heater, pad type		\$ 776.00	\$ -
Blower engine block heater, immersion type	1	\$ 531.00	\$ 531.00
Hydraulic oil tank heater, pad type		\$ 652.00	\$ -
Coolant filter	1	\$ 463.00	\$ 463.00
Snow Blower Spare Parts:			
Steel cutting edge		\$ 229.00	\$ -
Poly cutting edge		\$ 885.00	\$ -
Carbide skid shoes (2)		\$ 498.00	\$ -
Pneumatic caster assembly	1	\$ 956.00	\$ 956.00
Shear bolt kit (5 sets, 10 total)	1	\$ 232.00	\$ 232.00
	Options Subtotal		\$ 53,537.00
	Total from Base unit		\$ 845,132.00
	Total Unit Price		\$ 898,669.00
Discount off Total Unit Price, exclusive of freight, Quantity 3+ units; deduct: 2%	5%	\$ 44,933.45	\$ 853,735.55
Delivery Starting Point	Chilton, WI 53014		
Delivery Ending Point	City, State, Zip Code		
Delivery price determined by calculated mileage between points (Yahoo Maps) and current shipping rates	1075	\$ 13.00	\$ 13,975.00
SUBTOTAL			\$ 867,710.55

Additional options for DIA

Option for 3 digit blue numbers on rear of unit	\$ 1,122.00
Option for master switch light indicator	\$ 470.00
Autolube for MB4	\$ 9,148.00

Total with additional options \$ 878,450.55

M-B Contact: Jessie Carr
201 MB Lane
Chilton, WI 53014
Phone (920) 242-4134 Fax (920) 849-2629
E-mail: Jessie.Carr@aebi-schmidt.com

Attachment B



M-B Companies, Inc.
Airport Maintenance Products
 201 MB Lane | Chilton, WI 53014 | USA
 Phone: +1 920 849 2313 | Fax: +1 920 849 2629
 www.m-bco.com
 sales.mb@aebi-schmidt.com

Verisys Registrars®
 Helpful Auditing
 ISO 9001 2015 Certified

Effective 11/15/2022	MB List Price Schedule		Expires 5/15/23
Quotation For:			
Customer	Denver International Airport	Date	2/2/2024
Address	8500 Pena Blvd	Quotation #:	MN ST 222955
City, State, Zip Code	Denver Colorado, 80249	Customer ID:	
Point of Contact	Steve Ricci	Quotation valid until:	4/30/2024
Phone and Email Address		Prepared by:	Jessie Carr

Comments or Special Instructions:

Delivery charges will be figured based on end user location and current ship rates.
 Startup and Training charges will be included at end user location
 Final quote to end user will include this information.

PRODUCT CODE	DESCRIPTION	QTY	UNIT LIST PRICE	EXT. AMOUNT
MB3-Broom	Front Mount Broom - The MB3 is a versatile custom cab forward airport chassis designed for front mounted plows, front mounted brooms, tow brooms, underbody scrapers, de-icing systems, and other attachments. 375 HP electronic controlled T4F EPA emission certified diesel chassis engine is standard. The MB3 axles are designed with sharp steering cramp angles providing for smaller turning circles and maximum maneuverability. Coupled with electronic automatic traction control the torque proportioning transfer case reduces tire wear while assuring the most efficient use of vehicle power. The MB3 broom features the 4616 pivot lift airport broom package which includes: 16 foot broom length, 13.1 foot swept path, 46 inch diameter, 375 HP electronic turbocharged T4F EPA certified diesel engine, dual impeller air blast system, and up to 475 rpm broom speed with up to 2,656 ft-lbs available torque at broom head. The standard broom is free floating with weight transfer, DIN flat face broom to chassis hitch, and has two single tire caster assemblies. All poly wafer type bristles are standard. Broom is reversible to left and right up to 35 degrees.	1	\$ 693,088.00	\$ 693,088.00
<i>Bulleted Items are Included or are features of the Base Unit</i>				

- Cab forward, rear engine chassis with four wheel Tru-Trac™ 4x4 drive
- Standard 164 inch wheel base with sharp steering axle cramp angles efficiently provide small turning circles
- Butterfly type hood enclosure for both chassis and auxiliary engines, opens with power assist for maintenance and repair access.
- Right side of drive engine enclosure rotates upward to allow full access to engine for maintenance and repair.
- 375 HP electronic turbocharged diesel T4F EPA emission certified chassis engine, includes ether start
- Allison RDS 4000, 6 speed transmission
- M-B "Torque Flow" transfer case featuring the Eaton Tru-Trac automatic differential. Single speed produces a wide torque / speed range. for low speed torque and speeds up to 45 MPH. Automatically and constantly proportions torque delivery between front and rear axles. Uses helical gears for positive and smooth torque transmission
- M-B 29,000 pound front drive / steer axle with limited slip differential.
- Dana 23,000 pound rear drive axle with limited slip differential.
- Tapered spring suspension provides smoother ride and increased driver control
- ABS air brake control system (4-channel) with automatic traction control
- Dual 125 gallon fuel tanks for drive and broom engines for up to 12 hours of operation
- 445/65R22.5 LR L traction tread front and rear tires
- Integrated microprocessor CAN bus controls, electric over hydraulic, for entire unit.
- M-B two-man, air ride cab: Panoramic view. All flat glass for easy and local replacement. Forward slope windshield. Four windshield wipers with three motor system for reduced linkage issues and provide better snow removal on windshield. Air-ride driver and passenger seats with adjustable lumbar suport. Standard features include FMVSS compliant lighting, side light bars, heated windshield, cab heater, heated power mirrors, power windows, cab mounted FAA approved flashing strobe

OPTIONS

		SUBTOTAL	\$ 693,088.00
		OTHER	
		TOTAL	\$ 693,088.00
Price for base unit:			
Chassis Power Package Option			
496 HP, electronic turbocharged diesel engine. T4F EPA emission certified engine in place of 375 HP T4F engine		\$ 11,566.00	\$ -
Chassis Options			
Four wheel steering with 27,000 pound rear drive/steer axle		\$ 22,003.00	\$ -
Engine oil pan heater, pad type		\$ 776.00	\$ -
Engine block heater, immersion type	1	\$ 537.00	\$ 537.00
Battery trickle charger, 1.5 amp	1	\$ 622.00	\$ 622.00
Battery charger, 20 amp		\$ 707.00	\$ -
Battery heater, pad type		\$ 1,146.00	\$ -
Remote battery jump start lugs	1	\$ 384.00	\$ 384.00
Remote air fill port	1	\$ 232.00	\$ 232.00
Hydraulic oil tank heater, pad type		\$ 652.00	\$ -
Fuel heater, immersion tank type		\$ 776.00	\$ -
Coolant filter	1	\$ 234.00	\$ 234.00
Rear bumper chevron striping	1	\$ 385.00	\$ 385.00
Eight inch reflective stripe	1	\$ 918.00	\$ 918.00
Numbers and lettering on unit	1	\$ 674.00	\$ 674.00
Rustproofing: under floor, fenders and battery box	1	\$ 925.00	\$ 925.00
Rear mounted pintle hook		\$ 256.00	\$ -
Spare chassis tire and wheel		\$ 2,682.00	\$ -
Chassis Cab Options			
Air Conditioning (not available with Dual Core Heater)	1	\$ 4,041.00	\$ 4,041.00
Dual Core Heater (not available with Air Conditioning)		\$ 2,554.00	\$ -
Deluge System (Requires side door wipers)	1	\$ 2,298.00	\$ 2,298.00
Side door window wipers	1	\$ 923.00	\$ 923.00
Heated option for side door window wipers		\$ 408.00	\$ -
Heated option for windshield wipers		\$ 590.00	\$ -

Radio, AM/FM with weather band and CD player	1	\$ 697.00	\$ 697.00
Rear view camera system, color (Requires rear facing halogen flood lights)	1	\$ 2,238.00	\$ 2,238.00
Golight Strkyer remote spot light on cab, (1)		\$ 918.00	\$ -
HID lights on cab light bar, flood, (2)	1	\$ 1,966.00	\$ 1,966.00
HID lights on cab light bar, trapezoid, (2)	1	\$ 1,829.00	\$ 1,829.00
HID lights on cab light bar, spot, (2)		\$ 1,843.00	\$ -
LED lights on cab light bar, flood, (2)	1	\$ 1,146.00	\$ 1,146.00
LED lights on cab light bar, trapezoid, (2)		\$ 1,085.00	\$ -
LED lights on cab light bar, spot, (2)		\$ 1,082.00	\$ -
Rear facing LED flood lights, (2)		\$ 298.00	\$ -
Amber snow plow lights on cab light bar, (2)		\$ 559.00	\$ -
Fire extinguisher, 2A:10BC, 5 lb. with mounting bracket	1	\$ 284.00	\$ 284.00
Fire extinguisher, 10A:40BC, 10 lb. with mounting bracket		\$ 350.00	\$ -
Broom Head Options:			
Vertical lift airport broom head in place of pivot lift head		\$ 17,849.00	\$ -
18 foot broom head in place of 16 foot		\$ 2,116.00	\$ -
20 foot broom head in place of 16 foot		\$ 4,755.00	\$ -
22 foot broom head in place of 16 foot	1	\$ 9,509.00	\$ 9,509.00
Broom Engine Power Package Options:			
496 HP, electronic turbocharged diesel engine, T4F EPS emission certified, 500 rpm broom with 4828 ft-lbs of available torque at the broom shaft at 5075 psi in place of 375 HP T4F engine/hydraulics package	1	\$ 18,377.00	\$ 18,377.00
Broom Engine Options			
Broom engine oil pan heater, pad type		\$ 776.00	\$ -
Broom engine block heater, immersion type	1	\$ 531.00	\$ 531.00
Hydraulic oil tank heater, pad type		\$ 652.00	\$ -
Coolant filter	1	\$ 463.00	\$ 463.00
Broom General Options			
Broom head marker lights	1	\$ 932.00	\$ 932.00
Broom speed tachometer	1	\$ 821.00	\$ 821.00
Automatic brush pattern adjustment	1	\$ 912.00	\$ 912.00
Ground speed control (Must include automatic brush pattern adjustment and broom speed tachometer)	1	\$ 609.00	\$ 609.00
Broom hydrostatic pressure guage	1	\$ 534.00	\$ 534.00
Vibrator	1	\$ 2,739.00	\$ 2,739.00
adjustment)		\$ 3,467.00	\$ -
Broom Hood Option (For Pivot Lift head only)			
Snowshed hood for 16 foot broom head		\$ 3,254.00	\$ -
Snowshed hood for 18 foot broom head		\$ 3,629.00	\$ -
Snowshed hood for 20 foot broom head		\$ 3,723.00	\$ -
Snowshed hood for 22 foot broom head	1	\$ 3,817.00	\$ 3,817.00
Broom Wafer Options			
All steel 13# wire wafers in place of all poly on 16 foot broom		\$ 692.00	\$ -
All steel 13# wire wafers in place of all poly on 18 foot broom		\$ 776.00	\$ -
All steel 13# wire wafers in place of all poly on 20 foot broom		\$ 889.00	\$ -
All steel 13# wire wafers in place of all poly on 22 foot broom		\$ 946.00	\$ -
8# poly. 13# wire, 50/50 wafers in place of all poly on 16 foot broom		\$ 346.00	\$ -
8# poly. 13# wire, 50/50 wafers in place of all poly on 18 foot broom		\$ 385.00	\$ -
8# poly. 13# wire, 50/50 wafers in place of all poly on 20 foot broom		\$ 448.00	\$ -
8# poly. 13# wire, 50/50 wafers in place of all poly on 22 foot broom	1	\$ 510.00	\$ 510.00
Broom Spare Parts			
Spare set 16 foot cores		\$ 5,488.00	\$ -

Spare set 18 foot cores		\$ 5,654.00	\$ -
Spare set 20 foot cores		\$ 6,033.00	\$ -
Spare set 22 foot cores	1	\$ 6,332.00	\$ 6,332.00
Set of four broom carts, non-adjustable		\$ 1,208.00	\$ -
End plate jack for use with core change (2)		\$ 560.00	\$ -
Spare caster tire and wheel, nitrogen filled		\$ 715.00	\$ -
Spare caster, tire, wheel, hub, bearings, axle and nuts, nitrogen filled		\$ 947.00	\$ -
Spare caster tire and wheel, foam filled		\$ 546.00	\$ -
Spare caster, tire, wheel, hub, bearings, axle and nuts, foam filled		\$ 763.00	\$ -
46" x 19.5" Poly Wafer, 8 lbs. 101-137212		\$ 26.25	\$ -
46" x 19.5" 13# Wire Wafer, 13lbs. 101-92109		\$ 38.06	\$ -
19.5" Spacer Ring. 402-93914		\$ 3.10	\$ -
FOD Options			
18 foot FOD box		\$ 24,852.00	\$ -
20 foot FOD box		\$ 26,012.00	\$ -
22 foot FOD box		\$ 27,230.00	\$ -
P5000 Optional Reversible Plow			
M-B P5000 14 foot straight reversible plow, 50 inch high, DIN hitch, Steel cutting edge		\$ 54,988.00	\$ -
Options Subtotal			\$ 66,419.00
Total from Base unit			\$ 693,088.00
Total Unit Price			\$ 759,507.00
2%	5%	\$ 37,975.35	\$ 721,531.65
Delivery Starting Point	Chilton, WI 53014		
Delivery Ending Point	City, State, Zip Code		
Delivery price determined by calculated mileage between points (Yahoo Maps) and current shipping rates	1075	14.25	\$ 15,318.75
TOTAL			\$ 736,850.40

List Price

M-B Contact: Jessie Carr
201 MB Lane
Chilton, WI 53014
Phone (920) 242-4134 Fax (920) 849-2629
E-mail: Jessie.Carr@aebi-schmidt.com

Option for 3 digit blue numbers on rear of unit	\$ 1,122.00
Option for master switch light indicator	\$ 470.00
Autolube for MB3	\$ 10,220.00

Total with additional options: \$748,662.40

CITY PO EXHIBIT
City and County of Denver
Fleet Management
Vendor Supplied Information Data

City Unit(s) # _____

(City Use Only)

ENTER CITY PURCHASE ORDER NUMBER: PO- _____
Example: PO-0000XXXX

The following underlined forms and information are REQUIRED for new vehicle deliveries:

- Copy of entire Purchase Order (all pages)
- Original MSO (Manufacturers Statement of Origin) – is required for all vehicles except off-road and construction equipment. May receive one for some off road equipment if manufacturer issues one.
Name of purchaser: **City and County of Denver**
Address: **201 W. Colfax Ave. Dept. 304
Denver, CO 80202**
- Secured Dealer Bill of Sale (DR2407) – IN STATE ONLY – Required for on the road vehicles Such as cars, pickup[s], vans and any vehicle under 16,000 GVWR. Not needed if odometer Section is filled out and signed on MSO. Not required on vehicles over 16,000GVWR LBS.
- Application for Title and Registration (DR2395) – Required for all on-road vehicles and trailers.
- Verification of Vehicle Identification Number (DR2698) – Required for all Vehicles coming from an out of state dealer, incomplete vehicle. I.E. Cab and Chassis.
- Statement of Fact (DR2444) - Required on all vehicles with modifications to the cab and chassis. Such as a body crane, auxiliary engine, etc. The statement of fact must include the modifications made and include VIN numbers of chassis and equipment.
- Special Mobile Machinery Form (DR2689) - Required on all off road and Construction equipment. I.E. Front end loaders, tractors, skid steer loaders, Mowers, air compressors, motor graders, etc.
- Weight slip required - (on all incomplete vehicles that are made into a complete vehicle) – and all off-road equipment and construction type equipment. (Front end loaders, sweepers, graders, air compressors, rollers, etc.).
- Temporary License Plate – Required for all on-road vehicles. Not required for off road Equipment.
- Original Dealer Invoice – Required for all vehicles on and off the Road.
- Receipt or Contract for Optional Warranty – Only if spec or called out on P.O.
- Shop and Parts manuals (as required) (CD or electronic form preferred) – Only if spec or show as a line item of P.O.
- Standard Sales Tax Receipt for Vehicle Sales (DR0024)-IN STATE ONLY- Required for purchases to disclose the purchase amount to the state.

Dealer Signature: _____ Date: _____