

## ORDINANCE/RESOLUTION REQUEST

Please email requests to the Mayor's Legislative Team  
at [MileHighOrdinance@DenverGov.org](mailto:MileHighOrdinance@DenverGov.org) by **3:00pm on Monday**.

***\*All fields must be completed.\****

*Incomplete request forms will be returned to sender which may cause a delay in processing.*

Date of Request: January 6, 2015

Please mark one:  Bill Request or  Resolution Request

1. Has your agency submitted this request in the last 12 months?

Yes  No

If yes, please explain:

2. **Title:** Incorporate Metro Wastewater Reclamation District amendments into ordinance.

3. **Requesting Agency:** Wastewater Management Division/Department of Public Works

4. **Contact Person:** (With actual knowledge of proposed ordinance/resolution.)

- **Name:** Reza Kazemian
- **Phone:** 303-446-3433
- **Email:** reza.kazemian@denvergov.org

5. **Contact Person:** (With actual knowledge of proposed ordinance/resolution who will present the item at Mayor-Council and who will be available for first and second reading, if necessary.)

- **Name:** Angela Casias
- **Phone:** 720-913-8529
- **Email:** Angela.Casias@denvergov.org

6. **General description of proposed ordinance including contract scope of work if applicable:**

*The Metro Wastewater Reclamation District (Metro) periodically amends its Rules and Regulations. The most recent amendments were adopted by Metro in response to a water consumption study and separate loadings measurements at the Robert W. Hite Treatment Plant. The study (and loadings measurements) indicated that "other than single family" water consumption has slightly changed, and that the "single family residential equivalent" (SFRE) values for these "other than single family" water taps should change to accurately reflect the actual consumption ratios. Therefore, effective January 1, 2015, Metro amended the sewer connection charges for "other than single family" connections, and the "default residential strength values" for biochemical oxygen demand, suspended solids, and nitrogen. The proposed CCD ordinance changes are necessary to reflect the Metro amendments so that Denver applies the same criteria as Metro when calculating sewer connection charges.*

**\*\*Please complete the following fields:** (Incomplete fields may result in a delay in processing. If a field is not applicable, please enter N/A for that field.)

- a. **Contract Control Number:**
- b. **Duration:** No expiration.
- c. **Location:** N/A
- d. **Affected Council District:** N/A
- e. **Benefits:** Ensures that uniform criteria are applied by both the city and Metro when calculating sewer connection charges and industrial waste surcharges.

7. **Is there any controversy surrounding this ordinance?** (Groups or individuals who may have concerns about it?) **Please explain.**

None.

To be completed by Mayor's Legislative Team:

SIRE Tracking Number: \_\_\_\_\_

Date Entered: \_\_\_\_\_