


Exhibit A



Denver International Airport,

Product Information Report (47QMCA18D0001)

Product Name: DI-4000 DE-ICER WITH CHASSIS

Manufacturer: BATTSS INC.

Mfg. Part #: DI-4000 WITH CHASSIS

Contractor Part #: DI-4000 WITH CHASSIS

SIN #: 271-104

Product Description: 4,000-gallon runway de-icer mounted on a 72,000 GVW chassis. Hydraulic driven pumping system and hydraulic controlled 50 Ft. boom. GPS Rate Control and Twin Nozzle Spraying System for ultimate coverage, stainless steel tank and fenders.

Dimension and Packaging:

LN – 150 FEET AND DECIMAL WD – 125 FEET AND DECIMAL

HT – 120 FEET AND DECIMAL

Weight – 1,542 lbs.

Shipping Package Cube – 1,542 Cubic Feet

Unit Packaging – EACH

Warranty – 1 YEAR

Production Points: US

Time of Delivery: 120 Days – Delivered (after receipt of order)

FOB POINTS:

Alaska, Hawaii, and Puerto Rico – No Delivery To These Destinations


Continental US – Destination

Website Address: <http://battsinc.com/>

Price or Credit – Zone 00

Commercial/Catolog Price: \$323,927.46

GSA Price: \$304,491.82



Batts Inc. will supply the Runway De-icer Pro 4,000 Gallon 50 Ft. Boom Series on a Western Star Chassis with Transwest and Myslik Inc., per previous conversations, to Denver International Airport for \$304,491.82 each. This pertains to GSA Contract # 47QMCA18D0001, GSA-MFR Part/ Model # DI-4000 with Chassis.

Sincerely,

John R. Batts

X John R. Batts
Signature

X President X 4-4-19
Title Date

Prepared for:
Victor Lovato
Denver International Airport (DIA)
8500 Pena
Denver, CO 80249
Phone: 3033422796


Prepared by:
Jeremiah Brodal
TRANSWEST TRUCKS
20770 I 76 FRONTAGE
BRIGHTON, CO 80603
Phone: (303)289-3161

A proposal for
Denver International Airport (DIA)

Prepared by
TRANSWEST TRUCKS
Jeremiah Brodal

Apr 01, 2019

Western Star 4700SB



Components shown may not reflect all spec'd options and are not to scale

Prepared for:
 Victor Lovato
 Denver International Airport (DIA)
 8500 Pena
 Denver, CO 80249
 Phone: 3033422796

Prepared by:
 Jeremiah Brodal
 TRANSWEST TRUCKS
 20770 I 76 FRONTAGE
 BRIGHTON, CO 80603
 Phone: (303)289-3161

S P E C I F I C A T I O N P R O P O S A L

Description	Weight Front	Weight Rear
Price Level		
WESTERN STAR 4700 PRL-18T (EFF:04/14/18)		
Data Version		
SPECPRO21 DATA RELEASE VER 011		
Vehicle Configuration		
4700 SET-BACK FRONT AXLE CHASSIS	9,215	6,530
2020 MODEL YEAR SPECIFIED		
SET BACK AXLE - TRUCK		
STRAIGHT TRUCK PROVISION		
LH PRIMARY STEERING LOCATION		
General Service		
TRUCK CONFIGURATION		
DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
UTILITY/REPAIR/MAINTENANCE SERVICE		
GOVERNMENT BUSINESS SEGMENT		
LIQUID BULK COMMODITY		
TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
MAXIMUM 8% EXPECTED GRADE		
SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
WESTERN STAR SEVERE SERVICE WARRANTY		
EXPECTED FRONT AXLE(S) LOAD : 22000.0 lbs		
EXPECTED REAR DRIVE AXLE(S) LOAD : 52000.0 lbs		
EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 74000.0 lbs		
Truck Service		
TANK BODY		



Prepared for:
 Victor Lovato
 Denver International Airport (DIA)
 8500 Pena
 Denver, CO 80249
 Phone: 3033422796

Prepared by:
 Jeremiah Brodal
 TRANSWEST TRUCKS
 20770 I 76 FRONTAGE
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
Engine		
CUM X12 430V HP @ 1900 RPM, 1650 LB/FT @ 1000 RPM, 2000 GOV RPM,VOC	-390	-45
Electronic Parameters		
55 MPH ROAD SPEED LIMIT		
PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED		
PTO MINIMUM RPM - 700		
REGEN INHIBIT SPEED THRESHOLD - 5 MPH		
TEMPERATURE OVERRIDE BELOW 20 DEGREES AND ABOVE 70 DEGREES AMBIENT TEMPERATURE		
Engine Equipment		
2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION		
2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)		
STANDARD OIL PAN		
ENGINE MOUNTED OIL CHECK AND FILL ONE PIECE VALVE COVER		
SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT, PASSIVE PRECLEANER AND INSIDE/OUTSIDE AIR WITH SNOW DOOR	10	
DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
(3) DTNA GENUINE, FLOODED STARTING, MIN 2850CCA, 525RC, THREADED STUD BATTERIES	-10	
BATTERY BOX FRAME MOUNTED	35	
SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB		
WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
NON-POLISHED BATTERY BOX COVER		
POSITIVE LOAD DISCONNECT WITH DASH MOUNTED CONTROL SWITCH WITH LOCKING PROVISION	8	
LOW VOLTAGE BATTERY DISCONNECT AT 12.3 VOLTS FOR ISOLATED CIRCUITS WITH LOCAL ALARM		



Prepared for:
 Victor Lovato
 Denver International Airport (DIA)
 8500 Pena
 Denver, CO 80249
 Phone: 3033422796

Prepared by:
 Jeremiah Brodal
 TRANSWEST TRUCKS
 20770 I 76 FRONTAGE
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
CUMMINS NATURALLY ASPIRATED 25.9 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
AIR COMPRESSOR DISCHARGE LINE		
ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
CUMMINS INTEBRAKE COMPRESSION BRAKE WITH (2) SWITCHES; (1) ON/OFF AND (1) LOW/MEDIUM/HIGH RETARDATION LEVEL	20	
RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE		
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH		
11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT		
RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
13 GALLON DIESEL EXHAUST FLUID TANK	35	10
100 PERCENT DIESEL EXHAUST FLUID FILL		
STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		
LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD		
BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH		
AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED		
CUMMINS SPIN ON FUEL FILTER		
COMBINATION FULL FLOW/BYPASS OIL FILTER		
1500 SQUARE INCH ALUMINUM RADIATOR		
MOUNTING FOR FIREWALL MOUNTED SURGE TANK		
ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		



Prepared for:
 Victor Lovato
 Denver International Airport (DIA)
 8500 Pena
 Denver, CO 80249
 Phone: 3033422796

Prepared by:
 Jeremiah Brodal
 TRANSWEST TRUCKS
 20770 I 76 FRONTAGE
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
RADIATOR DRAIN VALVE		
LOWER RADIATOR GUARD		
1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	20	
PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4	
PHILLIPS-TEMRO 150 WATT/115 VOLT OIL PREHEATER	4	
CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
ALUMINUM FLYWHEEL HOUSING		
ELECTRIC GRID AIR INTAKE WARMER		
DELCO 12V 39MT HD/OCF STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	-35	

Transmission

ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	170	50
--	-----	----

Transmission Equipment

ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV
 ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES
 PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
 SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
 PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
 SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
 PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
 SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE



Prepared for:
 Victor Lovato
 Denver International Airport (DIA)
 8500 Pena
 Denver, CO 80249
 Phone: 3033422796

Prepared by:
 Jeremiah Brodal
 TRANSWEST TRUCKS
 20770 I 76 FRONTAGE
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
FUEL SENSE 2.0 DISABLED - MAXIMUM PERFORMANCE - TABLE BASED		
NO REAR PTO TRANSMISSION RANGE		
MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
ELECTRONIC CONTROL SHIFT LEVER, TUNNEL/FLOOR MOUNTED		
TRANSMISSION PROGNOSTICS - ENABLED 2013		
WATER TO OIL TRANSMISSION COOLER, FRAME MOUNTED	15	
TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		

Front Axle and Equipment

MFS-20-133A 22,000# FL1 71.0 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE	60	
MERITOR 16.5X6 Q+ HIGH CAPACITY CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	10	
NON-ASBESTOS FRONT BRAKE LINING		
CONMET CAST IRON FRONT BRAKE DRUMS		
FRONT OIL SEALS		
VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
STANDARD SPINDLE NUTS FOR ALL AXLES		
MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
STANDARD KING PIN BUSHINGS		
TRW TAS-85 POWER STEERING WITH RCH45 AUXILIARY GEAR	135	
POWER STEERING PUMP		
4 QUART POWER STEERING RESERVOIR		
OIL/AIR POWER STEERING COOLER		
SYNTHETIC 50W FRONT AXLE LUBE		

Front Suspension

23,000# FLAT LEAF FRONT SUSPENSION	120	
THREADED SPRING PINS AND BUSHINGS - FRONT SUSPENSION		

Rear Axle and Equipment



Prepared for:
 Victor Lovato
 Denver International Airport (DIA)
 8500 Pena
 Denver, CO 80249
 Phone: 3033422796

Prepared by:
 Jeremiah Brodal
 TRANSWEST TRUCKS
 20770 I 76 FRONTAGE
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
RT-52-185 52,000# T-SERIES TANDEM REAR AXLE		770
5.38 REAR AXLE RATIO		
IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	40	40
MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES		
DRIVER CONTROLLED TRACTION DIFFERENTIAL - REAR MOST TANDEM/TRIDEM REAR AXLE		20
(1) INTERAXLE LOCK VALVE AND (1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR-REAR AXLE VALVE		
INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH		
INDICATOR LIGHT FOR EACH DRIVER CONTROLLED TRACTION DEVICE SWITCH		
MERITOR 16.5X7 P CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, CAST SHOES		40
NON-ASBESTOS REAR BRAKE LINING		
BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)		
WEBB HEAVY WEIGHT CAST IRON REAR BRAKE DRUMS		80
REAR OIL SEALS		
WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS		
HALDEX AUTOMATIC REAR SLACK ADJUSTERS		
SYNTHETIC 75W-90 REAR AXLE LUBE		
Rear Suspension		
TUFTRAC 52,000# REAR SPRING SUSPENSION		480
TUFTRAC STANDARD RIDE HEIGHT		
AXLE CLAMPING GROUP		
56 INCH AXLE SPACING		
FORE/AFT AND TRANSVERSE CONTROL RODS		
REAR SHOCK ABSORBERS - ONE AXLE		
Brake System		
WABCO 4S/4M ABS		
REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		



Prepared for:
 Victor Lovato
 Denver International Airport (DIA)
 8500 Pena
 Denver, CO 80249
 Phone: 3033422796

Prepared by:
 Jeremiah Brodal
 TRANSWEST TRUCKS
 20770 I 76 FRONTAGE
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
FIBER BRAID PARKING BRAKE HOSE		
STANDARD BRAKE SYSTEM VALVES		
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
WABCO OIL COALESCING FILTER FOR AIR DRYER		
AIR DRYER FRAME MOUNTED		
STEEL AIR BRAKE RESERVOIRS		
PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS		
Trailer Connections		
NO TRAILER RECEPTACLE BRACKET		
Wheelbase & Frame		
6100MM (240 INCH) WHEELBASE		
7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	620	60
1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT	230	421
3050MM (120 INCH) REAR FRAME OVERHANG		
FRAME OVERHANG RANGE: 111 INCH TO 120 INCH	-120	510
24 INCH INTEGRAL FRONT FRAME EXTENSION	158	-20
CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 176.89 in		
CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 173.89 in		
CALC'D FRAME LENGTH - OVERALL : 429.91		
FRAME HEIGHT TOP FRONT UNLADEN : 35.41 in		
FRAME HEIGHT TOP FRONT LADEN : 31.73 in		
FRAME HEIGHT TOP REAR UNLADEN : 46.2 in		
FRAME HEIGHT TOP REAR LADEN : 31.73 in		
CALCULATED FRAME SPACE LH SIDE : 84.26 in		
CALCULATED FRAME SPACE RH SIDE : 227.86 in		
CALC'D SPACE AVAILABLE FOR DECKPLATE : 176.69 in		
SQUARE END OF FRAME		
STANDARD WEIGHT ENGINE CROSSMEMBER		
STANDARD CROSSMEMBER BACK OF TRANSMISSION		



Prepared for:
 Victor Lovato
 Denver International Airport (DIA)
 8500 Pena
 Denver, CO 80249
 Phone: 3033422796

Prepared by:
 Jeremiah Brodal
 TRANSWEST TRUCKS
 20770 I 76 FRONTAGE
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
STANDARD MIDSHIP #1 CROSSMEMBER(S)		
STANDARD REARMOST CROSSMEMBER		
HEAVY DUTY SUSPENSION CROSSMEMBER		
STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER		
Chassis Equipment		
14 INCH PAINTED STEEL BUMPER		
BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS		
GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE		
Fuel Tanks		
80 GALLON/302 LITER ALUMINUM FUEL TANK - LH	10	
25 INCH DIAMETER FUEL TANK(S)		
PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
FUEL TANK(S) FORWARD		
PLAIN STEP FINISH		
FUEL TANK CAP(S)		
ALLIANCE FUEL FILTER/WATER SEPARATOR	15	
EQUIFLO INBOARD FUEL SYSTEM		
HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
NO FUEL COOLER	-10	
Tires		
MICHELIN XFE 425/65R22.5 20 PLY RADIAL FRONT TIRES	172	
MICHELIN X WORKS XDY 315/80R22.5 20 PLY RADIAL REAR TIRES		464
Hubs		
CONMET PRESET PLUS PREMIUM IRON FRONT HUBS		
CONMET PRESET PLUS PREMIUM IRON REAR HUBS		
Wheels		



Prepared for:
 Victor Lovato
 Denver International Airport (DIA)
 8500 Pena
 Denver, CO 80249
 Phone: 3033422796

Prepared by:
 Jeremiah Brodal
 TRANSWEST TRUCKS
 20770 I 76 FRONTAGE
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
ACCURIDE 29807 22.5X12.25 10-HUB PILOT 4.75 INSET 5-HAND STEEL DISC FRONT WHEELS	98	
ACCURIDE 29300 22.5X9.00 10-HUB PILOT 5- HAND STEEL DISC REAR WHEELS		328
FRONT WHEEL MOUNTING NUTS		
REAR WHEEL MOUNTING NUTS		
Cab Exterior		
110 INCH BBC STEEL CONVENTIONAL CAB WESTERN STAR PAINTED ALUMINUM CAB SKIRT		
AIR CAB MOUNTS WITH CHECK VALVE NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
FRONT FENDERS		
2 INCH FENDER EXTENSIONS	5	
LH AND RH EXTERIOR GRAB HANDLES WITH RUBBER INSERTS AND RH INTERIOR GRAB HANDLE MOUNTED TO A POST		
STATIONARY BRIGHT FINISH GRILLE CHROME HOOD MOUNTED AIR INTAKE GRILLE GALVANEALD STEEL SEVERE SERVICE CAB FIBERGLASS HOOD		
DUAL HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS		
SINGLE ELECTRIC HORN DUAL HORN SHIELDS		
DOORS AND IGNITION KEYED THE SAME REAR LICENSE PLATE MOUNT END OF FRAME		
DUAL AMBER ELECTRONIC STROBE LIGHTS WITH STAINLESS STEEL BRACKETS	20	
SINGLE RECTANGULAR SEALED BEAM HEADLIGHTS WITH BRIGHT BEZELS (5) AMBER MARKER LIGHTS INTEGRAL STOP/TAIL/BACKUP LIGHTS		
STANDARD FRONT TURN SIGNAL LAMPS		
DUAL MEKRA AERO BRIGHT FINISH HEATED DUAL AXIS 1-PIECE MOTORIZED MIRRORS WITH LIGHTS, LH AND RH REMOTE AND INTEGRAL CONVEX MIRRORS	20	
CAB MOUNTED MIRRORS 102 INCH EQUIPMENT WIDTH		



Prepared for:
 Victor Lovato
 Denver International Airport (DIA)
 8500 Pena
 Denver, CO 80249
 Phone: 3033422796

Prepared by:
 Jeremiah Brodal
 TRANSWEST TRUCKS
 20770 I 76 FRONTAGE
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
DUAL MEKRA BRIGHT FINISH HEATED CONVEX MIRRORS WITH MANUAL ADJUSTMENT AND DUAL AXIS FOR 1-PIECE PRIMARY MIRRORS RH DOWN VIEW MIRROR STANDARD SIDE/REAR REFLECTORS ELECTRIC DOOR LOCKS, MECHANICAL KEY TUMBLER RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN DIAMOND PLATE COVER STAINLESS STEEL EXTERIOR SUN VISOR 17.5X35 INCH TINTED REAR WINDOW TINTED DOOR GLASS MANUAL DOOR WINDOW REGULATORS 2-PIECE TINTED CURVED GASKET MOUNTED WINDSHIELD 2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, MOUNTED UNDER CAB, WITH REMOTE FILL	28	
Cab Interior		
SMOKY MOUNTAIN GRAY VINYL PREMIUM INTERIOR BLACK HARD TRIM BASE LEFT HAND DOOR TRIM BASE RIGHT HAND DOOR TRIM BLACK MATS WITH SINGLE INSULATION DASH MOUNTED ASH TRAY AND LIGHTER, DRIVER SIDE FORWARD ROOF MOUNTED CONSOLE PASSENGER SIDE WING DASH MOUNTED GLOVE BOX WITH LOCKING DOOR LH AND RH DOOR MAP POCKETS (2) COAT HOOKS ON BACKWALL OF CAB (1) DOUBLE CUP HOLDER WITH CELL PHONE HOLDER LH OR RH DASH TWO-TONE CHARCOAL UPPER/COOL GRAY LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER 2-1/2 LB. FIRE EXTINGUISHER MOUNTED OUTBOARD OF DRIVER SEAT HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT TEMPERATURE CONTROL AND COSMETIC COVER	5	



Prepared for:
 Victor Lovato
 Denver International Airport (DIA)
 8500 Pena
 Denver, CO 80249
 Phone: 3033422796

Prepared by:
 Jeremiah Brodal
 TRANSWEST TRUCKS
 20770 I 76 FRONTAGE
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
HVAC DUCTING WITH FOAM MAIN FRESH AIR FILTER AND OUTSIDE PRE-FILTER		
MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
STANDARD HEATER PLUMBING		
VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		
RADIATOR MOUNTED AIR CONDITIONER CONDENSER		
BINARY CONTROL, R-134A		
CAB INSULATION		
AUTOMATIC SELF-RESET CIRCUIT BREAKERS/FUSES IN DASH POWER DISTRIBUTION BOXES AND FUSES IN AUXILIARY POWER DISTRIBUTION BOXES		
DOOR ACTIVATED DOME LIGHT, UNDER DASH LIGHT AND LH AND RH DOOR MOUNTED COURTESY LIGHTS		
LH AND RH ELECTRIC DOOR LOCKS		
ELITE HIGH BACK AIR SUSPENSION DRIVER SEAT WITH HEAT, 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT AND ADJUSTABLE SHOCK	20	
NO FRONT PASSENGER SEAT		-30
BLACK MORDURA CLOTH DRIVER SEAT COVER		
3 POINT DRIVER ONLY SEAT BELT RETRACTOR		
ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN		
4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH SWITCHES		
DRIVER AND PASSENGER INTERIOR SUN VISORS		

Instruments & Controls

NON-ADJUSTABLE SUSPENDED PEDALS
 ELECTRONIC FOOT ACCELERATOR
 BRIGHT ARGENT FINISH GAUGE BEZELS
 ROYAL ROSEWOOD MATTE FINISH DRIVER INSTRUMENT PANEL
 ROSEWOOD VINYL MATTE FINISH CENTER INSTRUMENT PANEL INSERT
 LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM



Prepared for:
 Victor Lovato
 Denver International Airport (DIA)
 8500 Pena
 Denver, CO 80249
 Phone: 3033422796

Prepared by:
 Jeremiah Brodal
 TRANSWEST TRUCKS
 20770 I 76 FRONTAGE
 BRIGHTON, CO 80603
 Phone: (303)289-3161

	Description	Weight Front	Weight Rear
	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES		
	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS		
	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
	ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED		
	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
	2 INCH ELECTRIC FUEL GAUGE		
	EMISSIONS LIMITED IDLE ADJUST		
	NO ADDITIONAL EXTRA SWITCH ACCUATORS		
N	NO CUSTOMER INTERFACE CONNECTOR		
	NO PREWIRED HIGH POWER CIRCUIT		
	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
	ELECTRIC ENGINE OIL PRESSURE GAUGE		
	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939	10	
	ROOF/OVERHEAD CONSOLE MOUNTED RADIO		
	(4) RADIO SPEAKERS IN CAB		
	POWER AND GROUND WIRING FOR CB RADIO IN OVERHEAD CONSOLE AND TOP OF DASH WITH CB TRAY	5	
	TOP OF DASH MOUNT CB RADIO PROVISION WITH PLATE AND STRAPS	2	
	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM		
	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITH ODOMETER		
	STANDARD VEHICLE SPEED SENSOR		
	ELECTRONIC 3000 RPM TACHOMETER		
	NO VEHICLE PERFORMANCE MONITOR	-5	
N	IGNITION SWITCH CONTROLLED ENGINE STOP		



Prepared for:
 Victor Lovato
 Denver International Airport (DIA)
 8500 Pena
 Denver, CO 80249
 Phone: 3033422796

Prepared by:
 Jeremiah Brodal
 TRANSWEST TRUCKS
 20770 I 76 FRONTAGE
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
FIVE EXTRA SWITCHES IN DASH		
HARDWIRE SWITCH #1,ON/OFF LATCHING, 10 AMPS IGNITION WIRED TO BACK OF CAB		
HARDWIRE SWITCH #2,ON/OFF LATCHING, 10 AMPS IGNITION WIRED TO CUSTOMER INTERFACE CONNECTOR		
HARDWIRE SWITCH #3,ON/OFF LATCHING, 10 AMPS IGNITION WIRED TO CUSTOMER INTERFACE CONNECTOR		
HARDWIRE SWITCH #4,ON/OFF LATCHING, 10 AMPS IGNITION WIRED TO CUSTOMER INTERFACECONNECTOR		
HARDWIRE SWITCH #5,ON/OFF LATCHING, 10 AMPS IGNITION WIRED TO CUSTOMER INTERFACECONNECTOR		
NO HARDWIRE SWITCH #6,ON/OFF LATCHING, WIRED TO CUSTOMER INTERFACE CONNECTOR		
NO HARDWIRE SWITCH #7,ON/OFF LATCHING, WIRED TO CUSTOMER INTERFACE CONNECTOR		
NO HARDWIRE SWITCH #8,ON/OFF LATCHING, WIRED TO CUSTOMER INTERFACE CONNECTOR		
NO HARDWIRE SWITCH #9,ON/OFF LATCHING, WIRED TO CUSTOMER INTERFACE CONNECTOR		
NO HARDWIRE SWITCH #10,ON/OFF LATCHING,WIRED TO CUSTOMER INTERFACE CONNECTOR		
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
CAB/TRAILER MARKER LIGHT SWITCH WITH SEPARATE HEADLIGHT SWITCH WITH HEADLIGHT/MARKER LIGHT INTERRUPTER SWITCHES ON STEERING WHEEL		
ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
MANUAL TURN SIGNAL SWITCH, HEADLAMP HIGH/LOW AND FLASH, WASH/WIPE/INTERMITTENT		
PACIFIC INSIGHT ELECTRONIC FLASHER		

Design

PAINT: ONE SOLID COLOR



Prepared for:
 Victor Lovato
 Denver International Airport (DIA)
 8500 Pena
 Denver, CO 80249
 Phone: 3033422796

Prepared by:
 Jeremiah Brodal
 TRANSWEST TRUCKS
 20770 I 76 FRONTAGE
 BRIGHTON, CO 80603
 Phone: (303)289-3161

Description	Weight Front	Weight Rear
Color		
CAB COLOR A: L3783EB YELLOW ELITE BC		
CAB INTERIOR PAINTED SAME AS CAB COLOR		
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
BUMPER PAINTED SAME AS CHASSIS		

Certification / Compliance
U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

Raw Performance Data
CALC'D FRAME LENGTH - OVERALL : 429.91
CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 173.89 in
CALC'D SPACE AVAILABLE FOR DECKPLATE : 176.69 in

Sales Programs
NO SALES PROGRAMS HAVE BEEN SELECTED

T O T A L V E H I C L E S U M M A R Y

Weight Summary	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	10719 lbs	9738 lbs	20457 lbs
Total Weight ⁺	10719 lbs	9738 lbs	20457 lbs

(+) Weights shown are estimates only.
 If weight is critical, contact Customer Application Engineering.



Prepared for:
Victor Lovato
Denver International Airport (DIA)
8500 Pena
Denver, CO 80249
Phone: 3033422796

Prepared by:
Jeremiah Brodal
TRANSWEST TRUCKS
20770 I 76 FRONTAGE
BRIGHTON, CO 80603
Phone: (303)289-3161

