

DO NOT INVOICE THIS ADDRESS

City and County of Denver
 Purchasing Division
 201 W. Colfax Ave Dept. 304
 Denver, CO 80202
 United States of America
 Ph: 720-913-8100 Fax: 720-913-8101



| | |
|-----------------------|--|
| Purchase Order Number | PO-00110727 |
| Purchase Order Date | Feb 1, 2022 |
| Contract ID | |
| Payment Terms | Net 30 |
| Payment Type | ACH |
| Buyer | Michael Romero (720) 913-8122 michael.romero@denvergov.org |

| Supplier |
|--|
| FRONT RANGE FIRE APPARATUS 7600 MILLER CT FREDERICK, CO 80504 United States of America Ph: (303) 4499911 |

| Ship-To |
|---|
| 5440 Roslyn Area 5440 Roslyn St Denver, CO 80216 United States of America Amanda Feathers |

| Bill To |
|---|
| Bill To Same As Ship To Denver, CO 80202 United States of America Michael Romero |

| Currency | Total Lines Amount | Tax Exempt | Total PO Amount |
|-----------------|--------------------|-----------------------|-----------------|
| USD | \$2,616,274.00 | 98-02890-0000 | \$2,616,274.00 |
| Shipping Terms | Shipping Method | Shipping Instructions | |
| FOB Destination | Common Carrier | | |

| Goods Lines | | | | | | | | |
|-------------|-----------|--------------------------|--|------------|-----------------|----------|----------------|----------------|
| Line Number | Item Name | Supplier Item Identifier | Description | Due Date | Unit of Measure | Quantity | Unit Price | Line Amount |
| 1 | | | 2022 DFD Replacement Apparatus- 1 Aerial REF#22-008 | 07/07/2023 | Each | 1 | \$1,236,460.00 | \$1,236,460.00 |
| 2 | | | 2022 DFD Replacement Fire Apparatus- 2 Engines REF# 22-002,004 | 07/07/2023 | Each | 2 | \$689,907.00 | \$1,379,814.00 |

Vendor to fill in and submit attached Exhibit Vehicle Check-In.
Delivery will NOT be considered complete without the Vehicle Check-In form.

Prepayment will be authorized only after approval by City Council, receipt of acceptable payment/performance bond(s).

Vendor.
This pricing includes inspection trips for two (2) City Employees during the construction phase, as outlined in the PO Exhibits
Agency Contact: Dan Freix | (303) 944-3932 | Dan.Freix@denvergov.org
Vendor Contact: Duane Doucette | (303) 304-6118 | DuaneD@frontrangefire.com

Delivery: Monday through Friday between 8:00 am and 1:00 pm

Location:
City and County of Denver
Fleet Management
5440 Roslyn Street, Building B
Denver, CO 80216
Coordinate Delivery: (720) 865-3900

Title to Read:
City and County of Denver
201 West Colfax Avenue Dept 304
Denver, CO 80202
Documents to be Provided Upon Delivery:
Application for Title, State of Colorado
Odometer/Hours Statement
Internal Reference # 22-002, 22-004, and 22-008

REFER TO EXHIBITS "A, B & C" FOR SERVICE DESCRIPTION AND PRICING ONLY.

VENDOR: You must contact the agency contact listed above to confirm this order.
Purchase Order price listed herein includes all shipping and handling.
All invoicing must match the purchase order exactly and contain the purchase order number. All invoices must be sent directly to the bill to address listed on the purchase order, this address may be different than the ship to address. Changes to this purchase are not valid without prior approval from purchasing.
For additional questions regarding this purchase order and the terms herein contact:
michael.romero@denvergov.org

ALL INVOICING AND CORRESPONDENCE MUST CONTAIN THE PURCHASE ORDER NUMBER IN FULL (PO-#####)
This purchase is pursuant to DRMC 20-64.5 - Cooperative Purchase.
The terms and conditions of this purchase order shall supersede and replace the HGAC Buy Fire Service Apparatus Award # FS12-19.

This purchase is subject to City Council approval, per DRMC 3.26(e) and is void without such approval



Authorized By

By accepting this Purchase Order you agree to the Terms and Conditions of the General Services Purchasing Division.
Follow the URL provided to the Purchase Order Terms and Conditions –
<http://www.denvergov.org/content/denvergov/en/purchasing-main-page/POterms.html>

PO-00110727 EXHIBIT "A"



FRONT RANGE FIRE APPARATUS

7600 Miller Court
Frederick, CO 80504
303-449-9911
1-800-334-9911
www.FrontRangeFire.com

DUANE DOUCETTE
303-304-6118
DuaneD@frontrangefire.com



PERFORM. LIKE NO OTHER.™

FOR FURNISHING FIRE APPARATUS

December 30, 2021

City and County of Denver

The undersigned is prepared to manufacture for you, upon an order being placed by you, for final acceptance by Front Range Fire Apparatus., at its home office in Frederick, Colorado, the apparatus and equipment herein named and for the following prices:

(2) Pierce Velocity Pumpers per attached component list **\$1,422,314.00**
HGAC FS12-19
Delivery is approximately 16.5 to 18.5 months

Option 1: Make Chassis Pre-Payment of \$821,647.00
Due in Net 30 Days of Signed Contract **Deduct (\$24,649.00)**

Option 2: Make 100% Prepayment of \$1,379,814.00
Due in Net 30 Days of Signed Contract **Deduct (\$42,500.00) X**

Total \$ **\$689,907 EACH**

Said apparatus and equipment are to be built and shipped in accordance with the specifications hereto attached, delays due to strikes, war, or intentional conflict, failures to obtain chassis, materials, or other causes beyond our control not preventing, within about 16.5 to 18.5 months after receipt of this order and the acceptance thereof at our office at Frederick, Colorado, and to be delivered to you Denver, CO

The specifications herein contained shall form a part of the final contract, and are subject to changes desired by the purchaser, provided such alterations are interlined prior to the acceptance by the company of the order to purchase, and provided such alterations do not materially affect the cost of the construction of the apparatus.

The specification for fire apparatus conforms with all Federal Department of Transportation (DOT) rules and regulations in effect at the time of bid, and with all National Fire Protection Association (NFPA) Guidelines for Automotive Fire Apparatus as published at the time of bid, except as modified by customer specifications. Any increased costs incurred by first party because of future changes in or additions to said DOT or NFPA standards will be passed along to the customers as an addition to the price set forth above.

Unless accepted within 30 days from date, the right is reserved to withdraw this proposition.

FRONT RANGE FIRE APPRATUS.

By: _____
Duane Doucette
SALES REPRESENTATIVE





Option List

12/30/2021

Customer: Denver Fire Department
Representative: Doucette, Duane
Organization: Front Range Fire Apparatus, Ltd
Requirements Manager:
Description: Pumper, Velocity 2022
Body: Pumper, Short, Aluminum, 2nd Gen
Chassis: Velocity Chassis (Med Block), 2010

Bid Number: 1072
Job Number:
Number of Units: 2
Bid Date: 01/01/2022
Stock Number:
Price Level: 40 (Current: 40)
Lane:

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 1 | 0766611 | | Boiler Plates, Pumper Fire Department/Customer - Denver Fire Department Operating/In conjunction W-Service Center - Operating Miles - 25 Miles Number of Fire Dept/Municipalities - 25 Bidder/Sales Organization - Front Range Fire Apparatus Delivery - Delivery representative Dealership/Sales Organization, Service - Front Range Fire Apparatus | 1 |
| 2 | 0661794 | | Single Source Compliance | 1 |
| 3 | 0584456 | | Manufacture Location, Appleton, Wisconsin | 1 |
| 4 | 0584452 | | RFP Location: Appleton, Wisconsin | 1 |
| 5 | 0588609 | | Vehicle Destination, US | 1 |
| 6 | 0670275 | | Unit to be Similar in some Aspects, Excluding Pump Panel Fill in Blank - previous truck 35304 | 1 |
| 7 | 0788859 | SP | Fast Track Template Truck Fill in Blank - Options: 24 SP's - 480 Total | 1 |
| 8 | 0610784 | | Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions | 1 |
| 9 | 0533347 | | Pumper/Pumper with Aerial Device Fire Apparatus | 1 |
| 10 | 0588611 | | Vehicle Certification, Pumper | 1 |
| 11 | 0661778 | | Agency, Apparatus Certification, Pumper/Tanker, U.L. | 1 |
| 12 | 0799172 | | FLEET CUSTOMER | 1 |
| 13 | 0620362 | | Consortium, HGAC | 1 |
| 14 | 0537375 | | Unit of Measure, US Gallons | 1 |
| 15 | 0030006 | | Bid Bond Not Requested | 1 |
| 16 | 0582800 | | Performance Bond, 100% with 25% Warranty Bond, 1 Yr, and Payment Bond | 1 |
| 17 | 0000007 | | Approval Drawing | 1 |
| 18 | 0611571 | SP | Drawing, As Built, At Delivery a Revised Print w/ Changes, FLEET | 1 |
| 19 | 0002928 | | Electrical Diagrams | 1 |
| 20 | 0597598 | | Velocity Chassis (Med Block), 2010 | 1 |
| 21 | 0021009 | | Overall Length, Target Size - approximately 31' .25" | 1 |
| 22 | 0000110 | | Wheelbase Wheelbase - 175.50" | 1 |
| 23 | 0000070 | | GVW Rating GVW rating - 42,000 pounds | 1 |
| 24 | 0000203 | | Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF | 1 |
| 25 | 0020018 | | Frame Liner Not Req'd | 1 |
| 26 | 0508847 | | Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/Vel | 1 |
| 27 | 0091744 | | Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/Vel/DCF | 1 |
| 28 | 0087572 | | Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf | 1 |
| 29 | 0000322 | | Oil Seals, Front Axle | 1 |
| 30 | 0582936 | | Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply | 1 |
| 31 | 0019575 | | Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot | 1 |
| 32 | 0000310 | | Request for Turning Radius Report | 1 |
| 33 | 0530463 | | Axle, Rear, Meritor RS23-186, 24,000 lb Imp/Vel/Dash CF | 1 |
| 34 | 0544253 | | Top Speed of Vehicle, 68 MPH | 1 |
| 35 | 0040557 | | Suspen, Rear, Reyco, Spring, 27,000 lb, w/24,000 lb Axle | 1 |
| 36 | 0000485 | | Oil Seals, Rear Axle | 1 |
| 37 | 0587216 | | Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single | 1 |
| 38 | 0019625 | | Wheels, Rear, Alcoa, 22.50" x 8.25", Aluminum, Hub Pilot, Single | 1 |
| 39 | 0642999 | | Tire Balancing, Not Required | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 40 | 0627984 | | Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Front Tires Only | 1 |
| | | | Qty, Tire Pressure Ind - 2 | |
| 41 | 0003245 | | Axle Hub Covers w/center hole, S/S, Front Axle | 1 |
| 42 | 0097571 | | Mud Flap, Mounted even with Fenderetts | 1 |
| | | | Location - front | |
| | | | Qty, - 1 | |
| 43 | 0002045 | | Mud Flap, Front and Rear, Pierce Logo | 1 |
| 44 | 0640104 | SP | Label, Informational, Crossfire System, 85 PSI | 1 |
| 45 | 0011930 | | Tire, "Crossfire" Air Pressure Equalization | 1 |
| 46 | 0031931 | | Valve, Extension Stabilizer System, Rear Duals | 1 |
| 47 | 0753180 | SP | Chains, Rud automatic tire, 18 strand, Eng Approval | 1 |
| 48 | 0544802 | | Chocks, Wheel, SAC-44-E, Folding | 1 |
| | | | Qty, Pair - 01 | |
| 49 | 0544806 | | Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal | 1 |
| | | | Qty, Pair - 01 | |
| | | | Location, Wheel Chocks - Left Side Rear Tire, Forward | |
| 50 | 0593760 | | ESC/ABS/ATC Wabco Brake System, Single Rear Axle, 2010 | 1 |
| 51 | 0030185 | | Brakes, Knorr/Bendix 17", Disc, Front, TAK-4 | 1 |
| 52 | 0000730 | | Brakes, Meritor, Cam, Rear, 16.50 x 7.00" | 1 |
| 53 | 0020784 | | Air Compressor, Brake, Cummins/Wabco 18.7 CFM | 1 |
| 54 | 0000785 | | Brake Reservoirs, Three | 1 |
| 55 | 0587033 | | Air Dryer, Brake, AD-9 w/heat, 2010 | 1 |
| 56 | 0000790 | | Brake Lines, Nylon | 1 |
| 57 | 0000854 | | Air Inlet, w/Disconnect Coupling | 1 |
| | | | Location, Air Coupling(s) - a) DS Step Well, Rearward | |
| | | | Qty, Air Coupling (s) - 1 | |
| 58 | 0000860 | | Outlet, Air, with shut off valve | 1 |
| | | | Location, Air Coupling(s) - o) DS Frt Body Compt | |
| | | | Qty, Air Coupling (s) - 1 | |
| 59 | 0004200 | | Hose, Air 25' length, w/air chuck | 2 |
| | | | Qty, - 02 | |
| 60 | 0756362 | SP | Air Tank, Additional for Extra Air Horn Capacity, Location | 1 |
| | | | Location - under the DS running board per 33960 | |
| 61 | 0522855 | | Aux Braking Systems, Simultaneous Operation | 1 |
| 62 | 0739892 | SP | Air Dryer, Brake, Clocking | 1 |
| 63 | 0615609 | | Fittings, Compression Type, Entire Apparatus, Single Rear Axle | 1 |
| 64 | 0602848 | SP | Air Line, S/S Braid, Air Governor | 1 |
| 65 | 0736465 | | Engine, Cummins L9, 370 hp, 1250 lb-ft, W/OBD, EPA 2021, Imp/Vel | 1 |
| 66 | 0001244 | | High Idle w/Electronic Engine, Custom | 1 |
| 67 | 0678027 | | Engine Brake, Jacobs Compression Brake, Cummins Engine, with Allison Retarder | 1 |
| | | | Switch, Engine Brake - a) Series 60 | |
| 68 | 0607623 | SP | Clutch, Fan, Air Actuated, Horton Drive Master, Compression Fitting | 1 |
| 69 | 0769181 | SP | Fuel/Water Separator, Special Location, Left Side Pump House | 1 |
| 70 | 0123135 | | Air Intake, w/Ember separator, Imp/Vel | 1 |
| 71 | 0794761 | | Exhaust System, 4", 2017 L9 Engine, Horizontal, Right Side | 1 |
| 72 | 0775589 | SP | Exhaust, Modified 20 Degree - Approval Req'd | 1 |
| 73 | 0787999 | | Radiator, Impel/Velocity | 1 |
| 74 | 0720998 | SP | Cooling Hoses, Gates Silicone and Rubber Combo, Include .25" Surge Tank | 1 |
| 75 | 0659434 | SP | Modification, Rubber Hose at Radiator, Denver | 1 |
| 76 | 0673756 | | Winter Cover With Ventilation, Front Cab Grille, One Piece, Vel | 1 |
| | | | Color, Vinyl Cover - d) White | |
| 77 | 0001125 | | Fuel Tank, 65 Gallon, Left Side Fill | 1 |
| 78 | 0001129 | | Lines, Fuel | 1 |
| 79 | 0595087 | | DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle | 1 |
| | | | Door, Material & Finish, DEF Tank - Polished Stainless | |
| 80 | 0723716 | | Fuel Priming Pump, Electronic, Automatic, Cummins, No Swt Req'd | 1 |
| 81 | 0582243 | | Shutoff Valves, Fuel Line @ Primary Filter, Cummins | 1 |
| 82 | 0699437 | | Cooler, Chassis Fuel, Not Req'd. | 1 |
| 83 | 0642576 | | Trans, Allison 5th Gen, 3000 EVS PR, Imp/Vel/Dash CF | 1 |
| | | | Trans. retarder capacity - a. low/1000, 3000 EVS | |
| | | | Trans, retarder control - l) Auto 1/3, 2/3, 3/3 | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 84 | 0640825 | SP | Transmission, Shifter, 6-Spd, Push Button w/4+2 mode, ISL9, Short Body, Denver Trans, ratio - 3000 EVS, 6Spd | 1 |
| 85 | 0797408 | | Transmission Oil Cooler, Modine, External, w/Modine External Sump | 1 |
| 86 | 0539711 | | Label, TRANSynd Transmission Fluid Only | 1 |
| 87 | 0522824 | | Mode, Downshift, Aggressive downshift to 3rd, w/engine brake, 6 speed | 1 |
| 88 | 0683847 | | Fluid, 3000 Series Transmission, TES-295 TranSynd synthetic, IPOS, Custom | 1 |
| 89 | 0001370 | | Driveline, Spicer 1710 | 1 |
| 90 | 0669988 | | Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler | 1 |
| 91 | 0001544 | | Not Required, Steering Assist Cylinder on Front Axle | 1 |
| 92 | 0509230 | | Steering Wheel, 4 Spoke without Controls | 1 |
| 93 | 0690274 | | Logo/Emblem, on Dash Text, Row (1) One - Denver Text, Row (2) Two - Fire Text, Row (3) Three - Department | 1 |
| 94 | 0680598 | | Credit, Drum Pump Kit, Grease, Vogel Lube System | 1 |
| 95 | 0723702 | SP | Bracket, Accumulator Hose, Chassis Air System Location - Best Location for holding the Accumulator Blow Out Hose, See Picture in E-Folder Stage 7 | 1 |
| 96 | 0034671 | | Lube System, Vogel, 22 Point, w/TAK-4 Suspension Location - in the right rear pump house area | 1 |
| 97 | 0123625 | | Bumper, 19" Extended, Imp/Vel | 1 |
| 98 | 0616492 | | Tray, Hose, Center, 19" Bumper, Outside Air Horns, Imp/Vel Grating, Bumper extension - Grating, Rubber Capacity, Bumper Tray - 09) 150' of 1.50" | 1 |
| 99 | 0626469 | | Cover, Aluminum Treadplate, Two (2) Flush Lift and Turn, Hose Tray, Notched Stay arm, Tray Cover - b) Pneumatic Stay Arm | 1 |
| 100 | 0510226 | | Lift & Tow Package, Imp/Vel, AXT, Dash CF | 1 |
| 101 | 0002270 | | Tow Hooks, Chrome | 1 |
| 102 | 0668315 | | Cab, Velocity FR, 7010 Raised Roof | 1 |
| 103 | 0724237 | | Engine Tunnel, ISL, Mech Fasteners, Impel/Velocity FR | 1 |
| 104 | 0677478 | | Rear Wall, Exterior, Cab, Aluminum Treadplate | 1 |
| 105 | 0122466 | | Cab Lift, Elec/Hyd, w/Manual Override, Imp/Vel | 1 |
| 106 | 0123176 | | Grille, Bright Finished, Front of Cab, Impel/Velocit | 1 |
| 107 | 0002224 | | Scuffplates, S/S At Cab Door Jambs, 4-Door Cab Material Trim/Scuffplate - c) S/S, Polished | 1 |
| 108 | 0527032 | | Trim, S/S Band, Across Cab Face, Rect Lights, Velocity Material Trim/Scuffplate - b) S/S, Brushed Turnsignal Covers - No Covers | 1 |
| 109 | 0087357 | | Molding, Chrome on Side of Cab | 1 |
| 110 | 0559130 | | Mirrors, Forward Mtd, Htd/Rmt, Pierce One-Eleven Finish, Arm Cover - Chrome Finish, Mirror Head - Chrome | 1 |
| 111 | 0667937 | | Door, Full Height, Velocity FR 4-Door Cab, Raised Roof Key Model, Cab Doors - 1041 Cab, Exterior Door Handle, Finish - 4-Door, Chrome/Black | 1 |
| 112 | 0655511 | | Door Panel, Brushed Stainless Steel, Impel/Velocit | 1 |
| 113 | 0667905 | | Storage Pockets w/ Elastic Cover, Recessed, Overhead, Impel/Velocit FR | 1 |
| 114 | 0667902 | | Controls, Electric Windows, All Cab Doors, Impel/Velocit FR | 1 |
| 115 | 0555485 | | Steps, 4-Door Full Tilt Cab, Imp/Vel | 1 |
| 116 | 0770194 | | Handrail, Exterior, Knurled, Alum, 4-Door Cab | 1 |
| 117 | 0552559 | | Steps, Stirrup, Formed, Cab & Crew Cab Doors, Imp/Vel Light, Step, Additional - P25 LED | 1 |
| 118 | 0509649 | | Lights, Cab & Crw Cab Acs Stps, P25, LED w/Bezel, 1Lt Per Step | 1 |
| 119 | 0002140 | | Fenders, S/S on Cab | 1 |
| 120 | 0122479 | | Window, Side of C/C, Fixed, Velocity | 1 |
| 121 | 0552935 | | Trim, Cab Side Windows, Velocity | 1 |
| 122 | 0667980 | | Windows, (2), Front of Crew Cab, 10" Raised Roof, Impel/Velocit FR | 1 |
| 123 | 0509287 | | Windows, Rear CC, (2) 11.25" x 18", Velocity | 1 |
| 124 | 0553196 | | Trim, Cab Rear Windows, Velocity | 1 |
| 125 | 0603101 | SP | Cover, Wires, Power Point, Underneath Cab Location - over the power point wires, under the cab, inside the engine tunnel, passenger side rear for protection. | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 126 | 0748671 | | Cab Interior, Vinyl, Velocity FR, CARE | 1 |
| | | | Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray | |
| 127 | 0667943 | | Cab Interior, Paint Color, Impel/Velocity FR | 1 |
| | | | Color, Cab Interior Paint - a) gray | |
| 128 | 0509532 | | Floor, Rubber Padded Cab & Crew Cab, Imp/Vel, Dash CF | 1 |
| 129 | 0741239 | | HVAC, Impel/Velocity FR, CARE | 1 |
| | | | Paint Color, A/C Condenser - Painted to Match Cab Roof | |
| | | | HVAC System, Filter Access - Tool Free Panel | |
| | | | Auxiliary Cab Heater - Both | |
| 130 | 0639675 | | Sun Visor, Smoked Lexan, AXT, Imp/Vel, Saber FR/Enforcer | 1 |
| | | | Sun Visor Retention - No Retention | |
| 131 | 0548173 | | Grab Handles, Driver and Passenger Door Post, Imp/Vel | 1 |
| 132 | 0002526 | | Light, Engine Compt, All Custom Chassis | 1 |
| 133 | 0122516 | | Fluid Check Access, Imp/Vel | 1 |
| 134 | 0583042 | | Side Roll and Frontal Impact Protection | 1 |
| 135 | 0699999 | | Not Required, Frontal Impact Protection, 2010 | 1 |
| 136 | 0699998 | | Not Required, Side Roll Protection Package, 2010 | 1 |
| 137 | 0622617 | | Seating Capacity, 6 Seats | 1 |
| 138 | 0697005 | | Seat, Driver, Pierce PS6, Premium, Air Ride, High Back, Safety | 1 |
| 139 | 0696994 | | Seat, Officer, Pierce PS6, Premium, Air Ride, SCBA, Safety | 1 |
| 140 | 0656795 | | Radio Compartment, Behind Officer Air Ride SCBA Seat, Imp/Vel | 1 |
| 141 | 0122183 | | Seat, Rear Facing C/C, DS Outboard, Pierce PS6, Premium, SCBA, Safety | 1 |
| 142 | 0102783 | | Not Required, Seat, Rr Facing C/C, Center | 1 |
| 143 | 0122186 | | Seat, Rear Facing C/C, PS Outboard, Pierce PS6, Premium, SCBA, Safety | 1 |
| 144 | 0108189 | | Not Required, Seat, Forward Facing C/C, DS Outboard | 1 |
| 145 | 0122744 | | Seat, Forward Facing C/C, Center, (2) Pierce PS6, Premium, SCBA, Safety | 1 |
| 146 | 0108190 | | Not Required, Seat, Forward Facing C/C, PS Outboard | 1 |
| 147 | 0566653 | | Upholstery, Seats In Cab, Turnout Tuff | 1 |
| | | | Color, Cab Interior Vinyl/Fabric - m) Gray | |
| 148 | 0543991 | | Bracket, Air Bottle, Hands-Free II, Cab Seats | 5 |
| | | | Qty, - 05 | |
| 149 | 0603867 | | Seat Belt, ReadyReach | 1 |
| | | | Seat Belt Color - Red | |
| 150 | 0604863 | | Seat Belt Height Adjustment, 6 Seats, Imp/Vel, Dash CF | 1 |
| 151 | 0627014 | | Pick Not Required, Seat Belt Color Selected in Seat Belt Option 627339 | 1 |
| 152 | 0602464 | | Helmet Storage, Provided by Fire Department, NFPA 2016 | 1 |
| 153 | 0647638 | | Lights, Dome, Weldon Dual LED 4 Lts | 1 |
| | | | Color, Dome Lt - Red & White | |
| | | | Color, Dome Lt Bzl - Grey | |
| | | | Control, Dome Lt White - Door Switches and Lens Switch | |
| | | | Control, Dome Lt Color - Lens Switch | |
| 154 | 0631779 | | Light, Map, Overhead, Round Halogen, AXT/Imp/Vel/Dash CF, Hawk EX | 1 |
| | | | 12vdc power from - Battery switched | |
| 155 | 0893590 | | Spotlight, Golight Stryker, Model 30**4ST, LED, 2 Lts | 1 |
| | | | Location - one each side | |
| | | | Color, GoLt - White | |
| | | | Bracket, Spotlight - Pedestal - 2 Lts | |
| 156 | 0893537 | | Controller, Spotlight, Golight Stryker ST, Wired Dash Mount, 2 Lts | 1 |
| 157 | 0621826 | | Location, Spotlight Controller, Driver Overhead and Officer Overhead, 2 Lts | 1 |
| 158 | 0000000 | STF | Handlights, (2) Streamlight, Fire Vulcan, 44451 C4 LED, Tail lights, 12v, Orange | 1 |
| | | | Location, Lights - shipped loose | |
| 159 | 0568369 | | Cab Instruments, Ivory Gauges, Chrome Bezels, Impel/Velocity 2010, Dash CF | 1 |
| 160 | 0509511 | | Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX | 1 |
| 161 | 0543751 | | Light, Do Not Move Apparatus | 1 |
| | | | Alarm, Do Not Move Truck - No Alarm | |
| 162 | 0509042 | | Messages, Open Dr/DNMT, Color Dsply, | 1 |
| 163 | 0611681 | | Switching, Cab, Membrane, Impel/Velocity/Quantum, Dash CF, AXT WiFi MUX | 1 |
| | | | Location, Emerg Sw Pnls - Driver's Side Overhead | |
| 164 | 0555915 | | Wiper Control, 2-Speed with Intermittent, MUX, Impel/Velocity | 1 |
| 165 | 0548009 | | Wiring, Spare, 20 A 12V DC 1st | 1 |
| | | | Qty, - 01 | |
| | | | 12vdc power from - Battery direct | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 165 | | | Wire termination - Stud | |
| | | | Location, Spare Wiring - officer side overhead console for customer radio | |
| 166 | 0548006 | | Wiring, Spare, 15 A 12V DC 2nd | 1 |
| | | | Qty, - 01 | |
| | | | 12vdc power from - Battery direct | |
| | | | Wire termination - 15 amp power point plug | |
| | | | Location - on the rear face of the dog house. Location, 1" - 2" to the right of the engine access door hinge, as near the top edge of dog house as practical with an enclosure on the inside of engine tunnel for protection - see photo. | |
| 167 | 0548004 | | Wiring, Spare, 15 A 12V DC 1st | 4 |
| | | | Qty, - 04 | |
| | | | 12vdc power from - Battery direct | |
| | | | Wire termination - Butt Splice | |
| | | | Location, Spare Wiring - two in the front of the cab behind panel #9 two in the rear, tucked into the forward facing seat riser | |
| 168 | 0566101 | | Recess, Dash Panel, Officer Side, Vel/Imp | 1 |
| 169 | 0615386 | | Vehicle Information Center, 7" Color Display, Touchscreen, MUX | 1 |
| | | | System Of Measurement - US Customary | |
| 170 | 0734857 | | Collision Mitigation, HAAS Alert (R2V), HA5 | 1 |
| | | | Subscription, HAAS R2V - R2V - 5 Year Data Plan Subscription | |
| 171 | 0606247 | | Vehicle Data Recorder w/CZ Display Seat Belt Monitor | 1 |
| 172 | 0660489 | | Antenna Mount, Custom Chassis, Fill in Blank Mounting and Cable Locations | 1 |
| | | | Location - just to the rear of officer seat | |
| | | | Qty, - 01 | |
| | | | Location 1 - front passenger side corner of the raised roof | |
| 173 | 0653526 | | Camera, Pierce, Driver Mux, Rear Camera Only | 1 |
| | | | Camera System Audio - Not Provided | |
| 174 | 0615100 | | Pierce Command Zone, Advanced Electronics & Control System, Diag LEDs, Vel, WiFi | 1 |
| 175 | 0730603 | | Electrical System, Velocity ESP, Cummins, Paccar | 1 |
| 176 | 0079166 | | Batteries, (4) Exide Grp 31, 950 CCA ea, Threaded Stud | 1 |
| 177 | 0008621 | | Battery System, Single Start, All Custom Chassis | 1 |
| 178 | 0123174 | | Battery Compartment, Imp/Vel | 1 |
| 179 | 0579436 | | Charger, Sngl Sys, Kusssmaul, 1200, 091-187-12-Remote, 40 Amp Bar Display | 1 |
| 180 | 0012782 | | Location, Charger, Front Left Side Body Compartment | 1 |
| | | | Location, Battery Chrgr/Cmpr - High On Back Wall | |
| 181 | 0531403 | | Location, Bat Chrg Ind, Driver's Seat with Bracket | 1 |
| 182 | 0016856 | | Shoreline, 15A 120V, Kusssmaul Auto Eject, 091-55-15-120, Super | 1 |
| | | | Qty, - 01 | |
| | | | Color, Kusssmaul Cover - d) yellow | |
| | | | Connection, Shoreline - the battery charger and the 6 place outlet in the crew cab | |
| 183 | 0026800 | | Shoreline Location | 1 |
| | | | Location, Shoreline(s) - DS Rear bulkhead | |
| 184 | 0529667 | | Cover, Protection Battery Box IO Modules | 1 |
| 185 | 0625793 | | Alternator, 350 amp, Leece-Neville BLP4004H | 1 |
| 186 | 0769064 | SP | Wire Cover, Inside Pump House | 1 |
| 187 | 0695819 | | Sealer (Gorp), No Gorp Req'd on Elect Connections Except Fuel Sender | 1 |
| 188 | 0603291 | SP | Open Weather Pack Connections Plugged W/Weather Pack Connectors | 1 |
| 189 | 0092582 | | Load Manager/Sequencer, MUX | 1 |
| | | | Enable/Disable Hi-Idle - e)High Idle enable | |
| 190 | 0648716 | | Headlights, Rectangular Halogen, Imp/Vel | 1 |
| 191 | 0648425 | | Light, Directional, WIn 600 Cmb, Cab Crn, Imp/Vel/AXT/Qtm/DCF | 1 |
| | | | Color, Lens, LED's - m)match LED's | |
| 192 | 0648256 | | Light, Directional, WIn M6T* LED Arrow, Recessed, Angle Bracket, Back of Cab | 1 |
| | | | Color, Lens, LED's - Match | |
| 193 | 0768311 | | Light, Directional/Marker, Intermediate, Truck-Lite 30375Y Grm Mt LED 2lts | 1 |
| 194 | 0648074 | | Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts | 1 |
| 195 | 0090155 | | Lights, Clearance/Marker/ID, Rear, Truck-Lite 35200R LED 7Lts | 1 |
| 196 | 0551870 | | Lights, Tail, WIn M6BTT* Red LED Stop/Tail & M6T* Amber LED Dir w/Flange | 1 |
| | | | Color, Lens - Colored | |
| 197 | 0551875 | | Lights, Backup, WIn M6BUW, LED | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 198 | 0664466 | | Bracket, License Plate & Light, Weldon 9186-23882-30 Incand, Temp Under Tailbrd Location - driver side | 1 |
| 199 | 0589905 | | Alarm, Back-up Warning, PRECO 1040 | 1 |
| 200 | 0763690 | | Indicator, Back-up Warning, Ultrasonic 4-zone Location - next to driver | 1 |
| 201 | 0728314 | SP | Lights, Perimeter Cab, Truck-Lite 44310C LED, Spcl Location | 1 |
| 202 | 0617874 | | Lights, Perimeter Pump House, Truck-Lite 44310C LED 2lts | 1 |
| 203 | 0695719 | | Lights, Perimeter Body, Truck-Lite 44310C LED 2lts, Rear Step Control, Perimeter Lts - DS Switch Panel | 1 |
| 204 | 0556360 | | Lights, Step, P25 LED 4lts, Pump Pnl Sw | 1 |
| 205 | 0619047 | SP | Rear Bulkhead Cup Switch, Stainless Steel Location, Lights - rear body bulkhead passenger side same as job #35304 | 1 |
| 206 | 0771420 | SP | Light, Visor, Wln, 12V PSL2* Pioneer LED Spotlit, No Bracket, Denver Qty, - 01 Location, driver's/passenger's/center - Centered Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - g) PS Switch Panel Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - d) No Control Color, Wln Lt Housing - White Paint Light, Visor, Flash - Steady Burning | 1 |
| 207 | 0774308 | | Lights, Wln, P*H2* Pioneer, 12 VDC, 2nd Location - back of cab passenger side Qty, - 01 Color, Wln Lt Housing - White Paint Control, Scene Lts - Pump Panel Sw LS Scene Light Optics - combination | 1 |
| 208 | 0774309 | | Lights, Wln, P*H2* Pioneer, 12 VDC, 1st Location - back of cab driver side Qty, - 01 Color, Wln Lt Housing - White Paint Control, Scene Lts - Pump Panel Sw LS Scene Light Optics - combination Mount, Wln II - Push Up Sd Mnt 20" Handle Holder & Sensor | 1 |
| 209 | 0631374 | | Lights, Deck, Wln (2) MPPBCS Micro Pioneer LED Rear Flood Lights Control, Scene Lts - Sw Included on Light | 1 |
| 210 | 0645676 | | Lights, Not Required, Hose Bed, Deck Lights At Rear | 1 |
| 211 | 0645681 | | Lights, Not Required, Rear Work, Deck Lights At Rear | 1 |
| 212 | 0645687 | | Lights, Rear Scene, Wln, M6ZC LED, 1st Qty, - 02 Control, Rear Scene Lts - Cab Switch Panel DS Location, Scene Lights - Rear Body Bulkhead, Low, 2lt | 2 |
| 213 | 0763248 | | Lights, Walk Surf, Amdor AY-LB-12HW0**, LED, Cargo Areas Location - under the rear flange Qty, Cargo Lts - 1 | 1 |
| 214 | 0060101 | | Pumper, Short, Aluminum, 2nd Gen | 1 |
| 215 | 0554271 | | Body Skirt Height, 20" | 1 |
| 216 | 0028294 | | Tank, Water, 500 Gallon, Poly, Short | 1 |
| 217 | 0003405 | | Overflow, 4.00" Water Tank, Poly | 1 |
| 218 | 0028104 | | Foam Cell Required | 1 |
| 219 | 0553729 | | Not Required, Restraint, Water Tank, Heavy Duty | 1 |
| 220 | 0003429 | | Not Required, Direct Tank Fill | 1 |
| 221 | 0003424 | | Not Required, Dump Valve | 1 |
| 222 | 0048710 | | Not Required, Jet Assist | 1 |
| 223 | 0030007 | | Not Required, Dump Valve Chute | 1 |
| 224 | 0514778 | | Not Required, Switch, Tank Dump Master | 1 |
| 225 | 0126633 | | Hose Bed, Aluminum, Pumper | 1 |
| 226 | 0723549 | | Painted Hose Bed Paint Color, Hose Bed Interior - Match Lower Body | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 227 | 0003481 | | Hose Bed Capacity, Special Capacity, Hosebed - 300' X 1.75", 500' X 2.5", 500' X 2.5", 500' X 2.5", 300' X 1.75" | 1 |
| 228 | 0003488 | | Divider, Hose Bed, Unpainted Qty, Hosebed Dividers - 4 | 4 |
| 229 | 0620997 | SP | Hose Restraint, Hose Bed, Vinyl, 22 oz,Top/Rr,Perm Frt,StayPut Fasteners Spacing Color, Vinyl Cover - b) yellow Vinyl flap weight - not weighted | 1 |
| 230 | 0014473 | | Flap, Access to Fill Dome(s) Through Vinyl Hose Bed Cover Qty, - 02 | 2 |
| 231 | 0013512 | | Running Boards, 12.75" Deep | 1 |
| 232 | 0689621 | | Tailboard, 16" Deep | 1 |
| 233 | 0690037 | | Wall, Rear, Smooth Aluminum/Body Material Material, Rear Wall Inboard Facing Surfaces - Aluminum Diamondplate | 1 |
| 234 | 0003531 | | Tow Bar, Under Tailboard | 1 |
| 235 | 0077384 | | Bumper, Rear, Aluminum Treadplate, Raised | 1 |
| 236 | 0003518 | | Morton Cass Insert in Running Boards | 1 |
| 237 | 0003516 | | Morton Cass Insert in Tailboard | 1 |
| 238 | 0003561 | | Construction, Compt, Alum, Pumper | 1 |
| 239 | 0053650 | | LS 140" Rollup, Full Height Front & Rear | 1 |
| 240 | 0053657 | | RS 140" Rollup, Low | 1 |
| 241 | 0594005 | | Doors, Rollup, Amdor, Side Compartments Qty, Door Accessory - 05 Color, Roll-up Door - AMDOR Satin Aluminum Latch, Roll-up Door - Non-Locking Liftbar | 5 |
| 242 | 0083700 | | Compt, Rear, Rollup, 37.75" FF, 25.88" D | 1 |
| 243 | 0594003 | | Door, Amdor, Rollup, Rear Compartment Color, Roll-up Door - AMDOR Satin Aluminum Latch, Roll-up Door - Non-Locking Liftbar | 1 |
| 244 | 0554995 | | No Body Modification Required | 1 |
| 245 | 0634455 | | Scuffplate, Brushed S/S, Insides of Hose Bed Walls (3) | 1 |
| 246 | 0551416 | | Lights, Compt, On Scene Solutions, LED & Truck-Lite Model 79384 Location - each compartment Qty, - 06 | 6 |
| 247 | 0687146 | | Shelf Tracks, Painted Qty, Shelf Track - 02 Location, Shelf Track - LS1 Upper and RS1 | 2 |
| 248 | 0600350 | | Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations Qty, Shelf - 03 Material Finish, Shelf - Painted - Spatter Gray Location, Shelves/Trays, Predefined - RS1-Lower Third, LS1-Upper Third and LS1-Upper Third (2nd) | 3 |
| 249 | 0726441 | | Partition, Trans Rear Compt Qty, Partition - 02 Location, Partition - c) both sides Material Finish, Partition - Painted - Spatter Gray | 2 |
| 250 | 0529812 | | Access Panel, Compartment Wall, 1/4 Turn Fasteners Location - in the left front compartment Size - size to fit Fill in Blank - intake relief valve | 1 |
| 251 | 0539177 | | Rub Rail, Aluminum Extruded, Side and Rear Body, Xtra Space (.50") | 1 |
| 252 | 0784811 | | Fender Crowns, Rear, Stainless, w/Removable Liner Material Finish, Fender Liner - Painted Lower Body | 1 |
| 253 | 0519849 | | Not Required, Hose, Hard Suction | 1 |
| 254 | 0626229 | | Handrails, Side Pump Panels, Per Print | 1 |
| 255 | 0588719 | | Handrails, Beavertail, Full Length LS, Offset RS | 1 |
| 256 | 0014136 | | Handrails, Rear, (2), (1) Above and (1) Below Hose Bed Reinforcement, Hose Bed Divider - Not Required, Reinforcement | 1 |
| 257 | 0795333 | | Compt, Air Bottle, Single, Fender Panel, Bolt-In Qty, Air Bottle Comp - 4 Door Finish, Fender Compt - Polished Location, Fender Compt - Single - LS Fwd, Single - LS Rear, Single - RS Fwd and Single - RS Rear | 4 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 257 | | | Latch, Air Bottle Compt - Flush Lift & Turn | |
| | | | Insert, Air Bottle Compt - Rubber Matting | |
| 258 | 0045527 | | Horizontal Mounting Tracks for Air Bottle Holders | 1 |
| | | | Location, Bracket/comp. - LS2 | |
| | | | Qty, - 1 | |
| 258 | 0000000 | STF | Ladder, 24' Duo-Safety 900A 2-Sect, Provided By FRFA | 1 |
| 258 | 0000000 | STF | Ladder, 14' Duo-Safety 775A Roof, Provided By FRFA | 1 |
| 259 | 0004300 | | Brackets, Adjustable, RS | 1 |
| 260 | 0602898 | | Ladder, 10' Duo-Safety Folding 585A, w/Mtg,Prov by Dealer,Pumper NFPA 2016 Class | 1 |
| | | | Location, Folding Ladder - Above Ladders | |
| 261 | 0724570 | | Backboard Storage, (2), Trough, Behind Ladder Brackets | 1 |
| 262 | 0554061 | | Pike Pole, 10' DUO Safety, Fiberglass, Pumper NFPA Classification | 1 |
| | | | Qty, Pike Poles - 1 | |
| 263 | 0733370 | | Pike Pole, 6' DUO Safety, Fiberglass | 1 |
| | | | Qty, Pike Poles - 1 | |
| 264 | 0004360 | | Tulip Clip Holders For Pike Poles, Pierce Furnished Pike Poles | 1 |
| | | | Location - over the left and right compartments - no rubber coating on clips, inboard as far as possible | |
| 265 | 0004380 | | Steps, Folding, Front of Body, One Each Side, Eberhard | 1 |
| 266 | 0004381 | | Steps, Corner, Rear of Body | 1 |
| 267 | 0004390 | | Step, Folding - Extra, Body Only, Eberhard | 2 |
| | | | Qty, Folding Step - 02 | |
| | | | Location, Additional Step - driver side front bulkhead | |
| 268 | 0007575 | | Pump House, Side Control, 48", Control Zone | 1 |
| 269 | 0035501 | | Pump House Structure, Std Height | 1 |
| 270 | 0618626 | SP | Cover, Cargo Compt, Vinyl, 22 oz, Perm Front, Velcro | 1 |
| | | | Color, Vinyl Cover - b) yellow | |
| | | | Qty, - 1 | |
| 271 | 0004425 | | Pump, Waterous, CSU, 1500 GPM, Single Stage | 1 |
| 272 | 0004482 | | Seal, Mechanical, Waterous | 1 |
| 273 | 0559769 | | Trans, Pump, Waterous C20 Series | 1 |
| 274 | 0635600 | | Pumping Mode, Stationary Only | 1 |
| 275 | 0605126 | | Pump Shift, Air Mnl Override, Split Shaft, Interlocked, Waterous | 1 |
| 276 | 0003148 | | Transmission Lock-up, EVS | 1 |
| 277 | 0004547 | | Auxiliary Cooling System | 1 |
| 278 | 0014486 | | Not Required, Transfer Valve, Stage Pump | 1 |
| 279 | 0737989 | | Valve, Relief Intake, Waterous | 1 |
| | | | Qty - 1 | |
| | | | Pressure Setting - 125 psig | |
| 280 | 0546803 | | Controller, Pressure, Class 1 Total Pressure Governor (TPG) | 1 |
| 281 | 0673872 | | Primer, Trident, Air Prime, Air Operated, Automatic | 1 |
| 282 | 0528229 | | Drain Locations, Special Instructions | 1 |
| 283 | 0658368 | | Thermal Relief Valve, OPM, w/Red Warning Light, Waterous Pump | 1 |
| | | | Location, Thermal Relief Discharge - Ground | |
| 284 | 0780364 | | Manuals, Pump, (2) Total, Electronic Copies | 1 |
| 285 | 0602512 | | Plumbing, Stainless Steel and Hose, Single Stage Pump, Control Zone | 1 |
| 286 | 0795135 | | Plumbing, Stainless Steel, w/Foam System | 1 |
| 287 | 0004645 | | Inlets, 6.00" - 1250 GPM or Larger Pump | 1 |
| 288 | 0014650 | | Pump Suction Tube(s), Short, All | 1 |
| 288 | 0000000 | STF | Valve, Ball Intake Relief, Akron Revolution, Provided By FRFA | 2 |
| | | | Location - right and left side | |
| | | | Qty - 2 | |
| | | | Connection, Inlet, Side B - 5.0" Storz with a cap | |
| | | | Connection, Outlet, Side A - 6.0" FNST swivel long handle | |
| | | | Ball Intake Valve - 7982 (30 degree swivel inlet) | |
| 289 | 0699096 | | Not Required, Cap, Main Pump Inlet, Included w/Storz Adapter | 1 |
| 290 | 0024615 | | Valves, Full Flow Waterous Side with Akron 8000 Series Valve | 3 |
| | | | Qty, Valves - 3 | |
| 291 | 0016158 | | Valve, Inlet(s) Recessed, Side Cntrl, "Control Zone" | 2 |
| | | | Qty, Inlets - 2 | |
| 292 | 0004700 | | Control, Inlet, at Valve | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 293 | 0004660 | | Inlet (1), Left Side, 2.50" | 1 |
| 294 | 0004680 | | Inlet, Right Side, 2.50" | 1 |
| 295 | 0092569 | | No Rear Inlet (Large Dia) Requested | 1 |
| 296 | 0064116 | | No Rear Inlet Actuation Required | 1 |
| 297 | 0092696 | | Not Required, Cap, Rear Inlet | 1 |
| 298 | 0009648 | | No Rear Intake Relief Valve Required on Rear Inlet | 1 |
| 299 | 0092568 | | No Rear Auxiliary Inlet Requested | 1 |
| 300 | 0563738 | | Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle | 1 |
| 301 | 0029043 | | Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing | 1 |
| 302 | 0004905 | | Outlet, Tank Fill, 1.50" | 1 |
| 303 | 0062133 | | Control, Outlets, Manual, Pierce HW if applicable | 1 |
| 304 | 0004940 | | Outlet, Left Side, 2.50" | 1 |
| | | | Qty, Discharges - 01 | |
| 305 | 0005091 | | Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 |
| 306 | 0092570 | | Not Required, Outlets, Left Side Additional | 1 |
| 307 | 0035094 | | Not Required, Elbow, Left Side Outlets, Additional | 1 |
| 308 | 0004945 | | Outlet, Right Side, 2.50" | 2 |
| | | | Qty, Discharges - 02 | |
| 309 | 0025091 | | Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 |
| 310 | 0092571 | | Not Required, Outlets, Right Side Additional | 1 |
| 311 | 0089584 | | Not Required, Elbow, Right Side Outlets, Additional | 1 |
| 312 | 0008731 | | Outlet, 5" w/4" Right, Handwheel | 1 |
| | | | Valve, Brand - Akron | |
| 313 | 0005099 | | Elbow, Large Dia Outlet, 30 Deg, 5.00" FNST x 5.00" Storz | 1 |
| 314 | 0648906 | | Outlet, Front, 2.50" w/2.50" Plumbing | 1 |
| | | | Fitting, Outlet - 2.50" NST with 90 degree swivel | |
| | | | Drain, Front Outlet - Automatic | |
| | | | Location, Front, Single - top of right bumper | |
| 315 | 0092575 | | Not Required, Outlet, Rear | 1 |
| 316 | 0045099 | | Not Required, Elbow, Rear Outlets | 1 |
| 317 | 0044930 | | Outlet, Rear, 2.50", Additional | 2 |
| | | | Location - Location will be one left and right side | |
| | | | Qty, Discharges - 02 | |
| 318 | 0076593 | | Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.5" MNST, VLH, Additional | 1 |
| 319 | 0620203 | SP | Outlet, Front HB, 1.50" w/2.00" Plumbing, NPSH Thread | 2 |
| | | | Qty, Discharges - 02 | |
| | | | Location, Outlet - c) one (1) each side | |
| 320 | 0752097 | | Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain | 1 |
| 321 | 0563739 | | Valve, 0.75" Bleeder, Discharges, Swing Handle | 1 |
| 322 | 0039313 | | Adapter, Thread - 5" Storz X 2.50" MNST & Cap | 1 |
| | | | Qty, Adapter for Outlets - 01 | |
| | | | Location, Adapter(s) - passenger side large diameter | |
| 323 | 0005065 | | Outlet, 3.00" Deluge Riser | 1 |
| 324 | 0029302 | | No Monitor Requested | 1 |
| 325 | 0029304 | | No Nozzle Req'd | 1 |
| 326 | 0005070 | | Deluge Mount, NPT | 1 |
| 327 | 0723726 | | Speedlay Module Not Required | 1 |
| 328 | 0722432 | | Hose Restraint Not Required, No Speedlay Module | 1 |
| 329 | 0723395 | | Speedlays, Not Required | 1 |
| 330 | 0723394 | | Speedlays, Not Required | 1 |
| 331 | 0025140 | | Not Required, 1.50" Crosslays | 1 |
| 332 | 0029199 | | Crosslays Sngl Sheet Unpainted, (2+) 2.50" Std Cap | 2 |
| | | | Qty, Crosslays - 2 | |
| 333 | 0591145 | | Hose Restraint, Crosslay/Deadlay, Top and Ends, Elastic Netting | 2 |
| | | | Qty, - 02 | |
| 334 | 0029260 | | Not Required, Speedlays | 1 |
| 335 | 0750536 | | Hose Restr, Spdly, Not Required, No Spdly | 1 |
| 336 | 0015180 | | Roller, Horizl/Vertical, (2) Crosslays | 1 |
| 337 | 0005248 | | Reel, Booster - Rear Compt., Steel, Roll-up Door | 1 |
| | | | Finish, Reel - Painted Gray | |
| 338 | 0005279 | | Switch, Reel Rewind - One at Reel | 1 |
| 339 | 0010925 | | Hose, Booster - 200' of 1.00"/800 PSI(100'+50'+50') | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 340 | 0005244 | | Capacity, Hose Reel 200' of 1" | 1 |
| 341 | 0007428 | | Nozzle for Booster Reel Not Req'd | 1 |
| 342 | 0005326 | | Blowout, Hose Reel - Valve at Panel | 1 |
| | | | Qty, - 1 | |
| 343 | 0015412 | | Foam Sys, Akron Eductor 3126-125 (Single Agent) | 1 |
| | | | Discharge - front crosslay | |
| 344 | 0012126 | | Not Required, CAF Compressor | 1 |
| 345 | 052517 | | Not Required, Refill, Foam Tank | 1 |
| 346 | 0649000 | | Cover, Foam Tank Dome, Hinge Location | 1 |
| | | | Location - forward edge of the fill dome | |
| 347 | 0028553 | | Tag, Foam Tank | 1 |
| 348 | 0031896 | | Demonstration, Foam System, Dealer Provided | 1 |
| 349 | 0005447 | | Foam Cell, 30 Gallon, Not Reduce Water | 1 |
| | | | Type of Foam - Class "B" | |
| 350 | 0091036 | | Drain, 1.00" Foam Tank #1 | 1 |
| 351 | 0091079 | | Not Required, Foam Tank #2 | 1 |
| 352 | 0091112 | | Not Required, Foam Tank #2 Drain | 1 |
| 353 | 0738111 | | Approval Dwg, All Pump Panel(s), Includes Color And Label Tags, FLEET | 1 |
| | | | Num Of Truck(s) or Sim Unit, ALL Pump Pnl, Dwg - 33960 | |
| 354 | 0032479 | | Pump Panel Configuration, Control Zone | 1 |
| 355 | 0005525 | | Material, Pump Panels, Side Control Brushed Stainless | 1 |
| 356 | 0721772 | | Panel, Pump Access - Right Side, Front, Side Control | 1 |
| | | | Latch, Pump Panel Access, Side Mount - Flush Lift and Turn, Chrome | |
| 357 | 0005945 | | Light, Pump Compt | 1 |
| 358 | 0586438 | | Gauges, Engine - Pump Panel, IAT Pressure Controller | 1 |
| 359 | 0005601 | | Throttle, Engine, Incl'd w/Press Controller | 1 |
| 360 | 0739224 | | Indicator Light @ Pump Panel, Throttle Ready, Incl w/Pressure Gov/Throttle,Green | 1 |
| 361 | 0549333 | | Indicators, Engine, Included with Pressure Controller | 1 |
| 362 | 0745568 | | Indicator Light, Pump Panel, Ok To Pump, Green | 1 |
| 363 | 0786184 | SP | Door, Pump Access, S/S, RS, Fill In Blank | 1 |
| | | | Fill in Blank - same size as customer previous unit 35304 that had a compartment in this position | |
| 364 | 0044860 | | Test Port, Electronic, Pump RPM, Waterous Pump | 1 |
| 365 | 0005690 | | Gauges, 6.00" Master, Class 1, 30"-0-600psi | 1 |
| 366 | 0005715 | | Gauge, 3.50" Pressure, Class 1, 30"-0-600psi | 1 |
| 367 | 0683969 | | Gauge, Water Level, IC, 14-LED, PN 3030385-01 | 1 |
| 368 | 0683947 | | Gauge, Foam Level, Innovative Controls, 14-LED PN 3030386-01B, Class B Foam | 1 |
| 369 | 0679660 | | Light Shield, S/S, On Scene Night Axe, LED | 1 |
| 370 | 0606697 | | Air Horns, (2) Grover, In Bumper | 1 |
| 371 | 0606834 | | Location, Air Horns, Bumper, Each Side, Outside Frame, Inboard (Pos #2 & #6) | 1 |
| 372 | 0757092 | | Control, Air Horn, Multi Select | 1 |
| 373 | 0757081 | | Control, Air Horn, Ft Sw, LS | 1 |
| 374 | 0757080 | | Control, Air Horn, Ft Sw, RS | 1 |
| 375 | 0006100 | | No Electronic Siren | 1 |
| 376 | 0046133 | | No Siren Location | 1 |
| 377 | 0076155 | | No Siren Switch | 1 |
| 378 | 0006188 | | No Speaker | 1 |
| 379 | 0550461 | | Location, Not Required, No Speaker (Q2B) | 1 |
| 380 | 0895310 | | Siren, Federal Q2B | 1 |
| | | | Finish, Q2B Siren - Chrome | |
| 381 | 0006095 | | Siren, Mechanical, Mounted Above Deckplate | 1 |
| | | | Location, Siren, Mech - a) Left | |
| 382 | 0748305 | | Control, Mech Siren, Multi Select | 1 |
| 383 | 0748281 | | Control Mech Siren, Ft Sw RS | 1 |
| 384 | 0748280 | | Control Mech Siren, Horn Ring | 1 |
| 385 | 0740834 | | Sw, Siren Brake, Momentary Red, LS Overhead Sw Pnl | 1 |
| 386 | 0642299 | | Grounding Strap, Q2B Siren Motor to Ground Stud | 1 |
| 387 | 0893861 | SP | Control, Warning Lt Intensity, WIn, Prk Brk Released | 1 |
| 388 | 0603446 | | Lightbar, WIn, Freedom IV-Q, 92", RRR_WR_RWOptWR_RW_RRR | 1 |
| | | | Opticom Priority - b) High | |
| | | | Opticom Activation - Cab Switch & E-Master | |
| | | | Momentary Opticom Activation - No Activation | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 388 | | | Filter, Whl Freedom Ltbrs - No Filters | |
| 389 | 0898734 | | Light, Front Zone, Wln M6** M6** M6** M6** Q Bzl | 1 |
| | | | Color, Lens, LED's - Colored | |
| | | | Color, Lt DS Frnt Outside - Left Red | |
| | | | Color, Lt PS Frnt Outside - Right Red | |
| | | | Color, Lt DS Front Inside - Left White | |
| | | | Color, Lt PS Front Inside - Right White | |
| | | | Color, Q Bezel and Trim - Polished Chrome | |
| 390 | 0653937 | | Flasher, Headlight Alternating | 1 |
| | | | Headlt flash deactivation - b)w/any head lights | |
| 391 | 0747228 | | Lights, Side Zone Lower, Wln M6**, M6**, M6**, 6Lts | 1 |
| | | | Location, Lights Front Side - b)each side bumper | |
| | | | Color, Lens, LED's - Colored | |
| | | | Location, Lights Mid Side - Rearward of Crew Cab Doors | |
| | | | Location, Lights Rear Side - Over Rear Wheels | |
| | | | Color, Trim - Chrome Trim | |
| | | | Color, Lt Side Front, DS - Red | |
| | | | Color, Lt Side Front, PS - Red | |
| | | | Color, Lt Side Mid DS - Blue | |
| | | | Color, Lt Side Mid PS - Blue | |
| | | | Color, Lt Side Rear PS - Red | |
| | | | Color, Lt Side Rear DS - Red | |
| 392 | 0899856 | | Lights, Side, Wln M6**, 45 Deg Bzl, Cab Corner, 1st | 2 |
| | | | Qty, - 02 | |
| | | | Color, Lights, Warning - Red Flashing | |
| | | | Control, Light - b) side warning | |
| | | | Color, Lens, LED's - Match | |
| | | | Material, Bracket - Polished S/S | |
| | | | Color, Trim - Chrome Trim | |
| 393 | 0746422 | | Lights, Rear Zone Lower, Wln M6* LED, Lw Int | 1 |
| | | | Color, Lens, LED's - Match | |
| | | | Color, Lt DS Rear - r) DS Rear Lt Red | |
| | | | Color, Lt PS Rear - b) PS Rear Lt Blue | |
| | | | Color, Trim - Chrome Trim | |
| 394 | 0680854 | | Light, Rear Zone Up, Wln B6M7**1P, Super LED Beacon w/M7 LED Lt | 1 |
| | | | Color, Lights, Warning - c) amber | |
| | | | Color, Dome, Rear Warning - b)both domes red | |
| | | | Control, Light - a) rear upper warning | |
| | | | Color, Lens, LED's - m)match LED's | |
| 395 | 0006551 | | Not Required, Lights, Rear Upper Zone Blocking | 1 |
| 396 | 0016610 | | Mtg, Rear Warn Lts, Std Mount, S/S Brkts | 1 |
| 397 | 0762435 | | Light, Traffic Directing, Wln TAL85, 46.87" Long LED, Lens Feature | 1 |
| | | | Activation, Traffic Dir L - Not Connected | |
| | | | Color, Lens, LED's - m)match LED's | |
| 398 | 0551728 | | Location, Traf Dir Lt, Recessed with S/S Trim | 1 |
| 399 | 0530288 | | Location, Traf Dir Lt Controller, Overhead Recessed Console, above Eng Tnl DS | 1 |
| 400 | 0076826 | | Cup Holder for Telescopic - Pushup - Light Pole | 2 |
| | | | Qty, 120/240 Volt Light - 2 | |
| 401 | 0780350 | | Receptacle Strip, 15A 120V 6-Place, Interior Cab | 1 |
| | | | Qty, - 1 | |
| | | | Location 1 - 120 volt receptacle that the power stripe plugs into will be located behind the drive seat recessed in side wall, power stripe will be ran thru the crew cab floor rear od engine tunnel and coiled loose with final install by the Customer - see photo | |
| | | | AC Power Source - Shoreline | |
| 402 | 0519934 | | Not Required, Brand, Hydraulic Tool System | 1 |
| 403 | 0007150 | | Bag of Nuts and Bolts | 1 |
| | | | Qty, Bag Nuts and Bolts - 1 | |
| 404 | 0602516 | | NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire Department | 1 |
| 405 | 0602407 | | Soft Suction Hose, Provided by Fire Department, Pumper NFPA 2016 Classification | 1 |
| 406 | 0027023 | | No Strainer Required | 1 |
| 407 | 0602538 | | Extinguisher, Dry Chemical, Pumper NFPA 2016 Class, Provided by Fire Department | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 408 | 0602360 | | Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016, Provided by Fire Dept | 1 |
| 409 | 0602679 | | Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department | 1 |
| 410 | 0602667 | | Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department | 1 |
| 411 | 0741569 | | Paint Process / Environmental Requirements, Appleton | 1 |
| 412 | 0709763 | | Paint, Single Color, Velocity/Impel | 1 |
| | | | Paint Color, Cab - #20 White | |
| 413 | 0709845 | | Paint, Single Color, Body | 1 |
| | | | Paint, Body - Match Lower Cab | |
| 414 | 0636525 | | Coating, Chassis Frame Assy, Hot Dip Galvanized | 1 |
| | | | Paint Color, Frame Assembly, Predefined - Gloss Black | |
| 415 | 0693797 | | No Paint Required, Aluminum Front Wheels | 1 |
| 416 | 0693792 | | No Paint Required, Aluminum Rear Wheels | 1 |
| 417 | 0733739 | | Paint, Axle Hubs | 1 |
| | | | Paint, Axle Hub - Primary Job Color | |
| 418 | 0788021 | | Coating, Hot Dip Galvanized, Water Tank Cradle, Pumper, Tankers | 1 |
| 419 | 0007230 | | Compartment, Painted, Spatter Gray | 1 |
| 420 | 0544129 | | Reflective Band, 1"-6"-1" | 1 |
| | | | Color, Reflect Band - A - e) black | |
| | | | Color, Reflect Band - B - t) gold | |
| | | | Color, Reflect Band - C - za) black | |
| 421 | 0510041 | | Reflective across Cab Face, Imp/Vel | 1 |
| 422 | 0536954 | | Stripe, Chevron, Rear, Diamond Grade, Pumper | 1 |
| | | | Color, Rear Chevron DG - fluorescent yellow green | |
| 423 | 0027341 | | Jog, In Reflective Stripe, Single or Multiple | 1 |
| | | | Qty, - 1 | |
| 424 | 0515348 | | Stripe, Black Outline, Scotchlite on Reflective Band | 1 |
| | | | Qty, - 1 | |
| 425 | 0509398 | | Stripe, Reflective, Chevron, Cab and Crew Cab Doors Interior | 1 |
| | | | Color, Reflect Band - B - t) gold | |
| | | | Size, Chevron Striping - 04 | |
| | | | Color, Reflect Chev - A - e) black | |
| 426 | 0033179 | | Lettering Specifications, Reflective | 1 |
| 427 | 0686159 | | Lettering, Reflective, 3.00", (41-60) | 1 |
| | | | Outline, Lettering - Outline | |
| 428 | 0515269 | | Lettering, Reflective 2" Script w/outline | 1 |
| | | | Color, Lettering - e) black | |
| 429 | 0041534 | | Emblem, (3) Letter Monogram Style with Lettering, Reflective, Denver, Each | 2 |
| | | | Qty, - 02 | |
| | | | Location, Emblem - on the front cab doors | |
| | | | Color, Reflective - i) gold | |
| 430 | 0522815 | | Emblem, American Flag, Waving, Gerber Vision, Pair | 1 |
| | | | Location, Emblem - on the rear crew cab windows | |
| 431 | 0666414 | | Emblem, Freedom Flag, Each | 1 |
| | | | Qty, - 01 | |
| | | | Location, Emblem - R1 | |
| | | | Size, Flag - 24" - 25" | |
| 431 | 0000000 | STF | Intercom, David Clark Allowance for Denver Engine - 2019 | 1 |
| 431 | 0000000 | STF | Service - Oil Change and Lube, Denver | 1 |
| 431 | 0000000 | STF | Oval Strapping Heron Rib - roll - RED | 1 |
| | | | Qty, - 1 | |
| 431 | 0000000 | STF | Service - Oil Samples, Denver | 1 |
| 431 | 0000000 | STF | Akron 3423 Deluge, 5160 Nozzle, 3505 Bracket, 3501 Cover, Denver Engines | 1 |
| 431 | 0000000 | STF | Cummins Trouble Shooting and Parts Manuals, Denver | 1 |
| 431 | 0000000 | STF | Allison Transmission Service & Parts Manual, Denver | 1 |
| 431 | 0000000 | STF | Inspection trip #3 - when - number of people | 2 |
| | | | Location - at the factory for a delivery inspection | |
| | | | Qty, - 02 | |
| 431 | 0000000 | STF | Inspection trip #2 - when - number of people | 2 |
| | | | Location - at the factory for a post paint inspection | |
| | | | Qty, - 02 | |
| 431 | 0000000 | STF | Inspection trip #1 - when - number of people | 2 |
| | | | Location - at the customer location for a preconstruction conference | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 431 | | | Qty, - 02 | |
| 432 | 0032773 | | Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis | 1 |
| 433 | 0002905 | | Manuals, (2) Chassis Service, Custom | 1 |
| 434 | 0032433 | | Manuals, Two (2) Chassis Operation, Custom | 1 |
| 435 | 0030008 | | Warranty, Basic, 1 Year, Apparatus, WA0008 | 1 |
| 436 | 0611136 | | Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 | 1 |
| 437 | 0696698 | | Warranty, Engine, Cummins, 5 Year, WA0181 | 1 |
| 438 | 0684953 | | Warranty, Steering Gear, Sheppard M110, 3 Year WA0201 | 1 |
| 439 | 0595767 | | Warranty, Frame, 50 Year, Velocity/Impel, Dash CF, WA0038 | 1 |
| 440 | 0595698 | | Warranty, Axle, 3 Year, TAK-4, WA0050 | 1 |
| 441 | 0733306 | | Warranty, Single Axle, 5 Year, Meritor, General Service, WA0384 | 1 |
| 442 | 0652758 | | Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232 | 1 |
| 443 | 0019914 | | Warranty, Structure, 10 Year, Custom Cab, WA0012 | 1 |
| 444 | 0744240 | | Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055 | 1 |
| 445 | 0524627 | | Warranty, Electronics, 5 Year, MUX, WA0014 | 1 |
| 446 | 0695416 | | Warranty, Pierce Camera System, WA0188 | 1 |
| 447 | 0708760 | | Warranty, Not Applicable, LED Strip Lights | 1 |
| 448 | 0046369 | | Warranty, 5-year EVS Transmission, Standard Custom, WA0187 | 1 |
| 449 | 0685945 | | Warranty, Transmission Cooler, WA0216 | 1 |
| 450 | 0688798 | | Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195 | 1 |
| 451 | 0596025 | | Warranty, Structure, 10 Year, Body, WA0009 | 1 |
| 452 | 0690936 | | Warranty, Roll up Doors, Not Required | 1 |
| 453 | 0734463 | | Warranty, Pump, Waterous, 7 Year Parts, WA0382 | 1 |
| 454 | 0648675 | | Warranty, 10 Year S/S Pumping, WA0035 | 1 |
| 455 | 0641372 | | Warranty, Foam System, Not Available | 1 |
| 456 | 0595820 | | Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057 | 1 |
| 457 | 0595412 | | Warranty, Graphics Lamination, 1 Year, Apparatus, WA0168 | 1 |
| 458 | 0683627 | | Certification, Vehicle Stability, CD0156 | 1 |
| 459 | 0736241 | | Certification, Engine Installation, Imp/Vel, Cummins L9, 2021 | 1 |
| 460 | 0686786 | | Certification, Power Steering, CD0098 | 1 |
| 461 | 0667417 | | Certification, Cab Integrity, Velocity FR, CD0009 | 1 |
| 462 | 0548950 | | Certification, Cab Door Durability, Velocity/Impel, CD0001 | 1 |
| 463 | 0548967 | | Certification, Windshield Wiper Durability, Impel/Velocit, CD0005 | 1 |
| 464 | 0667411 | | Certification, Electric Window Durability, Velocity/Impel FR, CD0004 | 1 |
| 465 | 0549273 | | Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018 | 1 |
| 466 | 0735950 | | Certification, Cab HVAC System Perf, Vel/Imp FR, CD0166/CD0168/CD0176/CD0177 | 1 |
| 467 | 0545073 | | Amp Draw Report, NFPA Current Edition | 1 |
| 468 | 0002758 | | Amp Draw, NFPA/ULC Radio Allowance | 1 |
| 469 | 0799248 | | Appleton/Florida BTO | 1 |
| 470 | 0000018 | | PUMPER, 2ND GEN | 1 |
| 471 | 0000012 | | PIERCE CHASSIS | 1 |
| 472 | 0004713 | | ENGINE, OTHER | 1 |
| 473 | 0046395 | | EVS 3000 Series TRANSMISSION | 1 |
| 474 | 0020011 | | WATEROUS PUMP | 1 |
| 475 | 0020009 | | POLY TANK | 1 |
| 476 | 0028087 | | EDUCTOR FOAM SYSTEM | 1 |
| 477 | 0020006 | | SIDE CONTROL | 1 |
| 478 | 0020007 | | AKRON VALVES | 1 |
| 479 | 0020015 | | ABS SYSTEM | 1 |
| 480 | 0658751 | | PUMPER BASE | 1 |

PO-00110727 EXHIBIT B



FRONT RANGE FIRE APPARATUS

7600 Miller Court
Frederick, CO 80504
303-449-9911
1-800-334-9911
www.FrontRangeFire.com

DUANE DOUCETTE
303-304-6118
DuaneD@frontrangefire.com



PERFORM. LIKE NO OTHER.™

FOR FURNISHING FIRE APPARATUS

December 30, 2021

City and County of Denver

The undersigned is prepared to manufacture for you, upon an order being placed by you, for final acceptance by Front Range Fire Apparatus., at its home office in Frederick, Colorado, the apparatus and equipment herein named and for the following prices:

(1) Pierce Velocity 107' Ascendant per attached component list \$1,274,460.00
HGAC FS12-19
Delivery is approximately 16.5 to 18.5 months

Option 1: Make Chassis Pre-Payment of \$502,593.00
Due in Net 30 Days of Signed Contract Deduct (\$15,078.00)

Option 2: Make 100% Prepayment of \$1,236,460.00
Due in Net 30 Days of Signed Contract Deduct (\$38,000.00) X

Total \$ 1,236,460 EACH

Said apparatus and equipment are to be built and shipped in accordance with the specifications hereto attached, delays due to strikes, war, or intentional conflict, failures to obtain chassis, materials, or other causes beyond our control not preventing, within about 16.5 to 18.5 months after receipt of this order and the acceptance thereof at our office at Frederick, Colorado, and to be delivered to you Denver, CO

The specifications herein contained shall form a part of the final contract, and are subject to changes desired by the purchaser, provided such alterations are interlined prior to the acceptance by the company of the order to purchase, and provided such alterations do not materially affect the cost of the construction of the apparatus.

The specification for fire apparatus conforms with all Federal Department of Transportation (DOT) rules and regulations in effect at the time of bid, and with all National Fire Protection Association (NFPA) Guidelines for Automotive Fire Apparatus as published at the time of bid, except as modified by customer specifications. Any increased costs incurred by first party because of future changes in or additions to said DOT or NFPA standards will be passed along to the customers as an addition to the price set forth above.

Unless accepted within 30 days from date, the right is reserved to withdraw this proposition.

FRONT RANGE FIRE APPRATUS.

By: _____
Duane Doucette
SALES REPRESENTATIVE





Option List

12/30/2021

| | | | |
|------------------------------|--|-------------------------|------------------|
| Customer: | Denver Fire Department | Bid Number: | 1073 |
| Representative | Doucette, Duane | Job Number: | |
| Organization: | Front Range Fire Apparatus, Ltd | Number of Units: | 1 |
| Requirements Manager: | | Bid Date: | 01/01/2022 |
| Description: | Aerial, 107' Ascendant - No Pump Velocity | Stock Number: | |
| Body: | Aerial, HD Ladder 107' ASL Tandem, No Pump, Alum Body | Price Level: | 40 (Current: 40) |
| Chassis: | Velocity Chassis, Aerials, Tandem Axle, Ascendant, (Big Block), 2010 | Lane: | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 1 | 0766639 | | Boiler Plates, Aerial 107' ASL, w/o Pump Fire Department/Customer - Denver Fire Department Operating/In conjunction W-Service Center - Operating Miles - 25 Miles Number of Fire Dept/Municipalities - 10 Bidder/Sales Organization - Front Range Fire Apparatus Delivery - Delivery representative Dealership/Sales Organization, Service - Front Range Fire Apparatus | 1 |
| 2 | 0018180 | | Single Source Compliance, Aerials | 1 |
| 3 | 0584456 | | Manufacture Location, Appleton, Wisconsin | 1 |
| 4 | 0584452 | | RFP Location: Appleton, Wisconsin | 1 |
| 5 | 0588609 | | Vehicle Destination, US | 1 |
| 6 | 0670275 | | Unit to be Similar in some Aspects, Excluding Pump Panel Fill in Blank - Velocity 105' ladder job #27970 in some aspects. Also 29636- a 105' PUC | 1 |
| 7 | 0610784 | | Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions | 1 |
| 8 | 0533349 | | Aerial Fire Apparatus | 1 |
| 9 | 0588613 | | Vehicle Certification, Aerial w/o Pump | 1 |
| 10 | 0681279 | | Agency, Apparatus Certification, Aerial w/o Pump, U.L. | 1 |
| 11 | 0799172 | | FLEET CUSTOMER | 1 |
| 12 | 0092138 | | Highly Customized Product (HCP) | 1 |
| 13 | 0620362 | | Consortium, HGAC | 1 |
| 14 | 0535579 | | Not Required, Unit of Measure, (no pump, no tank) | 1 |
| 15 | 0030006 | | Bid Bond Not Requested | 1 |
| 16 | 0582800 | | Performance Bond, 100% with 25% Warranty Bond, 1 Yr, and Payment Bond ** | 1 |
| 17 | 0000007 | | Approval Drawing | 1 |
| 18 | 0611571 | SP | Drawing, As Built, At Delivery a Revised Print w/ Changes, FLEET | 1 |
| 19 | 0002928 | | Electrical Diagrams | 1 |
| 20 | 0786878 | | Velocity Chassis, Aerials, Tandem Axle, Ascendant, (Big Block), 2010 | 1 |
| 21 | 0021007 | | Maximum Overall Height Size - 11'-6" | 1 |
| 22 | 0000110 | | Wheelbase Wheelbase - 238.50" | 1 |
| 23 | 0000070 | | GVW Rating GVW rating - 70,800 pounds | 1 |
| 24 | 0000203 | | Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF | 1 |
| 25 | 0756525 | | Frame Liner, Internal "C" 12.50" x 3.00" x .25", XT/Vel/Imp,Enf Full Lgth, 56"Qv | 1 |
| 26 | 0508849 | | Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel | 1 |
| 27 | 0010427 | | Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/DCF/Enf | 1 |
| 28 | 0087572 | | Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf | 1 |
| 29 | 0000322 | | Oil Seals, Front Axle | 1 |
| 30 | 0899438 | | Tires, Front, Goodyear, Armor MAX MSA, 425/65R22.50, 20 ply | 1 |
| 31 | 0019611 | | Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot | 1 |
| 32 | 0530478 | | Axle, Rear, Meritor RT46-160, 48,000 lb, Imp/Vel/DCF | 1 |
| 33 | 0544244 | | Top Speed of Vehicle, 60 MPH | 1 |
| 34 | 0555353 | | Suspen, Rear, Hendrickson FMX 482 EX, Air Ride, 48,000 lb | 1 |
| 35 | 0000485 | | Oil Seals, Rear Axle | 1 |
| 36 | 0599208 | | Tires, Rear, Goodyear, G622 RSD, 11R22.50, 16 ply, Tandem | 1 |
| 37 | 0019639 | | Wheels, Rear, Alcoa, 22.50" x 8.25", Aluminum, Hub Pilot, Tandem | 1 |
| 38 | 0642999 | | Tire Balancing, Not Required | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 39 | 0602747 | | No Tire Pressure Indicator, Fire Department Omits, Non-NFPA 2016 Compliant | 1 |
| 40 | 0003245 | | Axle Hub Covers w/center hole, S/S, Front Axle | 1 |
| 41 | 0002045 | | Mud Flap, Front and Rear, Pierce Logo | 1 |
| 42 | 0021931 | | Tire, "Crossfire" Air Pressure Equalization (tandem) | 1 |
| 43 | 0031931 | | Valve, Extension Stabilizer System, Rear Duals | 1 |
| 44 | 0601010 | | Chocks, Wheel, SAC-44-E, Folding, Aerials | 1 |
| | | | Qty, Pair - 01 | |
| 45 | 0601009 | | Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal, Aerials | 1 |
| | | | Qty, Pair - 01 | |
| | | | Location, Wheel Chocks - Left Side Rear Tire, Forward | |
| 46 | 0593759 | | ESC/ABS/ATC Wabco Brake System, Tandem Rear Axle, 2010 | 1 |
| 47 | 0030185 | | Brakes, Knorr/Bendix 17", Disc, Front, TAK-4 | 1 |
| 48 | 0000730 | | Brakes, Meritor, Cam, Rear, 16.50 x 7.00" | 1 |
| 49 | 0731553 | | Air Compressor, Brake, Cummins/Wabco 25.9 CFM | 1 |
| 50 | 0000789 | | Brake Reservoirs, Five | 1 |
| 51 | 0587033 | | Air Dryer, Brake, AD-9 w/heat, 2010 | 1 |
| 52 | 0000790 | | Brake Lines, Nylon | 1 |
| 53 | 0000854 | | Air Inlet, w/Disconnect Coupling | 1 |
| | | | Location, Air Coupling(s) - a) DS Step Well, Rearward | |
| | | | Qty, Air Coupling (s) - 1 | |
| 54 | 0000860 | | Outlet, Air, with shut off valve | 1 |
| | | | Location, Air Coupling(s) - o) DS Frt Body Compt | |
| | | | Qty, Air Coupling (s) - 1 | |
| 55 | 0004200 | | Hose, Air 25' length, w/air chuck | 2 |
| | | | Qty, - 02 | |
| 56 | 0070810 | | All Wheel Lockup (Aerial/Tanker Chassis) | 1 |
| 57 | 0014130 | | Air Tank, Additional for Extra Air Horn Capacity | 1 |
| 58 | 0602848 | SP | Air Line, S/S Braid, Air Governor | 1 |
| 59 | 0612549 | | Fittings, Compression Type, Entire Apparatus, Tandem Rear Axle | 1 |
| 60 | 0736412 | | Engine, Cummins X12, 500 hp, 1700 lb-ft, W/OBD, EPA 2021, Velocity | 1 |
| 61 | 0730962 | | Filters, Remote Mounted, Oil, Fuel, X12, VEL/AXT, ENF, QTM | 1 |
| 62 | 0001244 | | High Idle w/Electronic Engine, Custom | 1 |
| 63 | 0678027 | | Engine Brake, Jacobs Compression Brake, Cummins Engine, with Allison Retarder | 1 |
| | | | Switch, Engine Brake - d) ISC/ISM/ISL/ISL9/ISX, Hi Lo | |
| 64 | 0607623 | SP | Clutch, Fan, Air Actuated, Horton Drive Master, Compression Fitting | 1 |
| 65 | 0755819 | SP | Engine Regeneration, Inhibit, 0 MPH | 1 |
| 66 | 0123135 | | Air Intake, w/Ember separator, Imp/Vel | 1 |
| 67 | 0794743 | | Exhaust System, 5", X12/X15, MX13, Engine, Horizontal, Right Side | 1 |
| 68 | 0688512 | SP | Exhaust, 35 Degree w/modified end for extraction system, Approval Req'd | 1 |
| 69 | 0787999 | | Radiator, Impel/Velocit | 1 |
| 70 | 0720998 | SP | Cooling Hoses, Gates Silicone and Rubber Combo, Include .25" Surge Tank | 1 |
| 71 | 0014124 | | Skid Plate, Radiator, All Custom Chassis | 1 |
| 72 | 0673756 | | Winter Cover With Ventilation, Front Cab Grille, One Piece, Vel | 1 |
| | | | Color, Vinyl Cover - d) White | |
| 73 | 0001125 | | Fuel Tank, 65 Gallon, Left Side Fill | 1 |
| 74 | 0001129 | | Lines, Fuel | 1 |
| 75 | 0595087 | | DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle | 1 |
| | | | Door, Material & Finish, DEF Tank - Polished Stainless | |
| 76 | 0723716 | | Fuel Priming Pump, Electronic, Automatic, Cummins, No Swt Req'd | 1 |
| 77 | 0582243 | | Shutoff Valves, Fuel Line @ Primary Filter, Cummins | 1 |
| 78 | 0553019 | | Cooler, Engine Fuel, Imp/Vel, AXT/Qtm/Sab/DCF/SFR/Enf | 1 |
| 79 | 0578959 | | Fuel/Water Separator, Racor Inline | 1 |
| 80 | 0642591 | | Trans, Allison 5th Gen, 4000 EVS PR, Imp/Vel/Dash CF | 1 |
| | | | Trans. retarder capacity - e. medium/1600, 4000 EVS | |
| | | | Trans. retarder control - l) Auto 1/3, 2/3, 3/3 | |
| 81 | 0625331 | | Transmission, Shifter, 6-Spd, Push Button, 4000 EVS | 1 |
| 82 | 0797408 | | Transmission Oil Cooler, Modine, External, w/Modine External Sump | 1 |
| 83 | 0648393 | | Labels, TRANSynd Transmission Fluid Only | 1 |
| 84 | 0565656 | | Fluid, 4000/4500 Series Transmission, TranSynd synthetic, IPOS, Custom | 1 |
| 85 | 0001375 | | Driveline, Spicer 1810 | 1 |
| 86 | 0669988 | | Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler | 1 |
| 87 | 0001544 | | Not Required, Steering Assist Cylinder on Front Axle | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 88 | 0509230 | | Steering Wheel, 4 Spoke without Controls | 1 |
| 89 | 0690274 | | Logo/Emblem, on Dash | 1 |
| | | | Text, Row (1) One - Denver | |
| | | | Text, Row (2) Two - Fire | |
| | | | Text, Row (3) Three - Department | |
| 90 | 0680598 | | Credit, Drum Pump Kit, Grease, Vogel Lube System | 1 |
| 91 | 0034671 | | Lube System, Vogel, 22 Point, w/TAK-4 Suspension | 1 |
| | | | Location - reservoir will be inbetween the boom supports | |
| 92 | 0123624 | | Bumper, 16" Extended, Imp/Vel | 1 |
| 93 | 0616467 | | Tray, Tool, Center, 16" Bumper, Outside Air Horns, Imp/Vel | 1 |
| | | | Grating, Bumper extension - Grating, None | |
| 94 | 0617307 | | Cover, Aluminum Treadplate, Two (2) Flush Lift and Turn Latches, Tool Tray | 1 |
| | | | Stay arm, Tray Cover - b) Pneumatic Stay Arm | |
| 95 | 0510226 | | Lift & Tow Package, Imp/Vel, AXT, Dash CF | 1 |
| 96 | 0522573 | | Tow Hooks Not Required, Due to Lift and Tow Package | 1 |
| 97 | 0777636 | | Cab, Velocity FR, 8410 Raised Roof w/Deep Notch | 1 |
| 98 | 0724207 | | Engine Tunnel, X12-15, MX13, Mech Fasteners, Velocity FR | 1 |
| 99 | 0677478 | | Rear Wall, Exterior, Cab, Aluminum Treadplate | 1 |
| 100 | 0122466 | | Cab Lift, Elec/Hyd, w/Manual Override, Imp/Vel | 1 |
| 101 | 0123176 | | Grille, Bright Finished, Front of Cab, Impel/Velocity | 1 |
| 102 | 0002224 | | Scuffplates, S/S At Cab Door Jambs, 4-Door Cab | 1 |
| | | | Material Trim/Scuffplate - c) S/S, Polished | |
| 103 | 0527032 | | Trim, S/S Band, Across Cab Face, Rect Lights, Velocity | 1 |
| | | | Material Trim/Scuffplate - b) S/S, Brushed | |
| | | | Turnsignal Covers - No Covers | |
| 104 | 0087357 | | Molding, Chrome on Side of Cab | 1 |
| 105 | 0559130 | | Mirrors, Forward Mtd, Htd/Rmt, Pierce One-Eleven | 1 |
| | | | Finish, Arm Cover - Chrome | |
| | | | Finish, Mirror Head - Chrome | |
| 106 | 0667937 | | Door, Full Height, Velocity FR 4-Door Cab, Raised Roof | 1 |
| | | | Key Model, Cab Doors - 1041 | |
| | | | Cab, Exterior Door Handle, Finish - 4-Door, Chrome/Black | |
| 107 | 0655511 | | Door Panel, Brushed Stainless Steel, Impel/Velocity 4-Door Cab | 1 |
| 108 | 0667905 | | Storage Pockets w/ Elastic Cover, Recessed, Overhead, Impel/Velocity FR | 1 |
| 109 | 0641245 | SP | Controls, Electric Windows, All Cab Doors, Impel/Velocity FR Design | 1 |
| 110 | 0555485 | | Steps, 4-Door Full Tilt Cab, Imp/Vel | 1 |
| 111 | 0770194 | | Handrail, Exterior, Knurled, Alum, 4-Door Cab | 1 |
| 112 | 0552559 | | Steps, Stirrup, Formed, Cab & Crew Cab Doors, Imp/Vel | 1 |
| | | | Light, Step, Additional - P25 LED | |
| 113 | 0509649 | | Lights, Cab & Crw Cab Acs Stps, P25, LED w/Bezel, 1Lt Per Step | 1 |
| 114 | 0002140 | | Fenders, S/S on Cab | 1 |
| 115 | 0199245 | | Window, Side of C/C, Fixed, 84"/104" Vel/Imp | 1 |
| 116 | 0552934 | | Trim, Cab Side Windows, 84" Velocity | 1 |
| 117 | 0012090 | | Not Required, Windows, Front/Side of raised roof | 1 |
| 118 | 0509287 | | Windows, Rear CC, (2) 11.25" x 18", Velocity | 1 |
| 119 | 0553196 | | Trim, Cab Rear Windows, Velocity | 1 |
| 120 | 0898691 | | Compt, Transverse Crew Cab, Dbl Pan, 84/104" Vel/Imp | 1 |
| | | | Light, Short Transverse Compt - OnScene Night Axe, 2 Sect, Hinged | |
| | | Side | Louvers - Door | |
| | | | Scuffplate, Material/Finish - S/S, Polished | |
| | | | Finish, Exterior Cab Compt - Spatter Gray | |
| | | | Door, Cab Exterior Cabinet - Double Pan, (2), Non-Locking | |
| | | | Door, Exterior Stop - 2-Stay Arm | |
| | | | Door, Cab Interior Cabinet - Lap, Drop, S/S, (2) Latches, Non-Locking | |
| 121 | 0748671 | | Cab Interior, Vinyl, Velocity FR, CARE | 1 |
| | | | Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray | |
| 122 | 0667943 | | Cab Interior, Paint Color, Impel/Velocity FR | 1 |
| | | | Color, Cab Interior Paint - a) gray | |
| 123 | 0509532 | | Floor, Rubber Padded Cab & Crew Cab, Imp/Vel, Dash CF | 1 |
| 124 | 0741239 | | HVAC, Impel/Velocity FR, CARE | 1 |
| | | | Paint Color, A/C Condenser - Painted to Match Cab Roof | |
| | | | HVAC System, Filter Access - Tool Free Panel | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 124 | | | Auxiliary Cab Heater - Both | |
| 125 | 0028432 | | Brush Guard/Cover, Air Conditioning Condenser, 4-way, Cab Roof Aerial | 1 |
| 126 | 0639675 | | Sun Visor, Smoked Lexan, AXT, Imp/Vel, Saber FR/Enforcer | 1 |
| | | | Sun Visor Retention - No Retention | |
| 127 | 0548173 | | Grab Handles, Driver and Passenger Door Post, Imp/Vel | 1 |
| 128 | 0002526 | | Light, Engine Compt, All Custom Chassis | 1 |
| 129 | 0122516 | | Fluid Check Access, Imp/Vel | 1 |
| 130 | 0583042 | | Side Roll and Frontal Impact Protection | 1 |
| 131 | 0622618 | | Seating Capacity, 5 Seats | 1 |
| 132 | 0697005 | | Seat, Driver, Pierce PS6, Premium, Air Ride, High Back, Safety | 1 |
| 133 | 0696994 | | Seat, Officer, Pierce PS6, Premium, Air Ride, SCBA, Safety | 1 |
| 134 | 0656795 | | Radio Compartment, Behind Officer Air Ride SCBA Seat, Imp/Vel | 1 |
| 135 | 0102788 | | Not Required, Seat, Rear Facing C/C, DS Outboard | 1 |
| 136 | 0102783 | | Not Required, Seat, Rr Facing C/C, Center | 1 |
| 137 | 0102790 | | Not Required, Seat, Rear Facing C/C, PS Outboard | 1 |
| 138 | 0122716 | | Seat, Forward Facing C/C, DS Outboard, Pierce PS6, Premium, SCBA, Safety | 1 |
| 139 | 0122745 | | Seat, Forward Facing C/C, Center, (1) Pierce PS6, Premium, SCBA, Safety | 1 |
| 140 | 0122729 | | Seat, Forward Facing C/C, PS Outboard, Pierce PS6, Premium, SCBA, Safety | 1 |
| 141 | 0566653 | | Upholstery, Seats In Cab, Turnout Tuff | 1 |
| | | | Color, Cab Interior Vinyl/Fabric - m) Gray | |
| 142 | 0543991 | | Bracket, Air Bottle, Hands-Free II, Cab Seats | 4 |
| | | | Qty, - 04 | |
| 143 | 0603867 | | Seat Belt, ReadyReach | 1 |
| | | | Seat Belt Color - Red | |
| 144 | 0604864 | | Seat Belt Height Adjustment, 5 Seats, Imp/Vel, Dash CF | 1 |
| 145 | 0543133 | | Bracket, Helmet Holder, Zico UHH-1 | 1 |
| | | | Qty, Helmet Storage Brkt - 5 | |
| 146 | 0647637 | | Lights, Dome, Weldon Dual LED 6 Lts | 1 |
| | | | Color, Dome Lt - Red & White | |
| | | | Color, Dome Lt Bzl - Grey | |
| | | | Control, Dome Lt White - Door Switches and Lens Switch | |
| | | | Control, Dome Lt Color - Lens Switch | |
| 147 | 0631779 | | Light, Map, Overhead, Round Halogen, AXT/Imp/Vel/Dash CF, Hawk EX | 1 |
| | | | 12vdc power from - Battery switched | |
| 148 | 0893590 | | Spotlight, Golight Stryker, Model 30**4ST, LED, 2 Lts | 1 |
| | | | Location - on each side | |
| | | | Color, GoLt - White | |
| | | | Bracket, Spotlight - Pedestal - 2 Lts | |
| 149 | 0893537 | | Controller, Spotlight, Golight Stryker ST, Wired Dash Mount, 2 Lts | 1 |
| 150 | 0621826 | | Location, Spotlight Controller, Driver Overhead and Officer Overhead, 2 Lts | 1 |
| 151 | 0000000 | STF | Handlights, (4) Streamlight, Fire Vulcan, 44451, C4 LED, Tail Lts, 12v, Orange | 1 |
| | | | Location, Portable Hand Light - shipped loose | |
| 152 | 0568369 | | Cab Instrumts, Ivory Gauges, Chrome Bezels, Impel/Velocisty 2010, Dash CF | 1 |
| 153 | 0509511 | | Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX | 1 |
| 154 | 0543751 | | Light, Do Not Move Apparatus | 1 |
| | | | Alarm, Do Not Move Truck - Pulsing Alarm | |
| 155 | 0509042 | | Messages, Open Dr/DNMT, Color Dsply, | 1 |
| 156 | 0611681 | | Switching, Cab, Membrane, Impel/Velocisty/Quantum, Dash CF, AXT WiFi MUX | 1 |
| | | | Location, Emerg Sw Pnls - Driver's Side Overhead | |
| 157 | 0555915 | | Wiper Control, 2-Speed with Intermittent, MUX, Impel/Velocisty | 1 |
| 158 | 0731813 | | Hour Meter, Aerial, Included in Information Centers, ASL, AAT, ASP | 1 |
| 159 | 0002615 | | Switch, Aerial 12V Master | 1 |
| 160 | 0002617 | | PTO switch, w/light - aerial | 1 |
| 161 | 0548009 | | Wiring, Spare, 20 A 12V DC 1st | 1 |
| | | | Qty, - 01 | |
| | | | 12vdc power from - Battery direct | |
| | | | Wire termination - Butt Splice | |
| | | | Location, Spare Wiring - officer side overhead console for customer radio | |
| 162 | 0548006 | | Wiring, Spare, 15 A 12V DC 2nd | 1 |
| | | | Qty, - 01 | |
| | | | 12vdc power from - Battery direct | |
| | | | Wire termination - 15 amp power point plug | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 162 | | | Location - on the rear face of the dog house. Location, 1" - 2" to the right of the engine access door hinge, as near the top edge of dog house as practical | |
| 163 | 0548004 | | Wiring, Spare, 15 A 12V DC 1st Qty, - 04 12vdc power from - Battery direct Wire termination - Butt Splice Location, Spare Wiring - two in the front of the cab behind panel #9 and two in the rear, tucked into the forward facing seat riser | 4 |
| 164 | 0566101 | | Recess, Dash Panel, Officer Side, Vel/Imp | 1 |
| 165 | 0615386 | | Vehicle Information Center, 7" Color Display, Touchscreen, MUX | 1 |
| 166 | 0734857 | | System Of Measurement - US Customary Collision Mitigation, HAAS Alert (R2V), HA5 Subscription, HAAS R2V - R2V - 5 Year Data Plan Subscription | 1 |
| 167 | 0606247 | | Vehicle Data Recorder w/CZ Display Seat Belt Monitor | 1 |
| 168 | 0003757 | | Antenna, Std and Add'l Mts Only, 2-way Radio,Cust,Spl Cable Routing Location - routed to officer seat box Qty, - 03 Location 1 - on cab roof just to the rear of PS lightbar, one in each far corner of the crew cab roof | 3 |
| 169 | 0653526 | | Camera, Pierce, Driver Mux, Rear Camera Only Camera System Audio - Not Provided | 1 |
| 170 | 0615100 | | Pierce Command Zone, Advanced Electronics & Control System, Diag LEDs, Vel, WiFi | 1 |
| 171 | 0730603 | | Electrical System, Velocity ESP, Cummins, Paccar | 1 |
| 172 | 0727172 | SP | Batteries, (5) Exide Grp 31, 950 CCA each, Threaded Stud | 1 |
| 173 | 0008621 | | Battery System, Single Start, All Custom Chassis | 1 |
| 174 | 0123174 | | Battery Compartment, Imp/Vel | 1 |
| 175 | 0579436 | | Charger, Sngl Sys, Kussmaul, 1200, 091-187-12-Remote, 40 Amp Bar Display | 1 |
| 176 | 0012782 | | Location, Charger, Front Left Side Body Compartment Location, Battery Chrgr/Cmpr - High On Back Wall | 1 |
| 177 | 0531403 | | Location, Bat Chrg Ind, Driver's Seat with Bracket | 1 |
| 178 | 0016856 | | Shoreline, 15A 120V, Kussmaul Auto Eject, 091-55-15-120, Super Qty, - 01 Color, Kussmaul Cover - d) yellow Connection, Shoreline - the battery charger and six place receptacle strip in the cab | 1 |
| 179 | 0026800 | | Shoreline Location Location, Shoreline(s) - DS Rear bulkhead | 1 |
| 180 | 0529667 | | Cover, Protection Battery Box IO Modules | 1 |
| 181 | 0566294 | | Alternator, 430 amp, Niehoff C680-1 | 1 |
| 182 | 0660887 | SP | Antenna Mount, NMO on Body w/100' LMR240 Ultra Location - at the rear of the truck over the traffic advisor on passenger side Qty, - 01 Location, Antenna Cable - officer seat box | 1 |
| 183 | 0603291 | SP | Open Weather Pack Connections Plugged W/Weather Pack Connectors | 1 |
| 184 | 0002860 | SP | Sealer (Gorp), No Gorp Req'd on Elect Connections, Denver only | 1 |
| 185 | 0092582 | | Load Manager/Sequencer, MUX Enable/Disable Hi-Idle - e)High Idle enable | 1 |
| 186 | 0648716 | | Headlights, Rectangular Halogen, Imp/Vel | 1 |
| 187 | 0648425 | | Light, Directional, WIn 600 Cmb, Cab Crn, Imp/Vel/AXT/Qtm/DCF Color, Lens, LED's - m)match LED's | 1 |
| 188 | 0781760 | SP | Light, Dir/Mark, Intrm, Truck-Lite 30375Y LED Grm Mt 4lts, Over 30' MUX | 1 |
| 189 | 0648074 | | Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts | 1 |
| 190 | 0090155 | | Lights, Clearance/Marker/ID, Rear, Truck-Lite 35200R LED 7Lts | 1 |
| 191 | 0602938 | | Light, Marker End Outline, Rubber Arm, LED Marker Lamp, Rear Body Qty, Lights, Pair - 1 | 1 |
| 192 | 0551870 | | Lights, Tail, WIn M6BTT* Red LED Stop/Tail & M6T* Amber LED Dir w/Flange Color, Lens - Colored | 1 |
| 193 | 0892058 | | Lights, Backup, WIn M6BUW Color, Trim - Chrome Trim | 1 |
| 194 | 0664466 | | Bracket, License Plate & Light, Weldon 9186-23882-30 Incand, Temp Under Tailbrd Location - driver side | 1 |
| 195 | 0589905 | | Alarm, Back-up Warning, PRECO 1040 | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 196 | 0763690 | | Indicator, Back-up Warning, Ultrasonic 4-zone Location - next to driver, see customer marked up IP layout | 1 |
| 197 | 0728314 | SP | Lights, Perimeter Cab, Truck-Lite 44310C LED, Spcl Location | 1 |
| 198 | 0616274 | | Lights, Perimeter Body, Truck-Lite 44308C LED 2lts, Turntable Access Control, Perimeter Lts - DS Switch Panel and Parking Brake Applied | 1 |
| 199 | 0612106 | SP | Light, Visor, Wln, 12V PSL2* Pioneer LED Spottl, Deep Notch Cab 1st Qty, - 01 Location, driver's/passenger's/center - Centered Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - g) PS Switch Panel Switch, Lt Control 3 DC,3 - d) No Control Color, Wln Lt Housing - White Paint | 1 |
| 200 | 0768059 | | Lights, Wln, PCPSM2* Pioneer, 12 VDC, 2nd Location - behind driver side cab door, high as possible Qty, - 01 Color, Wln Lt Housing - Chrome Cover Control, Scene Lts - Cab Sw Panel DS and Cab Sw Panel PS | 1 |
| 201 | 0768061 | | Lights, Wln, PCPSM2* Pioneer, 12 VDC, 1st Location - behind passenger side cab door, high as possible Qty, - 01 Color, Wln Lt Housing - Chrome Cover Control, Scene Lts - Cab Sw Panel DS and Cab Sw Panel PS | 1 |
| 202 | 0631374 | | Lights, Deck, Wln (2) MPPBCS Micro Pioneer LED Rear Flood Lights Control, Scene Lts - Sw Included on Light | 1 |
| 203 | 0645681 | | Lights, Not Required, Rear Work, Deck Lights At Rear | 1 |
| 204 | 0645687 | | Lights, Rear Scene, Wln, M6ZC LED, 1st Qty, - 02 Control, Rear Scene Lts - Cab Switch Panel DS Location, Scene Lights - Each Side Rear Body, High, 2lts | 2 |
| 205 | 0763248 | | Lights, Walk Surf, Amdor AY-LB-12HW0**, LED, Cargo Areas Location - front of cargo area Qty, Cargo Lts - 1 | 1 |
| 206 | 0788427 | | Aerial, HD Ladder 107' ASL Tandem, No Pump, Alum Body | 1 |
| 207 | 0554269 | | Body Skirt Height, 18" | 1 |
| 208 | 0553729 | | Not Required, Restraint, Water Tank, Heavy Duty | 1 |
| 209 | 0073475 | | Cargo Area, Alum, IPO Hose Bed, Ascend TA, PAL | 1 |
| 210 | 0723547 | | Painted Hose Bed/Cargo Area Paint Color, Hose Bed Interior - Match Lower Body | 1 |
| 211 | 0736259 | SP | Turntable Steps-Morton,Swing,Recessed Rr Handrail,LS/RS,Ascend TA,PAL,PAP,Hndhld | 1 |
| 212 | 0554004 | | Lights, Step (6), P25 LED, Swing Down Access Steps, Each Side | 1 |
| 213 | 0690023 | | Wall, Rear, Smooth Aluminum | 1 |
| 214 | 0029503 | | Tow Eyes (2), Painted, Aerial | 1 |
| 215 | 0013641 | | Construction, Compt, Alum, Ascendant Tandem, PAL | 1 |
| 216 | 0033674 | | Compt w/No Pump, 36" Wide w/Rollup Door | 1 |
| 217 | 0063695 | | Compt, LS F/H F/D, Roll Drs, w/o Chute, Ascendant Tandem, 105', 100 HAL Hinge Location - Rear of Body Door, Material & Finish, Stabilizer - Polished Stainless Steel Latch, Door, Access - lift and turn latch, flush | 1 |
| 218 | 0789678 | SP | Compt, DS Turntable, F/H F/D, Roll Drs, Special D2 Door Ht,Ascend TA,105' | 1 |
| 219 | 0023672 | | Compt, IPO Stairs, Not Required, LS | 1 |
| 220 | 0063735 | | Compt, RS F/H F/D, Roll Drs, w/o Chute, Ascendant Tandem, 105', 100 HAL Hinge Location - Rear of Body Door, Material & Finish, Stabilizer - Polished Stainless Steel Latch, Door, Access - lift and turn latch, flush | 1 |
| 221 | 0790897 | SP | Compt, PS Turntable, F/H F/D, Roll Drs,Special Door Height,Ascend TA,105' | 1 |
| 222 | 0023673 | | Compt, IPO Stairs, Not Required, RS | 1 |
| 223 | 0594012 | | Doors, Amdor, Rollup, Side Compartments Qty, Door Accessory - 10 Color, Roll-up Door - AMDOR Satin Aluminum Latch, Roll-up Door - Non-Locking Liftbar | 10 |
| 224 | 0552955 | | Blister, Compts in Front of Rear Axle, To Clear Firemaax Suspension | 1 |
| 225 | 0609440 | SP | Bumper, Rear, 5" w/Treadplate Cover on Top, Sides, Rear, PAP/PAL/RMAP | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 226 | 0788393 | SP | Door Stop, Reduced in Height, Amdor Rollup Door | 1 |
| | | | Location, Door Accessory - D2 and P2 | |
| 227 | 0551416 | | Lights, Compt, On Scene Solutions, LED & Truck-Lite Model 79384 | 10 |
| | | | Location - all body compartments | |
| | | | Qty, - 10 | |
| 228 | 0587545 | | Lights, Compt, On Scene Solutions, LED Night Stik, 9", Additional | 4 |
| | | | Location, Lights - D5 and P5 outrigger compartments and the cab storage compartment on each side of extended cab, controlled by an automatic door switch | |
| | | | Qty, - 04 | |
| 229 | 0603420 | | Shelf Tracks, Painted, Aerial | 6 |
| | | | Qty, Shelf Track - 06 | |
| | | | Location, Shelf Track - LS1, LS3, LS4, RS1, RS3 and RS4 | |
| 230 | 0600289 | | Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations, Aerial | 6 |
| | | | Qty, Shelf - 06 | |
| | | | Material Finish, Shelf - Painted - Spatter Gray | |
| | | | Location, Shelves/Trays, Predefined - RS3-Centered, RS4-Upper Third, RS1-Upper Third, LS3-Centered, LS4-Centered and LS1-Upper Third | |
| 231 | 0564828 | SP | Compt, Transverse Over Torque Box, Special, PAL/85 PAP | 1 |
| | | | Location - D4 and P4, as large as possible, per engineering a 15.25" recess in the forward section is required for generator mounting between forward outriggers | |
| | | | Qty, Comp. Accessory - 01 | |
| 232 | 0004033 | | Rub Rail, Aluminum Extruded, Side of Body, Xtra Space (.50") | 1 |
| 233 | 0004027 | | Fender Crowns, Rear, S/S, Two Pair | 1 |
| 234 | 0063150 | | Handrail, Extra - 50-60" Long | 2 |
| | | | Location, Handrails - above D4/P4. | |
| | | | Qty, Handrails - 02 | |
| 235 | 0601235 | | Compt, Air Bottle, Single, Round, Fender Panel, Tandem Axle Aerials | 7 |
| | | | Qty, Air Bottle Comp - 7 | |
| | | | Door Finish, Fender Compt - Polished | |
| | | | Location, Fender Compt - Single (2) - LS Tandem, Single (2) - RS Tandem, Single - LS Rear, Single - RS Fwd and Single - RS Rear | |
| | | | Latch, Air Bottle Compt - Flush Lift & Turn | |
| | | | Insert, Air Bottle Compt - Rubber Matting | |
| 235 | 0000000 | STF | Ladder, 35' Duo-Safety 1200A 2-Sect, Provide by FRFA | 1 |
| | | | Qty, - 1 | |
| 235 | 0000000 | STF | Ladder, 28' Duo-Safety 1200A 2-Sec, Provided by FRFA | 2 |
| | | | Qty, - 02 | |
| 235 | 0000000 | STF | Ladder, 16' Duo-Safety 875A Roof, Provided By FRFA | 2 |
| | | | Qty, - 02 | |
| 235 | 0000000 | STF | Ladder, 14' Duo-Safety 775-DR Roof with 7/8" Hooks, Both Ends, 16.00" Wide | 1 |
| | | | Qty, - 1 | |
| 236 | 0521218 | | Not Required, Attic Extension Ladder | 1 |
| 236 | 0000000 | STF | Ladder, 10' Duo-Safety Folding, 585A, Provided By FRFA | 1 |
| | | | Qty, - 01 | |
| | | | Location, Folding Ladder Aerial - torque box | |
| 237 | 0042207 | | Ladders Stored in Torque Box, Gortite Roll, Ascendant TA, PAL, PAP | 1 |
| | | | Color, Roll-up Door, Gortite - Satin finish | |
| | | | Latch, Roll-up Door, Gortite - Non-Locking, Rear | |
| 238 | 0666730 | SP | Light, Torque Box Ladder Storage, (1) Truck-Lite 44308C LED IPOS | 1 |
| 239 | 0602100 | | Lights, Torque Box Ladder Storage, Pierce LED Strip Lights, 2 Lts | 1 |
| 240 | 0653608 | | Ladder, Little Giant, Revolution XE - Model 17, 12017 | 1 |
| | | | Location - ship loose | |
| 241 | 0685402 | | Dura-Surf, Added | 6 |
| | | | Location - on the bottom of all the ladder troughs | |
| | | | Qty, - 06 | |
| 242 | 0658170 | | Ladders, Nested, Right Side Ground Ladder Storage | 1 |
| 243 | 0775907 | | Pike Pole, 12' DUO Safety, Fiberglass | 2 |
| | | | Qty, - 02 | |
| 244 | 0789564 | | Pike Pole, 8' DUO Safety, Fiberglass, Aerial | 2 |
| | | | Qty, - 02 | |
| 245 | 0789566 | | Pike Pole, 6' DUO Safety, Fiberglass, Aerial | 2 |
| | | | Qty, - 02 | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 246 | 0789586 | | Pike Pole, 3' DUO Safety, Fiberglass, w/D Handle Qty, - 02 | 2 |
| 247 | 0770578 | | Pike Pole Tubes, in Torque Box/Ladder Storage, ABS Qty, - 06 | 6 |
| 248 | 0024388 | | No Steps Required, Front Of Body | 1 |
| 249 | 0621993 | SP | Cover, Over Cargo Area, Incl Fasteners at Rear, 22 oz Yellow Vinyl, Aerial Type of fastener - bungee cord and hook with pull tab-Sides of Cargo Type of fastener, Rear - bungee cord and hook with pull tabs-Rear of Cargo | 1 |
| 250 | 0606694 | | Air Horns, (2) Hadley, 6" Round, In Bumper | 1 |
| 251 | 0606834 | | Location, Air Horns, Bumper, Each Side, Outside Frame, Inboard (Pos #2 & #6) | 1 |
| 252 | 0757092 | | Control, Air Horn, Multi Select | 1 |
| 253 | 0757080 | | Control, Air Horn, Ft Sw, RS | 1 |
| 254 | 0757081 | | Control, Air Horn, Ft Sw, LS | 1 |
| 255 | 0006100 | | No Electronic Siren | 1 |
| 256 | 0046133 | | No Siren Location | 1 |
| 257 | 0076155 | | No Siren Switch | 1 |
| 258 | 0006188 | | No Speaker | 1 |
| 259 | 0550461 | | Location, Not Required, No Speaker (Q2B) | 1 |
| 260 | 0895310 | | Siren, Federal Q2B Finish, Q2B Siren - Chrome | 1 |
| 261 | 0006095 | | Siren, Mechanical, Mounted Above Deckplate Location, Siren, Mech - a) Left | 1 |
| 262 | 0748305 | | Control, Mech Siren, Multi Select | 1 |
| 263 | 0748280 | | Control Mech Siren, Horn Ring | 1 |
| 264 | 0748281 | | Control Mech Siren, Ft Sw RS | 1 |
| 265 | 0740834 | | Sw, Siren Brake, Momentary Red, LS Overhead Sw Pnl | 1 |
| 266 | 0746353 | | Not Required, Warning Lights Intensity | 1 |
| 267 | 0738991 | SP | Lights, Wln, M6**, RRRR RRRR LED 8Lts, Prk Brk Interlock Color, Lens, LED's - Clear Color, Trim - Chrome Trim | 1 |
| 268 | 0691599 | | Light, GTT, 792* Strobe Opticom Emitter, Remote Mounted on Cab Roof Location - drive side cab roof, just to the outside of the notch Opticom Priority - b) High Opticom Activation - Cab Switch & E-Master Momentary Opticom Activation - no activation | 1 |
| 269 | 0898734 | | Light, Front Zone, Wln M6** M6** M6** M6** Q Bzl Color, Lens, LED's - Colored Color, Lt DS Frnt Outside - Left Red Color, Lt PS Frnt Outside - Right Red Color, Lt DS Front Inside - Left White Color, Lt PS Front Inside - Right White Color, Q Bezel and Trim - Polished Chrome | 1 |
| 270 | 0747228 | | Lights, Side Zone Lower, Wln M6**, M6**, M6**, 6Lts Location, Lights Front Side - b)each side bumper Color, Lens, LED's - Colored Location, Lights Mid Side - Over Front Wheels Location, Lights Rear Side - Between Tandem Color, Trim - Chrome Trim Color, Lt Side Front, DS - Red Color, Lt Side Front, PS - Red Color, Lt Side Mid DS - Blue Color, Lt Side Mid PS - Blue Color, Lt Side Rear PS - Red Color, Lt Side Rear DS - Red | 1 |
| 271 | 0899856 | | Lights, Side, Wln M6**, 45 Deg Bzl, Cab Corner, 1st Qty, - 02 Color, Lights, Warning - Red Flashing Control, Light - b) side warning Color, Lens, LED's - Match Material, Bracket - Polished S/S Color, Trim - Chrome Trim | 2 |
| 272 | 0540777 | | Lights, Rear Zone Lower, Wln M6* LED, Colored Lens Color, Lt DS Rear - r) DS Rear Lt Red | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 272 | | | Color, Lt PS Rear - r) PS Rear Lt Red | |
| 273 | 0754220 | | Lights, Rear, WIn M6** LED, Features 1st Location - above taillights Qty, - 02 Color, Lights, Warning - Blue Flashing Control, Light - a) rear upper warning Color, Lens, LED's - Colored Color, Trim - Chrome Trim | 2 |
| 274 | 0893240 | SP | Light, Rear Zone Up, WIn B6M7**P, L31 Hi Int, M7* Lw Int Lt Color, Dome, Rear Warning - b)both domes red Color, Lens, LED's - m)match LED's Color, Lt DS Rear - Left Amber Color, Lt PS Rear - Right Amber Color, Beacon, DS LED's - Left Red Color, Beacon, PS LED's - Right Red | 1 |
| 275 | 0006551 | | Not Required, Lights, Rear Upper Zone Blocking | 1 |
| 276 | 0762435 | | Light, Traffic Directing, WIn TAL85, 46.87" Long LED, Lens Feature Activation, Traffic Dir L - Not Connected Color, Lens, LED's - c)clear | 1 |
| 277 | 0530074 | | Location, Traf Dir Lt, On Top of Body Below Turntable w/Trdplt Box | 1 |
| 278 | 0530280 | | Location, Traf Dir Lt Controller, Overhead Switch Panel DS Center | 1 |
| 279 | 0006646 | | Electrical System, 120/240VAC, General Design | 1 |
| 280 | 0682571 | SP | Generator, Harrison 6kW, 6.0MAS-16R/D-11011/15/1, Hydraulic, Hotshift PTO, Spcl Generator Interlocks - Parking Brake/Neutral Location, Gen Info Panel - near breaker box | 1 |
| 281 | 0015429 | | Mounting, Hydraulic Generator Above Torque Box Location, Generator - area between forward outriggers | 1 |
| 282 | 0016752 | | Starting Sw, Truck Engine Powered Gen, Cab Sw Pnl | 1 |
| 283 | 0016757 | | Not Required, Remote Start, Generator | 1 |
| 284 | 0016740 | | Not Required, Fuel System | 1 |
| 285 | 0016767 | | Not Required, Oil Drain Extension, Generator | 1 |
| 286 | 0036738 | | Circuit Breaker Panel, Included With PTO Generator Location, Circuit Breaker Panel - LS6, Back Wall to the Left | 1 |
| 287 | 0518647 | SP | Location, Gen Meter Panel, Spcl Location Inside Compartment, IPO Std. Location - D6 body compartment on forward wall - see photos on S:drive | 1 |
| 288 | 0016771 | | Not Required, Routing Exhaust, Generator | 1 |
| 289 | 0747476 | | Light, WIn, 150W 120V, PCP2AP* LED Floodlt, PBAPEDA Pedestal Mt 1st Location, 120/240 Volt Lt - one (1) each side at the rear of the compartments D3 and P3 Qty, 120/240 Volt Light - 2 Switch, Lt Control 1 DC,1 - m) no control Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - m) Breaker Panel Switch, Lt Control 4 DC,4 - d) No Control Color, WIn Lt Housing - White Paint | 2 |
| 290 | 0638622 | | Light, WIn, 120V, P*P*A*P LED, Pole Mnt 1st Location, 120/240 Volt Lt - one (1) each in the front corners (D6 and P6) Qty, - 02 Switch, Lt Control 1 DC,1 - m) no control Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - d) No Control Color, WIn Lt Housing - White Paint Poles, W - Thru Body/Surface Mt, BttmAdjust Push-Up, w/Ind Lt Handle Holder and Up Ind Sw W - Without Handle Holder Pole Length W - 12.00" Outside Pole Lighthouse, WIn AC - PFP2AP, Flood Flood | 2 |
| 291 | 0006825 | | Reel, Elect Cable, Hannay, 1600, (3) Wire Qty, Cord Reels - 1 Reel Guide - a) Nylatron guide Finish, Reel - Painted Gray Location, Electric Cord Reel - D6, From Ceiling | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 292 | 0006828 | | Cord, Electric, 10/3 Yellow, 3 Wire Lengths of Elect Cord - 1 Feet of Yellow Cord - e)200 Connection, Cord - No Connection | 1 |
| 293 | 0788932 | | Box, Junc, Akron, 3Wire, 4-15/20A 120V Dup SB Qty, - 01 Connection, Electric Plug / Inlet (Male) - Direct Connection | 1 |
| 294 | 0780350 | | Receptacle Strip, 15A 120V 6-Place, Interior Cab Qty, - 1 Location 1 - along the back of the engine dog house tied up loose (see photo) AC Power Source - Shoreline | 1 |
| 295 | 0779722 | | Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Body Qty, - 01 Location 1 - the receptacle is to be located on the back/tank wall of compartment P6 - see photo AC Power Source - Generator Cover, Receptacle - White Recp and SS Wall Plate | 1 |
| 296 | 0779698 | | Receptacle Strip, 15A 120V 6-Place, Interior Body Qty, - 01 Location 1 - in D2 (see photo) mounted high across the top rear corner AC Power Source - Shoreline | 1 |
| 297 | 0783678 | | Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st Location, Receptacles - one each side on the extended crew cab, just above the compartment, one each side at the forward portion of each body fender, and one at the rear of the body on passenger side Qty, - 05 AC Power Source - Generator Cover, Receptacle - Exterior Flip Up Duplex Cover(s) | 5 |
| 298 | 0519934 | | Not Required, Brand, Hydraulic Tool System | 1 |
| 299 | 0649753 | | Not Required, PTO Driven Hydraulic Tool System | 1 |
| 300 | 0755095 | | Aerial, 107' ASL Tandem, 750/500 Tip, 50 MPH | 1 |
| 301 | 0000042 | | Boom Support, Rear of the Chassis Cab | 1 |
| 302 | 0762413 | | Light, Boom Support, Amdor AY-LB-12HW012, 12" LED | 1 |
| 303 | 0680821 | | Boom Panel, Pair Paint Color, Predefined - #20 White | 1 |
| 304 | 0526885 | | Indicator, Extension, Inside and Outside Handrails, Every 10' Color - 1) black | 1 |
| 305 | 0723719 | | Steps, Folding, Four, Aerial Device, Trident Coating, Step - luminescent Light, Aerial Device Folding Step - no integrated light Finish, Aerial Device Folding Step - bright finish | 1 |
| 306 | 0688232 | | Rung Covers, Aerial Device Rung Cover Color - Safety Yellow | 1 |
| 307 | 0680785 | | Limited Retraction, Aerial | 1 |
| 308 | 0678539 | | Brackets Only, Roof/Wall Ladder, Aerial Fly Section Finish - Painted, Aerial Device Color Roof Ladder, Make/Model - 14' Duo-Safety 775-DR 16.00" Wide | 1 |
| 309 | 0601972 | | Lights, Turntable Walkway, P25, LED | 1 |
| 310 | 0601949 | | Light, Turntable Console, TecNiq T-10, LED Strip Light | 1 |
| 311 | 0657520 | | Guard, Turntable Lighting | 1 |
| 312 | 0793038 | | Control Stations, ASL Tandem Axle, MUX, Color Display | 1 |
| 313 | 0792976 | | Stabilizers, Ascendant Tandem, Rear Mount Steel, 16' Spread, 18" Pen, MUX Material, Stabilizer Pad - Composite | 1 |
| 314 | 0729051 | | Stabilizer Pan and Trim Material Stabilizer Panels - polished stainless steel Stabilizer Trim - polished stainless steel | 1 |
| 315 | 0548900 | | Door, Stabilizer Control Box, Aerial MUX, Hinged Outboard, Smooth Aluminum | 1 |
| 316 | 0793039 | | Hydraulic System, Ascendant Tandem Axle | 1 |
| 317 | 0793037 | | Swivels, D-Series w/Encoder, ASL-Tandem/Tiller, MUX (28 Collector Rings) | 1 |
| 318 | 0793396 | | Electrical System, ASL Tandem Axle, MUX | 1 |
| 319 | 0709376 | | Lights, WIn MPB* Micro LED, Trk & Tip, 4lts (PAL/HAL) Location, Sw, Arl DC Lts - m) 2 locations Color, WIn Lt Housing - White Paint | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 320 | 0540746 | | Lights, Stabilizer Warn (2) Sets, WIn M6* LED, Colored Lens Color, Lt Rr Stabilzr Pan - r) Pan Light Red Color, Lt Fr Stabilzr Pan - r) Pan Light Red | 1 |
| 321 | 0068703 | | Lights, Grote Supernova LED, Stabilizer Beam, (1) Set | 1 |
| 322 | 0601974 | | Lights, Stabilizer Scene, (2) sets, Truck-Lite 44042C, LED | 1 |
| 323 | 0091927 | | AC Power To Aerial Tip, 20 Amp Household (PAL) | 1 |
| 324 | 0006920 | | Intercom, 2-Way Atkinson (PAL) | 1 |
| 325 | 0754291 | SP | Breathing Air to Tip, (1) 6000 PSI, Ascendant Tandem, Denver Refill Hose - 50' Breathing Air Fitting - CEJN Breathing Air Mask Box - mask box ladder rubber draw latch | 1 |
| 326 | 0024742 | | Not Required, Mask, Breathing Air To Tip | 1 |
| 327 | 0056918 | | Not Required, Raised Aerial Pedestal | 1 |
| 328 | 0604457 | | Lifting Eye Assembly, Rope Rescue Attachment, ASL | 1 |
| 329 | 0776044 | SP | Boom Support, Platform Tube Style IPO C-Channel | 1 |
| 330 | 0530826 | | Turntable Access, ManSaver Bars, Yellow | 1 |
| 331 | 0624672 | | Waterway, High Flow, 1500 GPM, ASL | 1 |
| 332 | 0632855 | | Monitor, Akron 3480 StreamMaster II Electric w/Extended Vertical Travel Nozzle, Monitor 1 PAL - Akron 1578 Electric 1250 gpm | 1 |
| 333 | 0010758 | | Flow Meter, Waterway, PAL, 110' Ascendant, MUX | 1 |
| 334 | 0696163 | SP | Inlet, 6.00" at Rear w/o Midship Pump, (PAP, PAL) | 1 |
| 335 | 0673128 | | Quick-Lock Waterway Locking System, 100' HDL, 105' HDL, ASL | 1 |
| 335 | 0000000 | STF | Elbow, Aerial Inlet, 6" FNST x 5" Storz w/Cap, Gray Finish Location - rear waterway inlet Qty, - 1 | 1 |
| 336 | 0047897 | | Tools, Aerial | 1 |
| 337 | 0559494 | | Manuals and Training, 3 Consecutive Days, Ascendant Ladder, PAL | 1 |
| 338 | 0007150 | | Bag of Nuts and Bolts Qty, Bag Nuts and Bolts - 1 | 1 |
| 339 | 0602507 | | NFPA Required Loose Equipment, Aerial, NFPA 2016, Provided by Fire Department | 1 |
| 340 | 0602535 | | Extinguisher, Dry Chemical, Aerial NFPA 2016, Provided by Fire Department | 1 |
| 341 | 0602354 | | Extinguisher, 2.5 Gal. Pressurized Water, Aerial, NFPA 2016, Provided by Fire Dept | 1 |
| 342 | 0007482 | | Not Required, Crowbars | 1 |
| 343 | 0007484 | | Not Required, Claw Tools | 1 |
| 344 | 0602675 | | Axes, (2) Flathead, Aerial NFPA 2016, Provided by Fire Department | 1 |
| 345 | 0602673 | | Axes, (3) Pickhead, Provided by Fire Department, Aerial NFPA 2016 | 1 |
| 346 | 0007494 | | Not Required, Sledgehammers | 1 |
| 347 | 0741569 | | Paint Process / Environmental Requirements, Appleton | 1 |
| 348 | 0709763 | | Paint, Single Color, Velocity/Impel Paint Color, Cab - #20 White | 1 |
| 349 | 0709845 | | Paint, Single Color, Body Paint, Body - Match Lower Cab | 1 |
| 350 | 0636524 | | Coating, Chassis Frame Assy, With Liner, Hot Dip Galvanized Paint Color, Frame Assembly, Predefined - Gloss Black | 1 |
| 351 | 0693797 | | No Paint Required, Aluminum Front Wheels | 1 |
| 352 | 0693792 | | No Paint Required, Aluminum Rear Wheels | 1 |
| 353 | 0733739 | | Paint, Axle Hubs Paint, Axle Hub - Primary Job Color | 1 |
| 354 | 0581434 | | Transit Coating, Carwell, Corrosion Protection, Including Underside | 1 |
| 355 | 0007230 | | Compartment, Painted, Spatter Gray | 1 |
| 356 | 0782202 | | Aerial Ladder Paint, ASL-Tandem Paint Color, Aerial Device - Blue White 20 Paint Color, Egress - #50 Red Paint Color, Turntable - Blue White 20 Paint Color, Boom Support - black 101 Paint Color, Cylinders - blue white 20 Paint Color, Aerial Torque Box - gloss black primer Paint Color, Aerial Stabilizers - black 101 Paint Color, Aerial Control Console - blue white 20 | 1 |
| 357 | 0544129 | | Reflective Band, 1"-6"-1" Color, Reflect Band - A - e) black Color, Reflect Band - B - t) gold | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 357 | | | Color, Reflect Band - C - za) black | |
| 358 | 0510041 | | Reflective across Cab Face, Imp/Vel | 1 |
| 359 | 0583454 | | Stripe, Chevron, Rear, Diamond Grade, Aerial | 1 |
| 360 | 0598754 | | Color, Rear Chevron DG - fluorescent yellow green Stripe, Reflective/Diamond Grade, 4.00" on Stabilizers | 1 |
| 361 | 0027341 | | Color, Reflect Band - A - g) yellow Jog, In Reflective Stripe, Single or Multiple | 1 |
| 362 | 0515348 | | Qty, - 1 Stripe, Black Outline, Scotchlite on Reflective Band | 1 |
| 363 | 0509398 | | Qty, - 1 Stripe, Reflective, Chevron, Cab and Crew Cab Doors Interior | 1 |
| 364 | 0033179 | | Color, Reflect Band - B - t) gold Size, Chevron Striping - 04 Color, Reflect Chev - A - e) black Lettering Specifications, Reflective | 1 |
| 365 | 0686159 | | Lettering, Reflective, 3.00", (41-60) | 1 |
| 366 | 0685991 | | Outline, Lettering - Outline Lettering, Reflective, 10.00", (21-40) | 1 |
| 367 | 0515269 | | Outline, Lettering - Outline Lettering, Reflective 2" Script w/outline | 1 |
| 368 | 0041534 | | Color, Lettering - e) black Emblem, (3) Letter Monogram Style with Lettering, Reflective, Denver, Each | 2 |
| 369 | 0522815 | | Qty, - 02 Location, Emblem - one on each side on the cab doors Color, Reflective - i) gold Emblem, American Flag, Waving, Gerber Vision, Pair | 1 |
| 370 | 0666414 | | Location, Emblem - in the window over the rear cab doors Emblem, Freedom Flag, Each | 1 |
| 370 | 0000000 | STF | Qty, - 01 Location, Emblem - R1 Size, Flag - 24" - 25" Akron Trimeese (3) 2.5" (F) NST x 6" (F) NST - Denver NEW!!! | 1 |
| 370 | 0000000 | STF | Qty, - 1 Intercom, David Clark Allowance for Denver Truck - 2018 | 1 |
| 370 | 0000000 | STF | Allison Transmission Service & Parts Manual, Denver | 1 |
| 370 | 0000000 | STF | Service - Oil Samples, Denver | 1 |
| 370 | 0000000 | STF | Cummins Trouble Shooting and Parts Manuals, Denver | 1 |
| 370 | 0000000 | STF | Service - Oil Change and Lube, Denver | 1 |
| 370 | 0000000 | STF | Inspection trip #1 - when - number of people | 2 |
| 370 | 0000000 | STF | Location - at customer location for a preconstruction conference. Qty, - 02 Inspection trip #3 - when - number of people | 2 |
| 370 | 0000000 | STF | Location - at the factory for a delivery inspection Qty, - 02 Inspection trip #2 - when - number of people | 2 |
| 370 | 0000000 | STF | Location - at the factory for a post paint inspection Qty, - 02 | |
| 371 | 0031972 | | Manuals, Two (2), Fire Apparatus Parts, Custom Chassis | 1 |
| 372 | 0002905 | | Manuals, (2) Chassis Service, Custom | 1 |
| 373 | 0032433 | | Manuals, Two (2) Chassis Operation, Custom | 1 |
| 374 | 0030008 | | Warranty, Basic, 1 Year, Apparatus, WA0008 | 1 |
| 375 | 0611136 | | Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 | 1 |
| 376 | 0696698 | | Warranty, Engine, Cummins, 5 Year, WA0181 | 1 |
| 377 | 0684953 | | Warranty, Steering Gear, Sheppard M110, 3 Year WA0201 | 1 |
| 378 | 0595767 | | Warranty, Frame, 50 Year, Velocity/Impel, Dash CF, WA0038 | 1 |
| 379 | 0595698 | | Warranty, Axle, 3 Year, TAK-4, WA0050 | 1 |
| 380 | 0733305 | | Warranty, Tandem Axle, 5 Year, Meritor, General Service, WA0384 | 1 |
| 381 | 0652758 | | Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232 | 1 |
| 382 | 0019914 | | Warranty, Structure, 10 Year, Custom Cab, WA0012 | 1 |
| 383 | 0744240 | | Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055 | 1 |
| 384 | 0524627 | | Warranty, Electronics, 5 Year, MUX, WA0014 | 1 |
| 385 | 0695416 | | Warranty, Pierce Camera System, WA0188 | 1 |
| 386 | 0708760 | | Warranty, Not Applicable, LED Strip Lights | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 387 | 0046369 | | Warranty, 5-year EVS Transmission, Standard Custom, WA0187 | 1 |
| 388 | 0685945 | | Warranty, Transmission Cooler, WA0216 | 1 |
| 389 | 0596025 | | Warranty, Structure, 10 Year, Body, WA0009 | 1 |
| 390 | 0693126 | | Warranty, AMDOR, Roll-up Door, 10 Year/5 Year Painted, WA0185 | 1 |
| 391 | 0006999 | | Warranty, Structure, 20 Year, Aerial Device, WA0052 | 1 |
| 392 | 0687388 | | Warranty, Swivels, 5 Year, Aerial Device, WA0197 | 1 |
| 393 | 0088889 | | Not Required, Additional Aerial Warranty | 1 |
| 394 | 0687327 | | Warranty, Waterway, 10 Year, Aerial Device, WA0198 | 1 |
| 395 | 0595860 | | Warranty, Paint, 4 Year, Aerial Device, Pro-Rated, WA0047 | 1 |
| 396 | 0725636 | | Warranty, Harrison Generator, 2 Year | 1 |
| 397 | 0595820 | | Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057 | 1 |
| 398 | 0595412 | | Warranty, Graphics Lamination, 1 Year, Apparatus, WA0168 | 1 |
| 399 | 0683627 | | Certification, Vehicle Stability, CD0156 | 1 |
| 400 | 0736237 | | Certification, Engine Installation, Velocity, Cummins X12, 2021, CD0171 | 1 |
| 401 | 0686786 | | Certification, Power Steering, CD0098 | 1 |
| 402 | 0667417 | | Certification, Cab Integrity, Velocity FR, CD0009 | 1 |
| 403 | 0548950 | | Certification, Cab Door Durability, Velocity/Impel, CD0001 | 1 |
| 404 | 0548967 | | Certification, Windshield Wiper Durability, Impel/Velocit, CD0005 | 1 |
| 405 | 0667411 | | Certification, Electric Window Durability, Velocity/Impel FR, CD0004 | 1 |
| 406 | 0549273 | | Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018 | 1 |
| 407 | 0735950 | | Certification, Cab HVAC System Perf, Vel/Imp FR, CD0166/CD0168/CD0176/CD0177 | 1 |
| 408 | 0545073 | | Amp Draw Report, NFPA Current Edition | 1 |
| 409 | 0002758 | | Amp Draw, NFPA/ULC Radio Allowance | 1 |
| 410 | 0799248 | | Appleton/Florida BTO | 1 |
| 411 | 0000049 | | Ascendant BODY | 1 |
| 412 | 0000012 | | PIERCE CHASSIS | 1 |
| 413 | 0004713 | | ENGINE, OTHER | 1 |
| 414 | 0046396 | | EVS 4000 Series TRANSMISSION | 1 |
| 415 | 0020015 | | ABS SYSTEM | 1 |
| 416 | 0658751 | | PUMPER BASE | 1 |

CITY PO EXHIBIT "C"
City and County of Denver
Fleet Management
Vendor Supplied Information Data

City Unit(s) # _____

(City Use Only) _____

ENTER CITY PURCHASE ORDER NUMBER: PO- 00110727

Example:PO-00003584

The following underlined forms and information are **REQUIRED for new vehicle deliveries:**

- Copy of entire Purchase Order (all pages)
- Original MSO (Manufacturers Statement of Origin) – is required for all vehicles except off-road and construction equipment. May receive one for some off road equipment if manufacturer issues one.
Name of purchaser: **City and County of Denver**
Address: **201 W. Colfax Ave. Dept. 304**
Denver, CO 80202
- Secured Dealer Bill of Sale (DR2407) – IN STATE ONLY – Required for on the road vehicles Such as cars, pickup[s], vans and any vehicle under 16,000 GVWR. Not needed if odometer Section is filled out and signed on MSO. Not required on vehicles over 16,000GVWR LBS.
- Application for Title and Registration (DR2395) – Required for all on-road vehicles and trailers.
- Verification of Vehicle Identification Number (DR2698) – Required for all Vehicles coming from an out of state dealer, incomplete vehicle. I.E. Cab and Chassis.
- Statement of Fact (DR2444) - Required on all vehicles with modifications to the cab and chassis. Such as a body crane, auxiliary engine, etc. The statement of fact must include the modifications made and include VIN numbers of chassis and equipment.
- Special Mobile Machinery Form (DR2689) - Required on all off road and Construction equipment. I.E. Front end loaders, tractors, skid steer loaders, Mowers, air compressors, motor graders, etc.
- Weight slip required - (on all incomplete vehicles that are made into a complete vehicle) – and all off-road equipment and construction type equipment. (Front end loaders, sweepers, graders, air compressors, rollers, etc.).
- Temporary License Plate – Required for all on-road vehicles. Not required for off road Equipment.
- Original Dealer Invoice – Required for all vehicles on and off the Road.
- Receipt or Contract for Optional Warranty – Only if spec or called out on P.O.
- Shop and Parts manuals (as required) (CD or electronic form preferred) – Only if spec or show as a line item of P.O.
- Standard Sales Tax Receipt for Vehicle Sales (DR0024)-IN STATE ONLY- Required for purchases to disclose the purchase amount to the state.

Dealer Signature: _____ Date: _____