

M-B Companies, Inc. Airport Maintenance Products Division Fax 920 849 2629 201 MB Lane Chilton, WI 53014

Phone 800 558 5800 www.m-bco.com

October 7, 2021

Denver International Airport ATTN: Steve Ricci 8500 Pena BLVD **Denver, CO 80249**

Dear Mr. Ricci,

M-B Companies, Inc. is pleased to quote to the Denver International Airport two MB5E Multi-Tasking Snow Removal units with liquid deicer and boomless spray bar. Units will be purchased and built-in accordance the options you selected utilizing the M-B Companies Minnesota State Contract #193051 and relevant MB5 pricing sheet (same as first units). Pricing includes the add air conditioning option.

MB5E Multi-Tasking Snow Removal unit with liquid material spreader.

Net Price each: \$ 899,036.00 **Two Unit Total** \$1,798,072.00

Terms and Conditions

- Shipping: F.O.B. Denver, CO. 80249
- Payment: Pricing listed includes volume discount and pre-payment discount. Prepayment must be received within 120 days from receipt of purchase order for discount to be applied.
- Pricing does not include any applicable taxes.
- Estimated delivery: 300-360 days upon receipt of Purchase Order or contract.
- Warranty: chassis 1-year, engines 2-years, and transmission 3-years.
- Onsite training included (operators and mechanics), not to exceed 3 days in order to accommodate multiple shifts.
- Factory training or pre-shipment inspection at Chilton, WI location available upon request.

Thank you for this opportunity, if you have any questions please contact myself at 920-242-4134 or email at jessie.carr@aebi-schmidt.com

Respectfully,

Jessie Carr Sales MB Airport













Price quote for:	13.0 PRICE SCHEDULE AIRPORT AIRFIELD MAIN	TENANCE EQUIPMENT	
Vendor Name:	Exhibit D Price Schedule M-B Companies, Inc.		
Contact Person:	Doug Blada		
Street Address:	201 MB Lane		
P.O. Box:	201 1112 24110		
City, State, Zip:	Chilton, WI 53014		
Phone #:	920-898-1005		
Toll Free #:	1-800-558-5801		
Fax #:	920-849-2629		
Email Address:	doug.blada@aebi-schmidt.com	1	
Email / lauress.	acan branches	-	
Item #	Information Requested	Answer	
		M-B Companies, MB5 Mid-	
		Mount Broom and Plow, Multi-	
13.0	Airport Airfield Maintenance Equipment Make & Model	Tasking Snow Removal Vehicle	
		_	
	Purpose and Intended Use (Area)	Airport Snow Removal	
	Is Equipment Multi-functional?	Yes x or No	
	is Equipment Multi-functional?	res_x_ or No	
	Is Equipment Multi-Seasonal?	Yesx or No	
	Additional Uses for Equipment (if any)		
	Does Equipment have an Engine(s)?	Yes_x_ or No	
		496 HP, electronic turbocharged diesel	
		engine, T4F EPA / Stage 5 emission	
	Drive Engine Description	certified	
		496 HP, electronic turbocharged diesel	
	Auxilians Fraina Deparintian	engine, T4F EPA / Stage 5 emission certified	
	Auxiliary Engine Description	certified	
	Does the Equipment have optional attachments?	Yes_x_ or No	
	·		
	Is the Equipment an Attachment?	Yes or No_x_	
	Type of Drive Unit required for attachment	n/a	
	Type of Drive Unit required for attachment	II/a	
	Warranty Information	1 year	
	List Volume Discounts	3+ units, 5% discount	Qt
	TOTAL PRICE:		1
Spec#	Description	Answer	
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other options for airfield equipment listed above. Start option numbering w	ith	
	13.1, 13.2, 13.3, etc., until you have listed all of the options	iu i	
	Chassis Options:		
13.1	Engine oil pan heater, pad type	\$ 722.00	
13.2	Engine block heater, immersion type	\$ 499.00	
13.3	Battery trickle charger, 1.5 amp	\$ 578.00	
13.4 13.5	Battery charger, 20 amp Battery heater, pad type	\$ 657.00 \$ 1,066.00	
13.6	_ battery rieater, pad type Remote battery jump start lugs	\$ 1,066.00 \$ 357.00	1
13.7	Remote air fill port	\$ 215.00	1
13.8	Hydraulic oil tank heater, pad type	\$ 606.00	
13.9	Fuel tank heater, pad type	\$ 722.00	
13.10	Coolant filter	\$ 217.00	1
13.11	Rear bumper chevron striping		1
	Fight inch reflective strips	C DEADO	
13.12	Eight inch reflective stripe Numbers and lettering on unit	\$ 854.00 \$ 627.00	
13.12 13.13	Numbers and lettering on unit	\$ 854.00 \$ 627.00 \$ 860.00	1
13.12	_ •	•	1

	Chassis Cab Options:	
3.17	Air Conditioning	\$ 3,762.0
3.18	Deluge System (Requires side door wipers)	\$ 2,139.0
3.19	Side door window wipers	\$ 858.0
3.20	Heated option for side door window wipers	\$ 379.0
3.21	Heated option for windshield wipers	\$ 555.0
3.22	Radio, AM/FM with weather band and CD player	\$ 648.0
3.23	Rear view camera system, color (Includes rear facing LED flood light	
3.24	Golight Stryker remote spot light on cab, (1)	\$ 862 \$ 1,829
3.25	HID lights on cab light bar, flood, (2)	
3.26	HID lights on cab light bar, trapezoid, (2)	\$ 1,702.0
3.27	HID lights on cab light bar, spot, (2)	\$ 1,715.0
3.28	LED lights on cab light bar, flood, (2)	\$ 1,076.0
3.29	LED lights on cab light bar, trapezoid, (2)	\$ 1,009.0
3.30	LED lights on cab light bar, spot, (2)	\$ 1,017.0
3.31	Rear facing LED flood lights, (2)	\$ 381.0
3.32	Amber snow plow lights on cab light bar, (2)	\$ 525.0
3.33	Fire extinguisher, 2A:10BC, 5 lb. with mounting bracket	\$ 267.0
3.34	Fire extinguisher, 10A:40BC, 10 lb. with mounting bracket	\$ 325.0
	Payaraible Play Ontions	
	Reversible Plow Options:	
3.35	Flared moldboard blade in place of straight moldboard blade	\$ 2,739.0
3.36	24 foot plow in place of 20 foot plow	\$ 3,807.0
3.37	22 foot plow in place of 20 foot plow	\$ 1,904.0
3.38	Plow trip moldboard	\$ 2,198.0
3.39	Hands free hitch	\$ 1,496.0
		· · · · · · · · · · · · · · · · · · ·
	Plow cutting edges	
3.40	Poly cutting edge in place of steel cutting edge, 20 foot	\$ 1,681.0
3.41	Poly cutting edge in place of steel cutting edge, 22 foot	\$ 1,792.0
3.42		
3.42	Poly cutting edge in place of steel cutting edge, 24 foot	\$ 1,903.0
0.40		A 240 C
3.43	Kueper cutting edge in place of steel cutting edge, 20 foot	\$ 4,340.0
3.44	Kueper cutting edge in place of steel cutting edge, 22 foot	\$ 4,714.0
3.45	Kueper cutting edge in place of steel cutting edge, 24 foot	\$ 5,088.0
3.46	Carbide cutting edge in place of steel cutting edge, 20 foot	\$ 2,066.0
3.47	Carbide cutting edge in place of steel cutting edge, 22 foot	\$ 2,216.0
3.48	Carbide cutting edge in place of steel cutting edge, 24 foot	\$ 2,366.0
0.40	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in	
3.49	place of steel cutting edge, 20 foot	\$ 4,856.0
	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in	, , , , , , , , , , , , , , , , , , , ,
3.50	place of steel cutting edge, 22 foot	\$ 5,281.0
	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in	Ψ 5,201.0
3.51		¢ 5.707.0
	place of steel cutting edge, 24 foot	\$ 5,707.0
	Plans On and Parts	
	Plow Spare Parts	
3.52	Caster tire and wheel	\$ 970.0
3.53	Caster tire, wheel, hub, bearings, axle and nuts	\$ 1,182.0
3.54	Caster tire and wheel, foam filled	\$ 1,047.0
3.55	Caster tire, wheel, hub, bearings, axle and nuts, foam filled	\$ 1,260.0
	Broom Head Options:	
3.56	20 foot broom head in place of 18 foot	\$ 4,426.0
3.57	22 foot broom head in place of 18 foot	\$ 8,852.0
0.01		0,002.0
	Broom Engine Ontions:	
2 50	Broom Engine Options:	¢ 745 0
3.58	Broom engine oil pan heater, pad type	\$ 715.0
3.59	Broom engine block heater, immersion type	\$ 494.0
3.60	Hydraulic oil tank heater, pad type	\$ 600.0
3.61	Coolant filter	\$ 425.0
3.62	Fuel tank heater, pad type	\$ 722.0
	Broom General Options:	
3.63	Broom speed tachometer	\$ 770.0
0.00	Ground speed control (Must include automatic brush pattern	770.0
3.64	,	¢ 500.0
J.U4	adjustment and broom speed tachometer) Broom hydrostatic pressure guage	\$ 566.0 \$ 496.0
3.65		\$ 496.0

40.00	Auto stripper bar adjustment system (Required: automatic brush		
13.66	pattern adjustment)	\$ 3,226.00	
	Broom Wafer Options:		
13.67	All steel 13# wire wafers in place of all poly on 18 foot broom	\$ 722.00	
13.68	All steel 13# wire wafers in place of all poly on 20 foot broom	\$ 827.00	
13.69	All steel 13# wire wafers in place of all poly on 22 foot broom	\$ 880.00	
13.70	8# poly. 13# wire, 50/50 wafers in place of all poly on 18 foot broom	\$ 361.00	
13.71	8# poly. 13# wire, 50/50 wafers in place of all poly on 20 foot broom	\$ 417.00	
13.72	8# poly. 13# wire, 50/50 wafers in place of all poly on 22 foot broom	\$ 440.00	1
	Braces Chara Darte		
40.70	Broom Spare Parts	£ 262.00	
13.73	Spare set 18 foot cores	\$ 5,263.00	
13.74	Spare set 20 foot cores	\$ 5,616.00	
13.75	Spare set 22 foot cores	\$ 5,894.00	1
13.76	Set of four broom carts, non-adjustable	\$ 1,134.00	
13.77	End plate jack for use with core change (2)	\$ 525.00	1
13.78	Spare caster tire and wheel, nitrogen filled	\$ 665.00	
13.79	Spare caster, tire, wheel, hub, bearings, axle and nuts, nitrogen filled		
13.80	Spare caster tire and wheel, foam filled	\$ 508.00	
13.81	Spare caster, tire, wheel, hub, bearings, axle and nuts, foam filled	\$ 709.00	1
13.82	46" x 19.5" Poly Wafer, 8 lbs. 101-137212	\$ 14.35	
13.83	46" x 19.5" 13# Wire Wafer, 13lbs. 101-92109	\$ 23.10	
13.84	19.5" Spacer Ring. 402-93914	\$ 1.47	
	MB5 add on Options:		
13.85	1250 gallon ligguid deicer with 22 foot boomless spray bar	\$ 81,200.00	1
13.86	5 cubic yard dry material spreader with 200 gallon pre-wet system	\$ 91,900.00	
	Body Shop Rate	n/a	
	Mechanic Shop Rate	\$150.00/hour	
	Broom Head Vibrator	\$ 2,543.13	
	Manual Pattern Adjustment (linkage system)	N/C	
	Numberical LED lighting	\$ 908.00	
	Autolube system	\$ 15,105.00	
	·	·	
		Total before discount	
		Total before discount	
		Volume Discount (exclusive of	
		shipping fees)	-2.5%
		Total Before 100% Prepay Discount	
		Full Prepayment Discount (exclusive	г -
		of shipping fees)	-1%
		Tatal after discount	
		Total after discounts	

15.49 1070

1070

Additional cost per loaded mile (Line 155 identifies cost per loaded mile

for a regular MB5) \$.50

Estimated Lead Time: 300-360 days

Cost per loaded mile for delivery of Airport/Airfield Equipment

Starting Point: Chilton, WI 53014

SPECIAL BUILD NOTES

(included features specific to Denver International Airport)

Front waring beacon shall be LED (amber) M-B standard.
Rear warning beacon shall be LED (blue) M-B standard.
Liquid units shall be boomless with a spray path of 20 feet.
Solid material spreader shall be Swenson with the ability to offset.
Solid material spreader disperal width of 20 feet.
Touch pads for operating either the liquid or the solid material spreaders shall have icons not numbered touch pads.

Price

\$ 765,832.00

```
$ -
$ -
$ -
$ -
$ 357.00
$ 215.00
$ -
$ 217.00
$ 358.00
$ -
$ 860.00
$ -
$ 2,496.00
```

```
$
   3,762.00
$
    2,139.00
$
$
    858.00
    379.00
   555.00
$
$
     648.00
   2,083.00
$
     -
$
$
  1,702.00
$
   -
$
   1,009.00
$
  381.00
-
267.00
$
$
$
$
$
   2,739.00
   3,807.00
$
$
  -
1,496.00
$
$
$
$
   1,903.00
$
$
$
$
$
$
$
$
$
$
$
$
$
   1,260.00
$
$
    8,852.00
$
$
      425.00
$
$
$
      770.00
      566.00
$
```

\$

496.00

\$ 2,544.00
N/C
\$ 795.00
\$ 15 105 00

\$ 913,677.00

\$ (22,841.93)

\$ 890,835.08

\$ (8,908.35)

\$ 881,926.72

\$ 16,574.30

\$ 535.00

\$ 899,036.02