

## BILL/ RESOLUTION REQUEST

- 1. Title:** Approves an Amendment to Agreement with Waste Management of Colorado, Inc for the Disposal and Hauling Rates for Waste Materials collected by the City and delivered to Denver Arapahoe Disposal Site either directly or via one of the vendors transfer stations (CE02007-1).
  
- 2. Requesting Agency:** Public Works
  
- 3. Contact Person *with actual knowledge of proposed ordinance***  
**Name:**Mike Lutz  
**Phone:**303-446-3402  
**Email:**Mike.Lutz@denvergov.org
  
- 4. Contact Person *with actual knowledge of proposed ordinance who will present the item at Mayor Council and who will be available for first and second reading, if necessary***  
**Name:**Mike Lutz  
**Phone:**303-446-3402  
**Email:**Mike.Lutz@denvergov.org
  
- 5. Describe the proposed ordinance, including what the proposed ordinance is intended to accomplish, who's involved**
  - a. Scope of Work**

In accordance with the 1998 Landfill Agreement and XO 115, the City is required to dispose of all waste materials at DADS. The City has a one-year contract with WMC that set the rates for the City's disposal of waste material at DADS and WMC's trash transfer stations that will expire on December 31, 2010. This ordinance seeks approval of an amendment to that contract under which the Term would be extended for two months at higher disposal fees, while the City and WMC negotiate the Term of the next contract.
  - b. Duration**

2 months
  - c. Location**

n/a
  - d. Affected Council District**

all
  - e. Benefits**

proper disposal of waste materials
  - f. Costs**

\$460,000 (The amendment, however, is not adding funds to the maximum contract value.)

**6. Is there any controversy surrounding this ordinance, groups or individuals who may have concerns about it? Please explain.**

Controversy may stem from lack of negotiations by the vendor and limited ability by the City to push back due to requirements to use the vendor based on other contracts.

**Bill Request Number: BR10-1079**

**Date: 11/22/2010**