

DO NOT INVOICE THIS ADDRESS

City and County of Denver
 Purchasing Division
 201 W. Colfax Ave Dept. 304
 Denver, CO 80202
 United States of America
 Ph: 720-913-8100 Fax: 720-913-8101



Purchase Order Number	PO-00045556
Purchase Order Date	Jul 25, 2018
Contract ID	
Payment Terms	Net 25
Payment Type	ACH
Buyer	Andrew Miskell (720) 913-8159 Andrew.Miskell@denvergov.org

Supplier
STONE MOTORS INC DBA KORF CONTINENTAL 622 W 1ST, PO BOX 419 JULESBURG, CO 80737 United States of America Ph: (970) 330-6117

Ship-To
5440 Roslyn Area 5440 Roslyn St Denver, CO 80216 United States of America Bradley Salazar

Bill To
Bill To Same As Ship To Denver, CO 80202 United States of America Bradley Salazar

Currency	Total Lines Amount	Tax Exempt	Total PO Amount
USD	\$867,340.00	98-02890-0000	\$867,340.00
Shipping Terms	Shipping Method	Shipping Instructions	
FOB Destination	Common Carrier		

Goods Lines								
Line Number	Item Name	Supplier Item Identifier	Description	Due Date	Unit of Measure	Quantity	Unit Price	Line Amount
1			2018 FORD F-550, Diesel with Crysteel Dump Body	11/30/2018	Each	10	\$86,734.00	\$867,340.00

Vendor to fill in and submit attached Exhibit Vehicle Check-In.

Delivery will NOT be considered complete without the Vehicle Check-In form and payment will not be remitted.

Agency Contact: Brad Salazar | (720) 337-1197 | Brad.Salazar@denvergov.org

Vendor Contact: Ted Baca | (970) 330-6117 | ted@COFleets.com

Delivery: Monday through Friday between 8:00 am and 1:00 pm

Location:

City and County of Denver
Fleet Management
5440 Roslyn Street, Building C
Denver, CO 80216
Coordinate Delivery: (720) 865-3900

Title to Read:

City and County of Denver
201 West Colfax Avenue Dept 304
Denver, CO 80202

Documents to be Provided Upon Delivery:

Application for Title, State of Colorado
Odometer/Hours Statement

Internal Reference # 17-033, 17-037, 17-044, 17-051, 18-020, 18-021, 18-049, 18-051, 18-052, 18-054

REFER TO EXHIBIT "A" FOR SERVICE DESCRIPTION AND PRICING ONLY.

VENDOR: You must contact the agency contact listed above to confirm this order.

Purchase Order price listed herein includes all shipping and handling.

All invoicing must match the purchase order exactly and contain the purchase order number. All invoices must be sent directly to the bill to address listed on the purchase order, this address may be different than the ship to address. Changes to this purchase are not valid without prior approval from purchasing.

For additional questions regarding this purchase order and the terms herein contact: Andrew Miskell | 720-913-8159 | andrew.miskell@denvergov.org

ALL INVOICING AND CORRESPONDENCE MUST CONTAIN THE PURCHASE ORDER NUMBER IN FULL (PO-#####)

This purchase is pursuant to DRMC 20-64.5 - Cooperative Purchase


The terms and conditions of this purchase order shall supersede and replace the State of Colorado Price Agreement # 2018000000000000071



Authorized By



By accepting this Purchase Order you agree to the Terms and Conditions of the General Services Purchasing Division.
Follow the URL provided to the Purchase Order Terms and Conditions –
<http://www.denvergov.org/content/denvergov/en/purchasing-main-page/POterms.html>

CCD EXHIBIT A - PO-00045556



A	B	C
1	IT IS MY PLEASURE TO PRESENT THE FOLLOWING PROPOSAL	g18v1
2		Ted Baca, Fleet Sales Mgr.
3		970-330-6117: Direct Line
4		970-692-8324: Direct Fax
5		ted@cofleets.com : e-mail
6		
7		JULESBURG: Ford & Lincoln YUMA: Chevrolet-GMC-Buick-Chrysler-Dodge-Ram-Jeep
8		
9	TO: Brad Salazar City and County of Denver	
10	720-337-1197 (o) 303-513-6816 © brad.salazar@denvergov.org	
11	UNIT # 17-033 and other unit numbers to be provided later	
12		
13		
14	T5 Colorado Price Agreement # 201800000000071 : 2018 Ford F550 4x2 60"CA,	
15	40-20-40 vinyl seat , 7)LT225/70R19.5 ASR, 6.7L Diesel, 40 gallon tank*, 18000	
16	872/525 GVWR, 6 speed AOD, 4.10 axle ratio, AM/FM, Air Cond., Auto SOF Hubs*, front	
17	512 bumper,Air Cond, Back Up Camera* , Cruise control , Rubber floor covering,	
18	spare tire ships loose unless otherwise specified: Total Price for Base Bid Spec	\$ 38,567.00
19	F5H/213 4 Wheel Drive with Shift on Fly (SOF) front Hubs (SOF N/A w/6.8L V10)	\$ 2,907.00
20	98R Operator Commanded Re-Generation 2	\$ 250.00
21	68M 19500 GVWR (requires X8L)	\$ 1,515.00
22	X8L Limited Slip Rear Differential 4.88	\$ 360.00
23	1S Cloth Seats 40-20-40 Reg/Ext Cab	\$ 100.00
24	52B OEM trailer Brake control with Dealer Installed 7 Pole(or 6 Pole) Plug	\$ 468.00
25	THB 225/70R19.5 Max Traction Tires (7) REQUIRES F5H 4x4	\$ 215.00
26	133 Back Up Alarm 97db	\$ 348.00
27	91M SYNC Bluetooth: REQUIRES 96V	\$ 365.00
28	96V XL Value Pkg:CD Player-Cruise-Chrome Front Bumper	\$ 720.00
29	942 DayTime Running Lamps	\$ 45.00
30	473 OEM Snow Plow Prep	\$ 185.00
31	90L Power Windows,Locks,Heated Mirrors, Keyless Entry REG/EXT CAB	\$ 915.00
32	GSB Black Powdercoated Cab length GripStrut "Safe-Step" Running Boards 8	\$ 776.00
33	XKP Additional Key PATS NON-FOB Key door ignition only no remote	\$ 132.00
34	XKP Additional Key PATS NON-FOB Key door ignition only no remote	\$ 132.00
35	XKP Additional Key PATS NON-FOB Key door ignition only no remote	\$ 132.00
36	WTF WeatherTech Hard lasercut floor mats 23	\$ 128.00
37	CIN Install OEM Camera In rear of body	\$ 435.00
38	RHP Rear Hitch Plate 1/2" Steel Plate 175	\$ 889.00
39	CS1 Upgrade Hitch Spec Spec to meet CCD requirements - See Below	\$ 683.00
40	WLB Whelen 50"Justice JV8AMBER Lightbar w/PCCNP Controller DumpBed Install 25	\$ 3,662.00
41	B36 UnderBody Buyers Brand Black tool box 36" mounted curbside 191	\$ 784.00
42	842 9'Dump Bed	\$ 8,996.00
43	CHY Crysteel Dump Bed Upgrade from base bid Rugby	\$ 390.00
44	CDS Crysteel Drop Sides 180 degree drop sides on both sides	\$ 1,176.00
45	CS2 Upgrade Spec to meet CCD requirements for 842, B36	\$ 3,614.00
46	DTG AG-DT DumpThru Liftgate 1600# Capacity 174	\$ 4,982.00
47	CS3 Upgrade Spec to meet CCD requirements for DTG	\$ 1,882.00
48	LGL LED Light Kit for liftgate 116	\$ 565.00
49	BX9 Boss VXT 9'2" V-Plow with Smart Hitch 41	\$ 7,303.00
50	BPS Boss Poly Moldboard option 46	\$ 489.00
51	BSD Boss Rubber Snow Deflector 50	\$ 419.00
52	BST Boss SmartTouch Hand Held Plow Controller 51	\$ 288.00
53	KCE Kueper Rubber Cutting Edge for V-Plow om	\$ 1,917.00
54	Z1/AS White exterior/ Gray Vinyl Interior NOTE :*SOF Hubs N/A with Gas engine	No Charge

CCD EXHIBIT A - PO-00045556 - Continued

	A	B	C
55	DVY	Delivery	No Charge
56	DTW	5 year 100,000 mile powertrain warranty diesel/5 year 60,000 on gas	No Charge
57		Total Net 25 days CREDIT CARD PAYMENTS NOT ACCEPTED	\$ 86,734.00
58			
59		Note: Delivery charges may apply unless picked up locally. Also as Stated on the BID: the Dealer Cannot Control delivery time. We will attempt to deliver in the specified 60-150 day period but equipment, component availability or weather are beyond our control. Note delivery date on your PO to finalize acceptance	
60			
61			
62			
63		NOTE: Fuel Tank Size may Vary by Cab Configuration, Engine and Wheelbase	

89			
90			
91			
92	CS1	<u>Rear Hitch Plate Description & Modifications to RHP</u>	
93		<ul style="list-style-type: none"> • ½" steel plate with integrated receiver tube 	
94		<ul style="list-style-type: none"> • ICC bumper cross channel 	
95		<ul style="list-style-type: none"> • A limit switch shall be installed to prevent dump body 	
96		<ul style="list-style-type: none"> lifting when a trailer hitch assemblies is in the receiver 	
97		<ul style="list-style-type: none"> hitch. 	
98		<ul style="list-style-type: none"> • Factory (OEM) 7-pin RV plug-in trailer wiring harness installed in plate and also 	
99		<ul style="list-style-type: none"> treated to prevent corrosion from snow fighting chemicals. 	
100		<u>Pintle Hitch:</u>	
101		<ul style="list-style-type: none"> • Combination pintle hook/2" ball hitch rated at 16,000-lbs minimum 	
102			
103	CS2	<u>Dump Body Description & Modifications to 842 and B36</u>	
104		BODY	
105		<ul style="list-style-type: none"> • Crysteel ETIP 	
106		<ul style="list-style-type: none"> • Size: 9'L x 93"W x 10"H sides x 20"H ends 	
107		<ul style="list-style-type: none"> • Floor 7 -gauge A1011 steel floor - Western Tubular Understructure 	
108		<ul style="list-style-type: none"> • Side's 12-gauge steel. 	

CCD EXHIBIT A - PO-00045556 - Continued

A	B	C
109	<ul style="list-style-type: none"> • Cab Shield: 1/2 cab shield integrated with body 	
110	<ul style="list-style-type: none"> • D-rings mounted to head sheet and outer rail, 	
111	<ul style="list-style-type: none"> front, middle and rear of bed, forged 	
112	<ul style="list-style-type: none"> steel 1/2" x 2-1/2" x 2-1/2". 	
113	<ul style="list-style-type: none"> • Window perforated steel window drivers and 	
114	<ul style="list-style-type: none"> passenger sides of head sheet to 	
115	<ul style="list-style-type: none"> provide visibility and protect cab window. 	
116	HOIST:	
117	Crysteel LB510 double acting	
118	<ul style="list-style-type: none"> • E/H power unit 	
119	<ul style="list-style-type: none"> • Dump body controls shall be cab mounted in a location convenient to the driver and 	
120	<ul style="list-style-type: none"> shall not interfere with the driver when operating the vehicle or when entering or 	
121	<ul style="list-style-type: none"> exiting the truck 	
122	TARP:	
123	<ul style="list-style-type: none"> • Pull tarp RED mesh tarp per CCD specifications including: 	
124	<ul style="list-style-type: none"> • Steel mount 	
125	<ul style="list-style-type: none"> • 96" steel protector 	
126	<ul style="list-style-type: none"> • 20' pull rope 	
127	<ul style="list-style-type: none"> • Load climber kit 	
128		
129		
130	LIGHTING:	
131	<ul style="list-style-type: none"> • Vehicle Rear Lights: (No Approved Equals) 	
132	<ul style="list-style-type: none"> • All lights shall be Truck-Lite "Lifetime Warranty" 12vDC, LED type, flush mount, sealed 	
133	<ul style="list-style-type: none"> Lexan body, grommet insulated with Fit' N Forget multi-pin plugs where possible. 	
134	<ul style="list-style-type: none"> • Integral Stop/Turn/Tail/ lights mounted in the rear corner post of the body model 	
135	<ul style="list-style-type: none"> Super 44 P/N 44302R or model 60 P/N 60250R. 	
136	<ul style="list-style-type: none"> • Back up lights Truck-Lite LED, flush mount, sealed Lexan body, grommet insulated, 	
137	<ul style="list-style-type: none"> multi-pin units model 44 P/N 44206C. 	
138	<ul style="list-style-type: none"> • License plate light, Truck-Lite model 15 P/N 15040 	
139	<ul style="list-style-type: none"> • Wiring shall be sealed Fit' N Forget modular plug-in type where possible. 	
140	<ul style="list-style-type: none"> • Dielectric grease shall be applied to all plug connections & terminals to prevent corrosion. 	
141	PAINT:	
142	<ul style="list-style-type: none"> • The dump body paint shall be polyurethane enamel, "Bright White" equal to DuPont 	
143	<ul style="list-style-type: none"> Imron 5000 matching truck body 	
144	<ul style="list-style-type: none"> • The paint shall be applied to the full inside and outside of body and cover, following 	
145	<ul style="list-style-type: none"> recommended manufacturer's procedures to include epoxy primer. 	
146	<ul style="list-style-type: none"> • Conspicuity Tape: 	
147	<ul style="list-style-type: none"> -DOT-C2 Standard No. 108 reflective conspicuity tape 	
148	<ul style="list-style-type: none"> -The tape shall be applied full length to rear and sides of dump body. 	
149	<ul style="list-style-type: none"> • Rear mounted mud flaps with anti-sail brackets 	
150	<ul style="list-style-type: none"> • Stainless steel splash shield install ahead of the rear axle 	
151	TOOL BOX:	
152	<ul style="list-style-type: none"> • Weather Guard model 536-3 under body tool box installed off the truck frame ahead 	
153	<ul style="list-style-type: none"> of the rear axle CURBSIDE 	
154	<ul style="list-style-type: none"> • Provide FIVE -5- total keys with each box 	
155		
156	CS3 <u>Liftgate Description and Modifications to DTG</u>	
157	<ul style="list-style-type: none"> • Upgrade to G2 Series G2-92-1650 LD34 	
158	<ul style="list-style-type: none"> • Lift shall stow as the dump tailgate. 	
159	<ul style="list-style-type: none"> • Platform size 34"H x 83-5/8" treadplate steel double wall construction. 	
160	<ul style="list-style-type: none"> • Switches, Sealed toggle controls. 	
161	<ul style="list-style-type: none"> • Electrical protection, 150 amp circuit protection with self-resettable thermal circuit breaker. 	
162	<ul style="list-style-type: none"> • Propulsion, electro-hydraulic lift gate. Hydraulic circuit shall have a relief valve to prevent overload. 	

CCD EXHIBIT A - PO-00045556 - Continued

	A	B	C
163		• Hydraulic system shall be fully enclosed and weatherproofed with lower speed control valve.	
164		• Tailgate release handle on left side, easy to open while standing clear of the tail/lift gate.	
165		• Pivot points; oil impregnated bushings at all locations.	
166		• Standards, must meet TMC electrical requirements.	
167		• Alarm, audible safety alarm activated whenever lift gate is being raised.	

CITY PO EXHIBIT
City and County of Denver
Fleet Management
Vendor Supplied Information Data

City Unit(s) # _____

(City Use Only)

ENTER CITY PURCHASE ORDER NUMBER: PO- _____
Example: PO-00003584

The following underlined forms and information are REQUIRED for new vehicle deliveries:

- Copy of entire Purchase Order (all pages)
- Original MSO (Manufacturers Statement of Origin) – is required for all vehicles except off-road and construction equipment. May receive one for some off road equipment if manufacturer issues one.
Name of purchaser: **City and County of Denver**
Address: **201 W. Colfax Ave. Dept. 304**
Denver, CO 80202
- Secured Dealer Bill of Sale (DR2407) – IN STATE ONLY – Required for on the road vehicles Such as cars, pickup[s], vans and any vehicle under 16,000 GVWR. Not needed if odometer Section is filled out and signed on MSO. Not required on vehicles over 16,000GVWR LBS.
- Application for Title and Registration (DR2395) – Required for all on-road vehicles and trailers.
- Verification of Vehicle Identification Number (DR2698) – Required for all Vehicles coming from an out of state dealer, incomplete vehicle. I.E. Cab and Chassis.
- Statement of Fact (DR2444) - Required on all vehicles with modifications to the cab and chassis. Such as a body crane, auxiliary engine, etc. The statement of fact must include the modifications made and include VIN numbers of chassis and equipment.
- Special Mobile Machinery Form (DR2689) - Required on all off road and Construction equipment. I.E. Front end loaders, tractors, skid steer loaders, Mowers, air compressors, motor graders, etc.
- Weight slip required - (on all incomplete vehicles that are made into a complete vehicle) – and all off-road equipment and construction type equipment. (Front end loaders, sweepers, graders, air compressors, rollers, etc.).
- Temporary License Plate – Required for all on-road vehicles. Not required for off road Equipment.
- Original Dealer Invoice – Required for all vehicles on and off the Road.
- Receipt or Contract for Optional Warranty – Only if spec or called out on P.O.
- Shop and Parts manuals (as required) (CD or electronic form preferred) – Only if spec or show as a line item of P.O.

Dealer Signature: _____ Date: _____