



San Francisco Living Roof Cost-Benefit Study

Summary Report . Draft 2 . June 8, 2016

Green Roof Cost-Benefit Study

Table of Contents

Section

1. Introduction and Methods
2. Living Roof Costs and Benefits
3. Cost-Benefit Results – Office
4. Cost-Benefit Analysis Methods and Results – Residential
5. Conclusions
6. References and Calculations



Photo Credit Lisa Lee Benjamin

June 8, 2016

ARUP

Green Roof Cost-Benefit Study

Introduction and Methods

This study examines the costs and benefits associated with living roofs in San Francisco. It relies upon San Francisco-specific data where available, and makes use of a broad and robust range of regional, national and international sources where appropriate to fill in gaps in locally sourced knowledge.

The study makes certain assumptions to facilitate analysis and comparisons. See references section for more background on assumptions.

Building Types

- New Medium Office (3 storeys, 17,800 sf roof) – this configuration is based on the California Energy Commission (CEC) prototype model for this building type
- New Small Multifamily Residential (same scale as medium office used for direct comparison)

Baseline Roof

- White cool coating (this is the prescriptive code requirement for new non-residential buildings in San Francisco)

Living Roof

- 6" growing medium (soil), a semi-extensive depth chosen because this is the minimum depth that allows roofs to contribute to compliance with the SFPUC stormwater management ordinance
- Low-growing native and climate-adapted plants

The costs and benefits estimated include:

One-time Costs

- Installation

Recurring Costs

- Maintenance
- Irrigation
- Reroofing

One-time Benefits

- Avoided stormwater management equipment cost

Recurring Benefits

- Energy savings
- Carbon abatement
- Heat island mitigation
- Air quality improvement
- Noise abatement
- Biodiversity/habitat addition
- Biophilic amenity, productivity increase and decreased absenteeism from work
- Job creation
- Real estate effects (improved value in rent, absorption, tenant retention and risk reduction)

A range of other benefits can also be achieved, including access to open space, educational opportunities, food production and simple aesthetic beauty, but the value associated with these has not been included as they are very dependent on the specifics of individual roofs and users.

Analysis

A financial analysis was performed comparing costs and benefits associated with the living and baseline roofs over 25 years. The approach to this financial analysis differs somewhat from a typical one, in that it compares not just the two roofing systems in isolation, but a development package that includes a living roof with one that uses other means to comply with relevant regulations (primarily the SFPUC stormwater management ordinance).

Costs and benefits are then grouped according to the stakeholders to whom they accrue:

- Owners
- Tenants
- Owner-occupiers, and/or
- The Community

Benefits are generally estimated conservatively where there is doubt about what the value should be, so actual benefits are likely higher than shown. To further avoid overestimating benefits, in the case of community and real estate values, the tax value of the benefit to the City is used rather than the full value.

Green Roof Cost-Benefit Study

Living Roof Costs and Benefits

General Assumptions:					
Discount Rate, %	6.5%		Living Roof Size, sf	17,876	
Investment Outlook, years	25		Site Size, sf	20,000	
Living Roof Medium Depth	6"		Floors	3	
Assumptions					
	Living	White		Living	White
Climate Zone	3		Electricity Price, \$/kWh	\$0.22	
Installation Cost, \$/sf of roof	\$31.52	\$11.42	Natural Gas Price, \$/therm	\$1.50	
Replacement Premium, %	33.51%	20.0%	Avg Rent, \$/sf/yr	\$51.87	\$51.38
Maintenance Costs, \$/sf of roof	\$0.46	\$0.12	Avg Value, \$/sf	\$1,117.8	\$1,112.4
Roof Life (yrs)	40	20	Average Vacancy, %	6.39%	6.45%
Disposal Costs, \$/sf of roof	\$0.12	\$0.37	Cap Rate, %	3.73%	3.75%
Stormwater Surcharges, \$/sf of roof (not used)	\$0.00	\$0.000	Absorption, months	5.9	6.0
Income Growth Rate	0.00%		Tenant Retention, months	52.8	52.6
Expenses Growth Rate	0.00%				
Variables - /sf of roof/yr unless noted			Nominal Growth Rates		
	Living	White			
Energy Equipment Cost, \$/sf of roof (not counted)	\$0.00	\$0.00	Labor & Materials	4.9%	
Stormwater Equipment Cost, \$/sf of roof	\$0.76	\$9.08	Stormwater Costs	4.1%	
BMP Maintenance Cost	\$0.07	\$0.24	Energy Prices	2.4%	
Heating/Cooling Cost Premium	(\$0.07)	\$0.00	Carbon (included in price)	0.0%	
Embodied Carbon, tonnes of CO ₂ e/sf of roof	0.0006	0.00001	Community Benefits (Inflation)	2.5%	
Reflectance + sequestration, metric tonnes of CO ₂ e	0.0002	0.0005	Rent, Absorb & Retention	3.0%	
Carbon savings from heating/cooling savings	0.0004	0.0000	Living Roof Risk Contingency	2.5%	
SF Soft Variables - \$/sf of roof/yr					
	Living	White			
Internal Real Estate Impact (Living Roof on Green Building rent contribution)	\$0.5	n/a	Biodiversity & Habitat	\$0.03	n/a
			Air Quality	\$0.11	n/a
External Real Estate Impact (Biophilia/Productivity)	\$0.2	n/a	Heat Island Energy Savings	\$0.00	n/a
			Heat Island Peak Shaving Savings	\$0.20	n/a
Employment (Community Benefit)	\$0.004	n/a	Noise Abatement	\$0.04	n/a

Individual Costs and Benefits

This section discusses each living roof cost or benefit that figured into the analysis and how its value was estimated. Table 2 summarizes all of the key assumptions and findings. Please see references section for a description of calculation data sources.

Figure 1 – Key assumptions and findings for medium office

June 8, 2016

Green Roof Cost-Benefit Study

Living Roof Benefit Descriptions

Stormwater

Stormwater performance of living roofs has been well-documented over the past 15 years through field monitoring studies and hydrological modeling.

To estimate the value of the stormwater management benefits of a living roof in San Francisco, we began with the SFPUC's compliance tool for the Stormwater Management Ordinance. Making the assumption that our 3-storey 17,800 sf footprint study building sits on a 20,000 sf lot, we sought to determine the most cost-effective way to meet SFPUC requirements with a living roof and without a living roof in both the combined sewer district and in the separate sewer district (MS4).

We found that, in the combined sewer district, the study building with a living roof complied with the ordinance without any additional stormwater management systems. The system that was needed for compliance without a living roof (a cistern) was estimated to cost \$6.29 (normalized to cost per sf of roof).

In the MS4, the study building without the living roof required a more significant system to comply with both quantity and quality requirements. The modeled system included cisterns and rain gardens, and cost \$13.73/sf of roof. The study building with the living roof still required a reduced-size additional system to comply, costing \$2.03/sf of roof.

The weighted average of these two results gave an added stormwater equipment cost for the living roof case of \$0.76/sf of roof, and for the white roof case of \$9.08/sf of roof.

This initial stormwater equipment savings is by far the largest up-front direct savings associated with installing a living roof in San Francisco. Similar findings have been noted in studies of other cities with stormwater management ordinances, though the amount saved varies widely based on the nuances of each city's policy and on how the policy credits performance of the living roof. It may be advisable for SFPUC to review its treatment of living roofs in the calculator tools to ensure they accurately reflect current research results on living roof stormwater performance for rate, volume and quality. It appears the 2014-2015 tools may be somewhat conservative in their treatment of living roofs.



Figure 2 – San Francisco Stormwater Management Infrastructure. Top – Sewer System Improvement Plan shows major outlets and treatment facilities. Bottom – Municipal Separated Storm and Sanitary (MS4) Sewer Zones are shown in pink. Source: SFPUC

Green Roof Cost-Benefit Study

Living Roof Benefit Descriptions

Energy

Energy performance of living roofs has been moderately well-documented over the past 15 years through field monitoring studies and energy modeling.

To estimate energy savings associated with living roofs in San Francisco, we began with the CEC prototype energy model for a medium office (3 storey building, 17,876sf roof), and a multifamily residential model of the same scale built using Title 24 defaults. We then ran the model with a black roof, a white roof and a living roof, accounting to the degree feasible for all major mechanisms of heat transfer to the interior that are impacted by the living roof, including conduction through the roof, thermal mass in the growing medium, roof albedo, and evapotranspiration leading to air temperature change in the rooftop microclimate (measured at the point of air intake in the air handling unit - AHU).

The impact to rooftop microclimate is significant for building heating and cooling if HVAC equipment is located on the roof.

Office Energy Results

The modeling results suggest that a living roof is the best choice for energy efficiency in a medium office, contributing about a 3% whole building energy savings compared to a black roof and a 2% savings compared to a white roof. This translates to a 10% heating savings compared to a white roof (7% vs black) and a 3.5% cooling savings vs white (18% vs black). Using the white roof case as the baseline since that is standard by California’s Title 24 energy code, the living roof is expected to save about \$0.046/sf of roof/year. Not surprisingly, the savings in San Francisco are at the low end of the energy savings values documented in the literature. That is likely due to our mild climate, with small overall

heating and particularly low cooling loads, and the use of the white roof as the baseline.

To calculate the energy savings benefit used in the model, we took the modeled data and averaged in energy savings estimates from a few relevant sources with a lower weighting than the San Francisco-specific model. These other sources were literature aggregates from the GSA, Portland and LBNL studies, as well as field data from Kirstin Weeks’s study of the Nueva School roofs in Hillsborough, CA. The weighted average came to \$0.068/sf/year.






Figure 3 – Energy model analysis comparing black, white and living roofs in a medium San Francisco office building
June 8, 2016

Green Roof Cost-Benefit Study

Living Roof Benefit Descriptions

Carbon and Climate Change Impacts

Living roofs can impact carbon and climate in several ways, both positive and negative.

Like any surface, the albedo determines how much shortwave radiation is directly reflected back out of the atmosphere. So the color of a living roof surface matters, and lighter plants and soils perform better for global cooling (and better than black roofs, but generally not as well as white roofs). Living roofs by virtue of their typical components also require more energy to produce, and so have a higher embodied carbon.

On the other hand, living roofs are comprised of plants that sequester carbon as they grow. By virtue of building energy savings, living roofs also have a positive effect on carbon removal from the atmosphere.

Our calculations suggest that the impact of heating/cooling savings and sequestration are greater than that of albedo and embodied carbon, so a living roof has a small positive impact on carbon and climate change.



Green Roof Cost-Benefit Study

Living Roof Benefit Descriptions

Heat Island Effect

Living roofs reduce the heat island effect through surface albedo, reduced surface temperature and evapotranspiration. The value associated with this is calculated by estimating modest reductions in surrounding building energy use and peak load.

Air quality improvement

Impact of living roofs on common smog-forming air pollutants, such as NO_x, SO_x, CO and PM₁₀, comes directly through leaf and soil processes, as well as indirectly through energy and heat island effects. Value of benefits is estimated primarily through calculating the cost of alternative conventional means of removing these same pollutants, such as adding scrubbing at power plants (scaled down, as with other benefits and costs, to the quantity impacted by one square foot of living roof).

Noise abatement

A living roof can reduce sound transfer through the roof, primarily because of effects of the growing medium. The value of this benefit is estimated for only the top floor of the study building based on the literature, and is included in productivity and absenteeism benefits.

Biodiversity/habitat addition

Living roofs increase urban biodiversity, especially when designed to promote habitat value for species present in the vicinity who can access the roof. Value of biodiversity is estimated based on the cost of setting aside land for conservation in the Bay Area and nearby. Programs cited include the Big Sur Land Trust and the California Rangeland Trust.

Biophilic amenity

Biophilia is the inherent human affinity for other living beings, such as plants and animals, and for natural forms and patterns. Living roofs that are visible or accessible can enhance building occupants' wellbeing through biophilia. Value of this biophilic benefit is estimated through scaling documented impacts of natural views on office worker productivity and absenteeism. Value to the owner/tenant is conservatively calculated assuming 10% of building occupants access the roof for lunch, and it improves their productivity for one hour after lunch. Value to the community is calculated assuming four floors of neighboring buildings have a view of the roof, 50% cannot view it, and 50% already had a natural view of some kind. Potential reduced costs in health care or other ways to value wellbeing are not included, though studies have documented the value of natural views and biophilic design in the healing process.

A notable example is a study published in Science documenting that surgery patients with planted views recovered 1 day faster and took half the painkillers compared to those with a view of a brick wall (Ulrich, 1984). Locally, UCSF Mission Bay was designed with living roofs intended to enhance the healing process and support practitioner wellbeing. The value estimate is thus quite conservative, especially when looking at certain parts of the City, such as central SOMA, where taller surrounding buildings would gain from living roof views.

Job creation

Living roofs create jobs for a range of professionals, including designers, manufacturers, installers and maintenance personnel. Job creation value for San Francisco is conservatively set equal to 90% of the average maintenance cost of the living roof minus the average maintenance cost of the baseline roof. This is the amount that would be paid to maintenance personnel (leaving out 10% assumed to be product/material purchases). Design, manufacturing and installation jobs have been left out of the estimate.

Real estate effects

Living roofs can improve the value of a real estate asset. The estimate of real estate value is based on San Francisco-specific real estate market characteristics, and uses literature and market knowledge to estimate likely increase in rent, faster absorption, tenant retention and risk reduction.

Green Roof Cost-Benefit Study

Living Roof Cost Descriptions and Sensitivity

First Cost

Living and white roof costs for actual built roofs in San Francisco as well as typical quotes from local installers and estimators were compiled. Because costs include or exclude a range of factors, these costs were then normalized to include the waterproof membrane, include installation costs, and exclude contractor markup. Because the sample size of data from San Francisco is fairly small, cost data from the literature for national averages were also included with a low weighting. The average living roof cost was \$31.52, and costs ranged from \$8/sf - \$51.26/sf, with the lowest cost estimated in San Francisco at \$22.50/sf. White roof costs ranged from \$1.87/sf - \$17/sf, averaging \$11.42/sf.

Operations & Maintenance Costs

Like first cost, O&M costs were estimated primarily based on local pricing, but also including literature values due to limited local data. Irrigation costs based on local climate and water prices are included.

Maintenance costs for living roofs ranged from \$0.16/sf - \$1.13/sf, averaging \$0.39/sf + \$0.07/sf for irrigation water.

Roof Replacement Costs

Living roofs, when properly installed, make the waterproof membrane last significantly longer than in a conventional roof due to reduced strain from thermal expansion and contraction, and due to protection from physical damage. Roof replacement is assumed to be at 20 years for the baseline roof and at 40 years for living roofs based on the literature and typical warranties.

Sensitivity

The sensitivity analysis shows that the Net Present Value (NPV) is most sensitive to first cost, roof life and discount rate, moderately sensitive to the cost of meeting the Stormwater Management Ordinance without a living roof and to maintenance cost, and somewhat sensitive to energy savings and risk contingency assumed.

Variable	Change in Total NPV per 1% Change in Variable
Installation Costs	12.2%
Roof Life	11.5%
Discount Rate	10.6%
Stormwater Equipment Cost	6.0%
Maintenance Costs	4.1%
Heating/Cooling Savings	0.9%
Living Roof Risk Contingency	0.9%

Figure 4 – sensitivity analysis of financial results to variables

Green Roof Cost-Benefit Study Cost-Benefit Analysis Results - Office

When all the costs and benefit estimates are combined and accrue over a 25 year period (with discounting of future cash flows), we arrive at the values shown. Costs are roughly balanced out by savings in stormwater management equipment plus energy savings, with stormwater management being the most significant direct savings to the owner of a new building installing a living roof. Looking at these costs and benefits in another way, and broadening the lens, the largest potential value an owner stands to gain from installing a living roof comes from the living roof's effect on a building's cap rate and real estate value. But not all value generated by a living roof accrues to its owner. Tenants of the building who have access to or views of the roof gain biophilic benefits, estimated in terms of improved productivity and reduced absenteeism. Thus, a tenant or owner-occupier can be expected to have a clearly positive 25-year living roof NPV. Likewise, many living roof benefits accrue not primarily to the owner or occupier of the building, but to the environment and community at large. Views from neighboring buildings, improved urban climate, air quality and biodiversity offer significant value to the community that is not captured by the owner in a traditional financial equation.




Figure 5 – summary of results for the medium office building

Green Roof Cost-Benefit Study Cost-Benefit Analysis Results - Office



The stacked bar chart looks at these same figures in another way, with costs to each stakeholder broken out below the x axis, and benefits above the x axis. The dotted lines show the full estimated potential value to owners and owner-occupiers including real estate effects. For the owner-occupier, the calculation assumes that biophilic benefits accruing to the occupants are responsible for a portion of the real estate effect, so the added real estate value is reduced by the estimated value of the biophilic benefits.

Green Roof Cost-Benefit Study Cost-Benefit Analysis Results – Office




Figure 6 – stacked bar graph summary of results for medium office building

Green Roof Cost-Benefit Study

Cost-Benefit Analysis Methods and Results – Residential

The study results for a multifamily residential building are similar to those found for the office. This section summarizes those results and highlights a few differences.

Most of the costs and benefits of the living roof relate only to the external environment and community, and are thus the same between an office building and a residential building of the same size. Exceptions include:

Real Estate

Parameters specific to multifamily residential buildings in San Francisco were used. The estimated living roof value is lower than for commercial, but still high compared to other study parameters.

General Assumptions:					
Discount Rate, %	6.5%		Living Roof Size, sf	17,876	
Investment Outlook, years	25		Site Size, sf (roof	20,000	
Living Roof Medium	6"		Floors	3	
SF Assumptions, annual where applicable:					
	Living	White		Living	White
Climate Zone	3		Electricity Price, \$/kWh	\$0.22	
Installation Cost, \$/sf of roof	\$31.52	\$11.42	Natural Gas Price, \$/therm	\$1.50	
Replacement Premium, %	33.51%	20.0%	Avg Rent, \$/sf/yr	\$32.91	\$32.60
Maintenance Costs, \$/sf of roof	\$0.46	\$0.12	Avg Value, \$/sf	\$667.7	\$664.5
Roof Life	40	20	Average Vacancy, %	4.26%	4.30%
Disposal Costs, \$/sf of roof	\$0.12	\$0.37	Cap Rate, %	3.73%	3.75%
Stormwater Surcharges, \$/sf of roof (not used)	\$0.00	\$0.000	Absorption, months	1.0	1.0
Income Growth Rate	0.00%		Tenant Retention, months	36.2	36.0
Expenses Growth Rate	0.00%				
SF Variables - \$/yr/sf roof			Nominal Growth Rates		
	Living	White			
Energy Equipment Cost, \$/sf of roof	\$0.00	\$0.00	Labor & Materials	4.9%	
Stormwater Equipment Cost, \$/sf of roof	\$0.76	\$9.08	Stormwater Costs	4.1%	
BMP Maintenance Cost, \$/sf of roof	\$0.07	\$0.24	Energy Prices	2.4%	
Heating/Cooling Costs, \$/sf of roof	(\$0.05)	\$0.00	Carbon (included in price)	0.0%	
Embodied Carbon, tonnes of CO ₂ e/sf of roof	0.0006	0.00001	Community Benefits (Inflation)	2.5%	
Reflectance + sequestration, metric tonnes of CO ₂ e	0.0002	0.0005	Rent, Absorb & Retention	3.0%	
Carbon savings from heating/cooling savings	0.0004	0.0000	Living Roof Risk Contingency	2.5%	
SF Soft Variables - \$/yr/sf roof					
	Living	White			
Internal Real Estate Impact (Living Roof on Green Building rent contribution)	\$0.3	n/a	Biodiversity & Habitat, \$/sf of roof	\$0.03	n/a
			Air Quality, \$/sf of roof	\$0.11	n/a
External Real Estate Impact (Biophilia/Productivity)	\$0.2	n/a	Heat Island Energy Savings	\$0.00	n/a
			Heat Island Peak Shaving Savings	\$0.20	n/a
Employment (Community Benefit)	\$0.004	n/a	Noise Abatement	\$0.04	n/a

June 8, 2016

Figure 7 – Key assumptions and findings for small multifamily

ARUP

Green Roof Cost-Benefit Study

Cost-Benefit Analysis Methods and Results – Residential

Energy

For small multifamily residential, modeled energy savings in San Francisco are lower than for a medium office building. Of primary influence is the baseline assumption of no cooling system, as well as the assumption that there is not a heating unit located on the roof (so rooftop microclimate does not have a direct impact). Estimated heating energy in the living roof case is reduced by less than 1% compared to a white roof, and is about 2% higher than for a black roof. In the model, we have taken the white roof as baseline and have used a \$0.0007/sf/year savings for the living roof case. This is a very small savings, but doesn't impact the overall financial picture much because there is a low sensitivity to energy savings in this study.

Biophilia and Productivity

It is more challenging to monetize biophilic benefits to residents than to office employees. Clearly there is a benefit to a tenant if a living roof is accessible, but it cannot be directly translated via salaries into the budget of the building owner/tenant. Research directly linking access to a living roof to reduced health care costs and other quantifiable wellness metrics would be valuable. Lacking that, we have made the rough assumption that, for economic benefits accruing to the City, residents with a living roof on their building have a similar benefit to employees who have a living roof on their office building. Those who use it experience an increase in productivity at work whose value accrues to their employers and then to the City via payroll tax. We have also made the even more rough assumption that the wellness value to individual tenants/homeowners is similar to the value employers gain. Thus we have held the biophilic value constant between the office and residential analyses.




Figure 8 – energy model summary for the small multifamily residential building

Green Roof Cost-Benefit Study

Cost-Benefit Analysis Methods and Results – Residential




Figure 9 – summary of results for the small multifamily residential building

June 8, 2016

Green Roof Cost-Benefit Study

Cost-Benefit Analysis Methods and Results – Residential




Figure 10 – stacked bar graph of results for the small multifamily residential building

June 8, 2016

Green Roof Cost-Benefit Study

Conclusions

City Scale Benefits

If policy and/or market factors were to result in a significant increase in living roof area in San Francisco, how much benefit could the city community expect to receive?

At the current rate of development, we might expect to see roughly 21 million square feet of roof built per year in the near future in San Francisco. If we assume the better roofs ordinance results in 25% of those roofs installing living roofs (over 15-100% of their roof area), then, using the office results, this study suggests that the city community could expect the following benefits:

1-7% of city roofs living after 5 years

\$15 - 100 million of tax revenues in the first 5 years from improved property and biophilic value

60,000 – 385,000 tonnes carbon emissions avoided or sequestered over 15 years, a critical period for reducing the anticipated impacts of climate change, equaling:

- the sequestration of 3,600-24,000 acres of forest
- The energy used by 400-2700 homes
- 800-5400 cars off the road

Policy Implications

The results show that owners, occupants and the community all stand to gain significant net value from the installation of a living roof. Owners tend to bear all costs for living roofs, even though the community receives many of the benefits. Because a traditional cost-benefit equation (omitting real estate effects and biophilia benefits) does not show a strong return on investment at this time, San Francisco is unlikely to see as rapid an increase in living roof area as would be preferred for community benefits.

This result suggests a role for incentives or other policy measures to drive more rapid uptake of living roofs in San Francisco than the market would tend to provide independently.

Green Roof Cost-Benefit Study

Conclusions

Trends over Time

If policy and/or market factors result in growth in the living roof industry in San Francisco, the cost-benefit equation will change. Costs will tend to decline due to competition and economies of scale. For example, one of the most mature living roof markets in the world is Switzerland. When modern living roofs were first introduced there in the 1990s, they often cost upwards of \$20/sf (premium above typical roofing). Today, a living roof mandate has been in place for 25 years in Zurich and 15 years in Basel, and typical construction methods have evolved and in many cases simplified. The typical living roof cost has dropped to only \$3/sf above typical roofing. The 1990s price was already lower than typical US prices today because the Swiss norm had already shifted to seeding roofs, whereas most US projects use a much more expensive model of planting pregrown plants.

Interestingly, the typical premium for living roofs in San Francisco today is almost identical to the Swiss 1990s cost. If the San Francisco market saw a similar rate of decline in living roof price, the price would come down to about \$16/sf in 5 years and \$11.50/sf in 10 years. Assuming a white roof with the minimum required stormwater management equipment to meet SFPUC requirements cost the same at that point, the living roof would be nearly cost-neutral in 2026 (premium of about \$3/sf), and would have a 25-year NPV of about \$14/sf for an owner-occupier, not counting real estate effects.

It is worth noting, however, that other market factors could change and influence the payback equation. Also, real estate premiums would tend to decline as living roofs became more common and thus less of a distinguishing feature.



Figure 11 – a \$3/sf living roof recently installed in Switzerland, where many years of supportive policy and system simplification have led to significant decreases in first cost

June 8, 2016

Green Roof Cost-Benefit Study

References and Calculations

Direct Sources and Calculation Details

The sources for the information used in the cost-benefit analysis are specific to San Francisco where feasible, though sources that are applicable but not local are also used. A notable source used when non-local data was not available or not needed was, “The Benefits and Challenges of Green Roofs on Public and Commercial Buildings,” a comprehensive review of US-based living roof performance research and cost information published in 2011 by the United States General Services Administration (referred to henceforth as GSA Study). Multiple inputs were sought for each variable and then weighted to generate averages that fairly represent costs or benefits. A list of the sources used in the cost-benefit model is below:

Building Size and Type

The roof and building size used in this study were taken from the CEC Medium Office prototype model used for energy calculations. The two building types, midrise office and multifamily residential, were chosen as representative of much of the new construction anticipated in the near future in San Francisco.

Installation costs

Because costs include or exclude a range of factors, roofing costs were normalized to include the waterproof membrane, include installation costs, and exclude contractor markup (meaning that we asked sources for installed costs, added average white roof cost to any living roof cost figures known or believed to exclude the membrane, and reduced by 15% costs known or believed to include contractor markup). Because the sample size of data from San Francisco is fairly small, cost data from the literature for national averages were also included with a low weighting. Individual roof costs received a lower weighting in the average than typical costs given by installers, assuming the latter represents costs for many roofs.

Sources include:

Typical San Francisco Bay Area pricing (each received weighting of 5 in the average)

- Habitat Gardens
- Jensen Landscaping
- Webcor
- Columbia Green
- Nibbi Bros
- Arup cost estimators
- SFDPW (typical costs for white roofs only)

Typical national pricing (each received weighting of 2 in the average)

- GSA Study average
- LBNL Study average
- Walmart Study pricing
- USGBC green roof briefing
- Roofmeadow/Charlie Miller

Individual San Francisco project pricing (4 commercial/public projects, 2 residential, each received weighting of 1 in the average).

- SFDPW
- Rana Creek

Maintenance costs

Like first cost, maintenance cost is also a weighted average.

Sources include:

- Habitat Gardens (weighting of 5)
- Jensen Landscaping (weighting of 5)
- USGBC green roof briefing (weighting of 1)
- GSA Study average (weighting of 2) - also provided the only white roof maintenance number

Green Roof Cost-Benefit Study

References and Calculations

Discounting Rate and Investment Outlook

The discounting rate (6.5%) and investment outlook (25 years) were selected to match those used for the San Francisco cost-benefit study for solar Photovoltaics (PV).

Roof Life

Roof life assumptions were taken from the multiple sources of the GSA Study.

Carbon Dioxide (CO2)

CO2 performance is calculated as a combination of direct sequestration by living roofs, reduced power plant emissions due to building energy savings, and reduced power plant emissions due to impact on heat island effect.

CO2 Data Sources include:

- Getter, K.L., Rowe, D.B., Robertson, G.P., Cregg, B.M., Andresen, J.A., 2009b. Carbon sequestration potential of extensive green roofs. *Environmental Science and Technology* 43 (19), 7564-7570.
- Average San Francisco emissions factors for the electricity grid (<http://carma.org/region/detail/5391959>)
- Average carbon intensity of the US natural gas grid (www.carbonneutralcalculator.com)
- Data from energy section of this study

Biodiversity and habitat

Value of biodiversity is estimated as the cost per square foot of setting aside land for conservation in the Bay Area and nearby. The range of values per sf for conservation in perpetuity are \$0.01/sf - \$0.27/sf. The annual rate found is \$0.09/sf/yr.

Sources include:

- The Big Sur Land Trust
- The California Rangeland Trust

CO₂ Offset Savings

CO ₂ Offsets per sf of roof	Living	Black	White
Aged Albedo	22%	5%	55%
Change in Albedo	17%	0%	50%
Emitted CO ₂ offset (tonne per 100 m ² per 20 years)	4.0	0	10.0
Emitted CO ₂ offset (tonne per sf year)	0.0002	0.0000	0.0005

Figure 12 – Summary for three roof types of components in calculation for offset CO₂

June 8, 2016

Heat island

The heat island calculation combines an estimate of building energy savings in surrounding buildings (conservatively allotted to only one floor of four neighboring buildings) and a power plant peak load shaving value.

Sources include:

- Acks, K. (2006). *A Framework for Cost-Benefit Analysis of Green Roofs*: Initial Estimates. in Green
- Roofs in the Metropolitan Region: Research Report. C. Rosenzweig, S. Gaffin, and L. Parshall (Eds.) Columbia Center for Climate Systems Research and NASA Goddard Institute for Space Studies

Heat Island

Savings in collective energy of surroundings	0.10%energy savings
Typical energy of a building	1.6kWh/sf
Total Savings	114kWh
Average SF cost of energy	\$0.220\$/kWh
	\$0.01\$/sf of roof
Peak load shaving value	\$600\$/kW
	\$0.00kW/sf of roof
	\$0.20\$/sf of roof

Figure 13 – Summary of components of heat island reduction calculation

Green Roof Cost-Benefit Study

References and Calculations

Air quality

Air quality value of a living roof is calculated by first determining the estimated air pollutant removal attributable to a living roof based on research, and second estimating the cost of a conventional means of eliminating the same quantity of each pollutant. Pollutants considered include NOx, PM10, SOx and CO.

The air quality assumptions were taken from the multiple sources of the GSA Study, including the following:

1. Clark, C. Adriaens, P., & Talbot, F.B. *Green Roof Valuation: A Probabilistic Economic Analysis of Environmental Benefits*. University of Michigan
2. Niu, H., Clark, C., Zhou, J., & Adriaens, P. (2010) Scaling of Economic Benefits from Green Roof Implementation in Washington, DC. *Environmental Science Technology*
3. Casey Trees Study (DC) Based on the cost on installing selective catalytic reduction on a 10MW natural gas turbine
4. A.H. Rosenfeld, H. Akbari, J.J. Romm and M. Pomerantz. (1998). Cool communities: strategies for heat island mitigation and smog reduction. *Energy and Buildings* 28:51-62

Air Quality		
NO ₂ Benefit per sf for reduction (city-wide)		\$0.042\$/sf of roof
NO _x		\$1,440\$/Mg
		0.00Mg/sf
		\$0.0589\$/sf of roof
NO _x		0.10kg/1000sf/yr
		\$6,500\$/ton
		\$0.0008\$/sf of roof
Average of NOx		\$0.0404\$/sf of roof
Urban Heat Island effect on NOx		0.10change in temp
		change in NOx/degree
		16.7reduction
		1.7multiple of NOx savings
		\$/sf of roof due to urban
		\$0.07heat island effect on NOx
PM10		0.26kg/1000sf/yr
		\$4,000\$/ton
		\$0.001146\$/sf of roof
SOx		0.04kg/1000sf/yr
		\$1,500\$/ton
		\$0.000002\$/sf of roof
CO		0.10kg/1000sf/yr
		\$870\$/ton
		\$0.000096\$/sf of roof
		\$0.11\$/sf of roof

Figure 14 – Air quality improvement breakdown by pollutant

Green Roof Cost-Benefit Study

References and Calculations

Stormwater

To estimate the value of the stormwater management benefits of a living roof in San Francisco, we began with the SFPUC's compliance tool for the Stormwater Management Ordinance. Making the assumption that our 3-storey 17,800 sf footprint study building sits on a 20,000 sf lot, we sought to determine the most cost-effective way to meet SFPUC requirements with a living roof and without a living roof in both the combined sewer district and in the separate sewer district (MS4).

Sources include:

1. SFPUC Stormwater Compliance Tool

Real Estate

The primary focus of this study relates to costs and cost savings; but real estate and community economics are full of additional factors that could be influenced by the presence of a green roof. For real estate, this includes rent (income), cap rate (risk), vacancy, absorption, and retention. In order to account for these, a novel approach was used by which a green premium was identified and averaged from several reports (4.5%).

This premium was then multiplied by a hypothetical contribution of a green roof—which used percentage of related LEED points and comparison of green cost premium to green roof cost premium to get 22%. So these two together yielded a “green roof premium” of 0.96%. Using this number, market specific metrics such as average cap rate, rent, etc. were modified and the annual financial contribution was estimated.

The end result was a \$2.37/sf of roof/year benefit for having a green roof. Taken over the 25 year life and discounted, that results in an NPV of \$40/sf of roof accruing to the owner.

Sources include:

1. Average Cap Rate for Class A Office = 3.75%, which came from CBRE ([link](#))
2. Green Building Rent Premium = 4.5%, from Institute for Building Efficiency ([link](#)) & several other reports found here: [link](#)
3. Average Rent for Class A Office = \$51.38, from LoopNet ([link](#)), Colliers ([link](#)), BOMA ([link](#)), and Kidder Mathews ([link](#))
4. Average Expenses for Office = \$9.66, from BOMA ([link](#))
5. Average Vacancy for Office = 6.5%, from CBRE and Colliers ([link](#))
6. Average absorption for Office = 6 months, Arup assumption
7. Average Lease Length = 52.6 months, from Grubb & Ellis ([link](#))
8. Probability of Renewal = 42%, from MIT Study ([link](#))

Economic Value to the Community

Economic value potentially generated by living roofs does not accrue only to the owner, but also to members of the broader San Francisco community. This value is comprised primarily of three factors: taxes generated from increased productivity, land value, and employment for green roof maintenance. The productivity estimate leveraged studies that found that every square foot of green roof visible could elevate the productivity of people in the viewing area by \$3.21 per square foot. Similarly, the real estate impact previously explained was leveraged to suggest that the surrounding real estate value with views would be increased by \$21/sf, which used the premium and capitalized it. Finally, 90% of the projected maintenance cost premium over standard roofing were assumed to be labor costs equal to salaries paid for generated jobs. The taxes that would be generated from these three factors were found and then summed to yield \$1.18/sf of roof/year to the community.

Sources include:

1. SF payroll tax rate = 1.5%
2. SF property tax rate = 1.164%
3. Sources cited for real estate economics, productivity, and maintenance.

Green Roof Cost-Benefit Study

References

Indirect Sources (sources cited in papers that are cited directly here)

Akbari, H. (1992). Cooling Our Communities: A Guide to Tree Planting and Light Colored Surfacing. (EPA Document # 055-000-00371-8). Washington DC

Akbari, H. (2005). *Potentials of urban heat island mitigation*. In Proceedings: The International Conference on Passive and Low Energy Cooling for the Built Environment, Santorini, Greece. pp. 11-22.

Alexandri, E. and Jones, P. (2008). Temperature decreases in an urban canyon due to green walls and green roofs in diverse climates. *Building and Environment*. 43, 480-493.

Bass, B. (1996). *Working Group Report in Atmospheric Change and Biodiversity: Formulating a Canadian Science Agenda*, by RE Munn. Centre for Environment, University of Toronto, pp. 46-56.

Bass, B. (2010). Maximizing the thermal benefits of green roofs: air conditioning and winter insulation. In Proceedings: Cities Alive 8th Annual Green Roof and Wall Conference. Vancouver, BC

Bass, B., Hansell, R. and Choi, J. (1998) Towards a Simple Indicator of Biodiversity. *Journal of Environmental Management*. 49: 337-347

Bass, B., Krayenhoff, E.S., Martilli, A., Stull, R.B., and Auld, H. (2003). *The Impact of Green Roofs on Toronto's Urban Heat Island*. In Proceedings: Greening Rooftops for Sustainable Communities, Chicago, IL. Toronto: The Cardinal Group.

Baumann, N. (2006). Ground-Nesting Birds on Green Roofs in Switzerland: Preliminary Observations. *Journal of Urban Habitats*. 4 (1): 37-50.

Beach, K., Giblin, F., and Lakins, V. (2009). *Opening a farmers market on Federal property: A guide for market operators and building managers*. Washington DC: GSA and USDA. Retrieved December 20, 2010 from <http://www.ams.usda.gov/AMSV1.0/getfile?dDocName=STELPRDC5079490>

Bell M.L., McDermott A., Zeger S.L., Samet J.M., and Dominici F. (2004). Ozone and short-term mortality in 95 US urban communities, 1987–2000. *Journal of the American Medical Association*. 292: 2372–2378.

Berghage, R.D., Jarrett, A.R., Beattie, D.J., Kelley, K., Husain, S., Rezai, F., Long, B. Negassi, A. Cameron, R. and Hunt, W. (2007). *Quantifying evaporation and transpirational water losses from green roofs and green roof media capacity for neutralizing acid rain*. (National Decentralized Water Resources Capacity Development Project Cooperative Agreement No. X-83051). The Penn State University. State College, PA.

Berghage, R.D., and Gu, J. (2009). *Effect of Drain Layers on Green Roof Stormwater Performance*. In Proceedings: Greening rooftops for sustainable communities conference Atlanta, Ga.

Berghage, R.D., Beattie, A., Jarrett, A.R., and O'Connor, T.P. (2007). *Greenroof runoff water quality*. In Proceeding of Greening rooftops for sustainable communities, Minneapolis MN. GSA

Berghage, R.D., Beattie, D.J., Jarrett, A.R., Rezaei, F. and Nagase, A. (2005). *Quantifying evaporation and transpirational water losses from green roofs and green roof media capacity for neutralizing acid rain*. In Proceedings: International Green Roof Congress, Sponsored by the International Green Roof Association Basel, Switzerland

Berghage, R.D., Beattie, D.J., Jarrett, A.R., Thuring, C., Rezaei, F. and O'Connor, T. P. (2009). *Green Roofs for Stormwater Runoff Control*. (EPA/600/R-09/026). USEPA National Risk Management Research Laboratory Office of Research and Development. Cincinnati, OH

Berghage, R.D., Jarrett, A. and Rezai, F. (2008). *Stormwater benefits of green roofs and the relative contribution of plants*. In Proceedings: NOWRA 17th Annual Technical Education Conference & Exposition, Memphis TN. Paper XIII-Werf-08-39.

Berghage, R.D., Miller, C., Bass, B., Moseley, D. and Weeks, K. (2010). *Stormwater runoff from a large commercial roof in Chicago*. In Proceedings: Cities Alive Conference, Vancouver, BC.

Berghage, R.D., Wolf, A. and Miller, C. (2008). *Testing green roof media for nutrient content*. In Proceedings: Greening rooftops for sustainable communities conference, Baltimore, MD

Berkeley National Laboratory. NYC Con Edison workstation.

Boesch, D.F., Greer, J. (2003). *Chesapeake Futures: Choices for the 21st Century*. Washington DC: Chesapeake Research Consortium

Green Roof Cost-Benefit Study

References

- Brenneisen, S. (2003). *The benefit of biodiversity from Green Roofs – Key design Consequences*. In Proceedings: The First Annual International Green Roofs Conference: Greening Rooftops for Sustainable Communities, Chicago, IL.. Toronto: The Cardinal Group.
- Brenneisen, S. (2004). *From Biodiversity Strategies to Agricultural Productivity*. In Proceedings: The Second Annual International Green Roofs Conference: Greening Rooftops for Sustainable Communities, Portland, OR. Toronto: The Cardinal Group.
- Brenneisen, S. (2006). Space for Urban Wildlife: Designing Green Roofs as Habitats in Switzerland. *Urban Habitats*. 4(1): 27-36.
- Brenneisen, S. (Ed.) (2005). *The Natural Roof (NADA) – Research project report on the use of extensive green roofs by wild bees*. Wadenswil, Switzerland: University of Wadenswil, pp 1-22
- BUGS. (2007). *Biodiversity in Urban Gardens Program*, University of Sheffield, Sheffield, UK. Monitored by Dr. Nigel Dunnet, Ecology Professor.
- Butler, C., and Orians, C. (2009). *Sedum facilitates the growth of neighboring plants on a green roof under water-limited conditions*. In Proceedings: The Seventh Annual International Green Roofs Conference: Greening Rooftops for Sustainable Communities, Baltimore, MD. Toronto: The Cardinal Group.
- Butler, C., Butler, E. and Orians, C.M. (2010). *Beyond Buzzword: A scientific evaluation of the rationales behind green roof native mania*. In Proceedings: Cities Alive 8th Annual Green Roof and Wall Conference, Vancouver, BC. Toronto: The Cardinal Group.
- Casey Trees and LimnoTech. (2007). *The Green Build-out Model: Quantifying the Stormwater Management Benefits of Trees and Green Roofs in Washington DC* (EPA Cooperative Agreement CP-83282101-0). Washington DC. Retrieved from www.capitolgreenroofs.com/pdfs/Green_Infrastructure_Report.pdf
- Celik, S., Morgan, S. and Retzlaff, W. A. (2010). *Energy conservation analysis of various green roof systems*. In Proceedings: Green Technologies Conference, IEEE, Grapevine, TXGSA GREEN ROOF
- Chang, K.F. & Chou, P.C. (2010). Measuring the influence of the greening design of the building environment on the urban real estate market in Taiwan, *Building and Environment* 2010; 2057-2067
- Clark, M., and MacArthur, S. (2007). *Green Roof Soil Arthropod Functional Diversity, Does it Exist?* In Proceedings from the Fifth Annual International Green Roofs Conference: Greening Rooftops for Sustainable Communities, Minneapolis, MN. Toronto: The Cardinal Group.
- Clarke, K.L. (2005). Health in a Changing Climate. Health Policy Research Bulletin, *Health Canada*. 11: 16-21.
- CMU Center for Building Performance/ABSIC. (2008) *AOC DIRKSEN Green Roof Study*. Pittsburgh, PA: CBPD CHAPTERS BIDS™ year-end report, Appendix D.
- Coffman, R. (2007). *Comparing Wildlife Habitat and Biodiversity across Green Roof Type*. In Proceedings: The Fifth Annual International Green Roofs Conference: Greening Rooftops for Sustainable Communities, Minneapolis, MN. Toronto: The Cardinal Group.
- Columbia University. (2011). *Green roofs and the Urban Heat Island Effect*. Retrieved April 2011, from Columbia University.<http://www.columbia.edu/~grh2113/pages/greenroofs.html>
- Connelly, M. & Hodgson, M. (2008). *Thermal and Acoustical Performance of Green Roofs*. In Proceedings: Greening Rooftops for Sustainable Communities Conference, Baltimore, MD
- Cooper Marcus, C. and M. Barnes. (1999). *Healing Gardens: Therapeutic Benefits and Design Recommendations*. New York: John Wiley & Sons
- Cummings, J.B., Withers, C.R., Sonne, J., Parker, D. and Vieira, R.K. (2007). *UCF Recommissioning, Green Roofing Technology, and Building Science Training; Final Report*. Cocoa, FL: Florida Solar Energy Center.
- Currie, B.A. (2005). *Estimates of Air Pollution Mitigation with Green Roofs Using the UFORE Model*. Master's Thesis, Ryerson University, Toronto, Ontario

Green Roof Cost-Benefit Study

References

Currie, B.A. (2005). *Estimates of Air Pollution Mitigation with Green Roofs Using the UFORE Model*. Master's Thesis, Ryerson University, Toronto, Ontario

DeNardo, J.C., Jarrett, A.R., Manbeck, H.B., Beattie, J. and Berghage, R.D. (2005). Stormwater mitigation and surface temperature reduction by green roofs. *Transactions of ASAE* 48(4):1491-1496

Design for London. (2008). *Living Roofs and Walls: Technical Report Supporting London Plan Policy*. London, UK: Greater London Authority

Deutsch, B., Whitlow, H., Sullivan, M., and Savineau, A. (2005). *Re-greening Washington DC: A Green Roof Vision Based on Quantifying Storm Water and Air Quality Benefits*. Washington DC: Casey Trees Endowment Fund and Limno-Tech, Inc.

DiGiovanni, K., Gaffin, S. and Montalto, F. (2010). *Green Roof Hydrology: Results from a Small-Scale Lysimeter Setup (Bronx, NY)*. In Proceedings: The 2010 International Low Impact Development Conference, San Francisco, CA

District of Columbia Water and Sewer Authority. (2002). *Combined Sewer System Long Term Control Plan*. (EPA Grant No. C-110030-0). Washington DC

Dunevitz Texler, H., and C. Lane. (2007). *Species Lists for Terrestrial and Palustrine Native Plant Communities in East-central Minnesota*. Minnesota Department of Natural Resources and Great River Greening Ecological Strategies, LLC. Retrieved from http://www.greatrivergreening.org/plant_communities.asp

Dunnett, N. and Kingsbury, N. (2004). *Planting options for extensive and semi-extensive green roofs*. In Proceedings: The 2nd International Green Roof Infrastructure Conference, Portland, OR

ORGSA GREEN

Dunnett, N. (2006). *Green Roofs for Biodiversity: Reconciling Aesthetics with Ecology*. In Proceedings: The Fourth Annual International Green Roofs Conference: Greening Rooftops for Sustainable Communities, Boston, MA. Toronto: The Cardinal Group.

Dunnett, N. and Kingsbury, N. (2004). *Planting Green Roofs and Living Walls*. Timber Press, Portland, OR

Dvorak, B. and Volder, A. (2010). Green Roof Vegetation for North America: A literature review. *Landscape and Urban Planning* 96: 197-213.

Earth Island Institute with Bay Localize. (2007). *Tapping the Potential of Urban Rooftops – Rooftop Resources*. Retrieved January 4, 2011 from <http://www.dceplanning.com/reports/Rooftops.pdf>

Ecosystem Marketplace (2010). *State of Biodiversity Markets Report Compendium: Methods Appendix*. Retrieved December 20, 2010 from http://www.ecosystemmarketplace.com/document/s/acrobat/sbdmr_methods.pdf

Fassman, E.A. (2008). *Effect of roof slope and substrate depth on runoff*. In Proceedings: The Sixth Annual Greening Rooftops for Sustainable Communities Conference, Baltimore, MD

Fioretti, R., Palla, A., Lanza, L. G. and Principi, P. (2010). Green roof energy and water related performance in the Mediterranean climate. *Building and Environment* 42, 1890-1904.

FLL (Forschungsgesellschaft Landschaftsentwicklung Landschaftsbau e.v.). (2002). *Guideline for the planning execution and upkeep of green-roof sites*. FLL. Germany.

FLL (Forschungsgesellschaft Landschaftsentwicklung Landschaftsbau) (2008). *Guideline for the planning execution and upkeep of green-roof sites*. FLL. Germany.

FLL (Forschungsgesellschaft Landschaftsentwicklung Landschaftsbau) (2010). *Draft Guideline for the planning execution and upkeep of green-roof sites*. FLL. Germany.

Gaffin, S. Columbia University, Personal communication (2010)

Gaffin, S. R., Rosenzweig, C., Eichenbaum-Pikser, J., Khanbilvardi, R. and Susca, T. (2010). *A Temperature and Seasonal Energy Analysis of Green, White, and Black Roofs*. Columbia University, Center for Climate Systems Research. New York. 19 pages.

Gaffin, S. R., Rosenzweig, C., Khanbilvardi, R., Eichenbaum-Pikser, J., Hillel, D., Culligan, P., McGillis, W., and Odlin, M. (2011). *Stormwater Retention for a Modular Green Roof Using Energy Balance Data*. Columbia University, Center for Climate Systems Research. New York. 20 pages.

Green Roof Cost-Benefit Study

References

- Gaffin, S.R., Rosenzweig, R., Parshall, L., Hillel, D., Eichenbaum-Pikser, J., Blake, R., Beattie, D. and Berghage, R.D. (2006). *Quantifying evaporative cooling from green roofs and comparison to other land surfaces*. In Proceedings: The 4th Annual Greening Rooftops for Sustainable Communities Conference, Boston, MA
- Gaffin, S.R., Rosenzweig C., Khanbilvardi R., Parshall L., Mahani S., Glickman H., Goldberg R, Blake R., Slosberg R.B. and Hillel, D. (2008). Variations in New York City's Urban Heat Island Strength Over Time and Space, *Theoretical and Applied Climatology*, DOI 10.1007/s00704-007-0368-3.
- Gaglione, S. and Bass, B. (2010). Increasing Urban food Security with Extensive Green Roofs. *Living Architecture Monitor*. Fall 2010, pp. 26-27
- Gedge, D. (2003). *From Rubble to Redstarts*. In Proceedings of the First Annual International Green Roofs Conference: Greening Rooftops for Sustainable Communities, Chicago, IL. Toronto: The Cardinal Group.
- Gedge, D. and G. Kadas (2005). Green roofs and biodiversity. *Biologist* 52 (3): 161-169.
- Getter, K.L., Rowe, D.B., Robertson, G.P., Cregg, B.M., Andresen, J.A., (2009). Carbon sequestration potential of extensive green roofs. *Environmental Science and Technology* 43 (19), 7564-7570.
- Gilbert, O. (1990). The Lichen Flora of Urban Wasteland. *Lichenologist* 22: 87-101.
- Gong, N. (2007). *Green Roofs and Bumblebees: An Observation of Bumblebees on Green Roofs*. Green Roof Centre, University of Sheffield. Master of Architecture Landscape Studies Thesis.
- Gorbachevskaya, O. & Schreiter, H. (2010). *Local Air Quality and its interaction with vegetation*. CLIMAQS workshop.
- Grant, G. (2006). Extensive green roofs in London. *Journal of Urban Habitats* 4 (1): 51-65.
- Grant, G., Engleback, L., and B. Nicholson (2003). *Green Roofs: Existing Status and Potential for Conserving Biodiversity in Urban Areas*. English Nature Research Report 498. Peterborough, U.K.: English Nature.
- Green Roof Professional Accreditation Exam Guidebook (2011). *GRHC Mission*. Retrieved April 10, 2011 from www.greenroofs.org/resources/GRP_Candidate_Exam_Guide.pdf
- Green Roof Projects. The Green Roofs Project database (2010). *Phillips Eco-Enterprise Center (PEEC)*. Retrieved September, 2009 from <http://www.greenroofs.com/projects/pview.php?id=213>
- Green Roofs for Healthy Cities (2010). *Introduction to Rooftop Urban Agriculture Participant's Manual*. Toronto, ON: Green Roofs for Healthy Cities
- GRELJ (2011). Mitigating Risks When Building Green Roofs. *Green Real Estate Law Journal*, February 16, 2011
- Hannah, L., Lovejoy, T., and Schneider, S. (2005). Biodiversity and Climate Change. In T. Lovejoy and L. Hannah (Eds.), *Biodiversity and Climate Change in Context* (pp. 3-13). New Haven CT: Yale University
- Hansell, R., and Bass, B. (1998). Holling's Figure-Eight Model: A technical Re-evaluation in Relation to Climate Change and Biodiversity. *Environmental Monitoring and Assessment* 49:157-68.
- Harvey, P. (2001). The East Thames Corridor; a Nationally Important Invertebrate Fauna under Threat. *British Wildlife* 12: 91-98.
- Heinberg, R. (2010). *The Food and Farming Transition*. In Presentation: Building Integrated Sustainable Agriculture Summit, Berkeley, CA
- Hermann, R. (2003). *Green Roofs In Germany: Yesterday, Today and Tomorrow*. In Proceedings: Green Rooftops for Sustainable Communities, Chicago, IL
- Heschong, Mahone Group, Inc. (2003). *Windows and Offices: A study of office worker performance and the indoor environments*. Fair Oaks, CA: California Energy Commission Technical Report. Retrieved December 13, 2010 from <http://www.energy.ca.gov/2003publications/CEC-500-2003-082/CEC-500-2003-082-A-09.PDF> and <http://www.energy.ca.gov/2003publications/CEC-500-2003-082/CEC-500-2003-082-A-10.PDF>
- Hicks, B., Callahan, W., and Hoekzema, A. (2010). On the Heat Islands of Washington, DC, and New York City, NY. *Boundary Layer Meteorology* 135: 291-300.
- Hunt, W.F, Hathaway, A.M., Smith, J.T. and Calabria, J. (2006). *Choosing the right green roof media for water quality*. In Proceedings: Greening Rooftops for Sustainable Communities Conference, Boston, MAGSA

June 8, 2016

ARUP

Green Roof Cost-Benefit Study

References

Interpreting: The Secretary of the Interior's Standards for Rehabilitation (2009). *Installing Green Roofs on Historic Building ITS#54*. Retrieved December 15, 2010 from <http://www.nps.gov/hps/tps/tax/ITS/its54.pdf>

Jarrett, A.R., Hunt, W.F., and Berghage, R.D. (2006). *Annual and Individual-Storm Green Roof Stormwater Response Models*. ASABE annual International Meeting Paper #062310.

Jenrick, R. (2005). *Green Roofs – A Horticultural Perspective*, London, UK: Living Roofs.org.

Jones, R. (2002). *Tecticolous Invertebrates: A Preliminary Investigation of the Invertebrate Fauna on Green Roofs in Urban London*. London: English Nature.

Kadas, G. (2003). *Study of Invertebrates on Green Roofs: How Roof Design Can Maximise Biodiversity in an Urban Environment*. Master's Thesis. Royal Holloway, University College, London.

Kadas, G. (2006). Rare Invertebrates Colonizing Green Roofs in London. *Journal of Urban Habitats* 4 (1): 66-86.

Kats, G. (2010). *Costs and benefits of green buildings*. Retrieved December 11, 2010 from <http://climateprogress.org/2010/09/24/costs-and-benefits-of-green-buildings/>

Keeley, M. (2007). *Incentivizing Green Roofs Through Parcel Based Stormwater Fees*. In Proceedings: Greening Rooftops for Sustainable Communities, Minneapolis, MN

Knepper, C.A. (2000). Gardens in the Sky. *Journal of Property Management* 2000; 65 (2), 36-40

Kohler, M., Wiartalla, W. & Feige, R. (2007). *Interaction between PV-systems and extensive green roofs*. In Proceedings: Greening Rooftops for Sustainable Communities, Minneapolis, MN

Kumar Duraipappah, A., Naeem, S. (Contributions from: Ash, N.). (2005). *Ecosystems and Human Well-Being, Biodiversity Synthesis*, Washington DC: World Resources Institute, Millennium Ecosystem Assessment

Kuo, F. (2010). *Parks and Other Green Environments: Essential Components of a Healthy Human Habitat*. National Recreation and Park Association.

Kuo, F. E. & Sullivan, W. C. (2001a). Environment and crime in the inner city: Does vegetation reduce crime? *Environment & Behavior*, 33, 343-367.

Lagstöm, J. (2004). *Do Extensive Green Roofs Reduce Noise?* Malmo, Sweden: International Green Roof Institute. pp. 16

Landrum & Brown (2005). *Airport Noise Mitigation Program Survey – 2004*. Retrieved December 26, 2010 from <http://www.landrum-brown.com/assets/Downloadables/Airport%20Noise%20Mitigation%20Program%20Survey-2004.pdf>

Lanham, J. K. (2007). *Thermal performance of green roofs in cold climates*. Masters Thesis at Queen's University.

Leonard, T. and Leonard, J. (2005). *The green roof and energy performance- rooftop data analyzed*. In Proceedings: Greening Rooftops for Sustainable Communities Conference Washington DC

Liu and Minor (2005). *Performance Evaluation of an Extensive Green Roof*. In Proceedings: Greening Rooftops for Sustainable Communities Conference, Washington DC

Liu, A. (2003). *Ontario's Electricity Demand Response to Climate Change*. Toronto, ON: Environment Canada, Adaptation & Impacts Research Division,

Liu, K. and Baskaran, B. (2003). *Thermal performance of green roofs through field evaluation*. In Proceedings: The First North American Green Roof Infrastructure Conference, Chicago, IL, (pp1-10)

LivingRoofs.org. (2011). *Noise and Sounds Insulation*. Retrieved January 11, 2011 from <http://livingroofs.org/2010030673/green-roof-benefits/sound-insulation.html>PAGE 123

Lundholm, J., MacIvor, J.S. and Ranelli, M. (2009). *Benefits of East Coast Native Plants on Green Roofs*. In Proceedings: The Seventh Annual International Green Roofs Conference: Greening Rooftops for Sustainable Communities, Baltimore, MD. Toronto: The Cardinal Group.

Lundholm, J., MacIvor, J.S., MacDougall, Z and Ranelli, M. (2010). Plant Species and Functional Group Combinations Affect Green Roof Ecosystem Functions. *PLoS One* 5(3): 1-11

Lundholm, J., (2006). Green roofs and facades: a habitat template approach. *Urban Habitats* 4: 87-101

Green Roof Cost-Benefit Study

References

- MacDonagh, P., Hallyn, N. and S. Rolph. (2007). *Midwestern USA Plant Communities + Design Bedrock Bluff Prairie Green Roofs*. In Proceedings: The Fifth Annual International Green Roofs Conference: Greening Rooftops for Sustainable Communities, Minneapolis, MN. Toronto: The Cardinal Group.
- Maloney, D. (SHPO), Historical Preservation Office for Washington DC, Communication, November 10
- Mann, G. (2002). *Approaches to object-related cost-benefit analysis*. www.gruendaecher.de
- McGlade, T. (of Sky Gardens), Personal communication, 2008
- Miller, C. (1998). *Vegetated roof covers: A new method for controlling runoff in urbanized areas*. In Proceedings: Pennsylvania Stormwater Management Symposium. Villanova University. Villanova, PA
- Miller, C. Bass, B. Weeks, K. Berghage, R., and Berg, S. (2010). *Stormwater policy as a green roof (dis) incentive for retail developers*. In Proceedings: The Cities Alive Conference, Vancouver, BC
- Miller, C. Pyke, G., (1999). *Methodology for the Design of Vegetated Roof Covers*. In Proceedings: The International Water Resource Engineering Conference, Seattle, WA
- Miller, G. (2010). *Green Roofs for Urban Biodiversity: Connecting People in Land and Water*. Paper presented in: A D Latornell Conservation Symposium, Alliston, ON
- Minke, G. And Witter, G. (1982). *Haeuser mit Gruenem Pelz, Ein Handbuch zur Hausbegruenung*. Frankfurt, Germand: Verlag Dieter Fricke GmbH.
- Moran A., Hunt, B., Smith, J. (2005). *Hydrologic and water quality performance from greenroofs in Goldsboro and Raleigh, North Carolina*. In Proceedings: Greening Rooftops for Sustainable Communities, Washington DC
- Mori, H. (2008). *To Protect Using a New Vegetation Platform to Create a Green Roof Space*. Unpublished Report.
- National Aeronautics and Space Administration (NASA). (2010). Satellites Pinpoint Drivers of Urban Heat Islands in the Northeast. Retrieved January 12, 2011 from <http://www.nasa.gov/topics/earth/features/heat-island-sprawl.html>
- Niu, H., Clark, C., Zhou, J., & Adriaens, P. (2010). Scaling of Economic Benefits from Green Roof Implementation in Washington, DC. *Environmental Science Technology* 2010, 44 (11), 4302–4308
- Nugent, O. (2002). *The Smog Primer*. Toronto, ON: Pollution Probe.
- Oelze, ML & O'Brien, W.D. and Darmondy, R.G. (2002). Measurement of Attenuation Speed of Sound in Soils. *Soil Science Society of America Journal*, vol. 66, 788-796
- Oke, T.R. (1987). Climate Modification: Boundary Layer Climates. New York: *Methuen*, pp. 262-303.
- Onmura, S., Matsumoto, M. and Hokoi, S. 2001. Study on evaporative cooling effect of roof lawn gardens. *Energy and Buildings*. 37: 653-666.
- Osmundson, T. (1999). *Roof Gardens: History, Design and Construction*. New York: W.W. Norton and Co..
- Palla, A., Gnecco, I., and Lanza, L.G. (2009). Unsaturated 2D Modeling of Subsurface Water Flow in Coarse- Grained Porous Matrix of a Green Roof. *Journal of Hydrology, Volume 379*, 193
- Peck, S. (2010). Macro-Scale Food Production. *Living Architecture Monitor, Vol 12, No 4*, pp 34-35
- Peck, S., Callaghan, C., Bass, B. (2010). *Greenbacks from green roofs: forging a new industry in Canada: Status Report on Benefits, Barriers and Opportunities for Green Roof and Vertical Garden Technology Diffusion*. Ottawa, ON: Canada Mortgage and Housing Corporation
- Peck, S.W. and Kuhn, M.E. (2002). *Design Guidelines for Green Roofs*. Toronto: CMHC
- Pollination Guelph (2010). *North American trees and shrubs that provide significant forage for pollinators*, Retrieved December 10, 2010, from <http://www.pollinator.ca/guelph/index.php?n=Plant+that+attract+Pollinators.pdf>
- Rosenfeld, A.H. Akbari, H., Romm, J.J. and Pomerantz, M. (1998). Cool Communities: Strategies for Heat Island Mitigation and Smog Reduction. *Energy and Buildings*, v2,8, 51-62.
- Rosenzweig, C. , Solecki, W.D., and Slosberg, R.B. (2006) . *Mitigating New York City's Heat Island with Urban Forestry, Living Roofs, and Light Surfaces*. Final Report to the New York State Energy Research and Development Authority (NYSERDA).

Green Roof Cost-Benefit Study

References

- Rosenzweig, C., Solecki, W.D., Parshall, L., Chopping, M., Pope, G., & Goldberg, R. (2005). Characterizing the urban heat island in current and future climates in New Jersey. *Global Environmental Change Part B: Environmental Hazards*, 6 (1): 51-62
- Rosenzweig, C., Solecki, W.D., Parshall, L., Lynn, B., Cox, J., Goldberg, R., Hodges, S., Gaffin, S.R., Slosberg, R.B., Savio, P. Dunstan, F. and Watson, M. (2009). Mitigating New York City's Heat Island: Integrating Stakeholder Perspectives and Scientific Evaluation, *Bulletin of the American Meteorological Society*, v. 90: 1297-1312.
- Rowe, D.B. (2010). Green roofs as a means of pollution abatement. *Environmental Pollution*. 1-11
- Rushing, A.S., Kneifel, J.D., Lippiatt, B.C. (2010). *Energy Price Indices and Discount Factors for Life-Cycle Cost Analysis – 201*: Annual Supplement to NIST Handbook 135 and NBS Special Publication 7090 (USDOE Federal Energy Management Program NISTIR 85-3273-25). Washington DC: US Department of Commerce and National Institute of Standards and Technology, pp. 46-47
- S. 3481/ P.L. 111-378, Amendment of the Federal Water Pollution Control Act, 33 U.S.C. 1323
- Sailor, D. (1994). Sensitivity of Coastal Meteorology and Air Quality to Urban Surface Characteristics. Preprints of the Eighth Joint Conference on the Applications of Air Pollution Meteorology. *American Meteorological Society*: Boston, 286-293.
- Saiz Alcazar, S., Kennedy, C., Bass, B., and Pressnail, K. (2006). Comparative Life Cycle Assessment of Standard and Green Roofs. *Environmental Science and Technology* 40, 4312-4316.
- Sakurai, T., Satou, M., Kose, H. and Kawanaga, Y. (2005). *A Study on Heat Environment and Plant Growth on a Splint Green Roof*. In Collection: The Third Round of Kawagoe Environmental Study Activity of the Kawagoe Environment Forum, Japan (pp 80-83).
- Salt, D.E., (2006). *An Extreme Plant Lifestyle: Metal Hyperaccumulation*. Department of Horticulture and Landscape Architecture, Purdue University, West Lafayette, IN
- Schrader, S., and Boning, M. (2006). Soil Formation on Green Roofs and its Contribution to Urban Biodiversity with Emphasis on Collembolans. *Pedobiologia* 50 (4): 347-356.
- Shepard, N. (2010). *DC Greenworks Green Roofs Incentives: A 2010 Resource Guide*. DC Greenworks: Washington DC
- Simmons, M. T., Gardiner, B. and Windhager, S. (2008). Green roofs are not created equal: the hydrologic and thermal performance of six different extensive green roofs and reflective and non-reflective roofs in a sub-tropical climate. *Urban Ecosystems* 11, 339-348.
- Sing, O.V., Labana, S., Pandey, G., Budhiraja, R. and Jain, R.K. (2003). Phytoremediation: An Overview of Metallic Decontamination from Soil. *Applied Microbiol Biotech*, 61: 405-412
- Snodgrass, E.C. and Snodgrass, L.L. (2006). *Green Roof Plants*. Timber Press. Portland, OR
- Snodgrass, EC and McIntyre, L. (2010). *The Green Roof Manual: A Professional Guide to Design, Installation and Maintenance*. Portland OR: Timber Press (pp. 80-86, 201-202)
- Solecki, W.D., Rosenzweig, C., Cox, J., Parshall, L., Rosenthal, J. and Hodges, S. (2006). *Potential Impact of Green Roofs on the Urban Heat Island Effect*. Retrieved December 4, 2010 from http://ccsr.columbia.edu/cig/greenroofs/Green_Roof_UHI.pdf
- Somerville, N. and Counts, C. (2007). *Sustainability with Style: The ASLA Headquarters Green Roof*. In Proceedings: The Fifth Annual International Green Roofs Conference: Greening Rooftops for Sustainable Communities, Minneapolis. Toronto: The Cardinal Group.
- Sonne, J. (2006). Evaluating Green Roof Energy Performance. *ASHRAE Journal* 48, 59-61.
- Spolek, G. (2008). Performance monitoring of three ecoroofs in Portland, Oregon. *Urban Ecosystems* 11, 349–359.
- Stratus Consulting Inc. (2009). *A Triple Bottom Line Assessment of Traditional and Green Infrastructure Options for Controlling CSO Events in Philadelphia's Watersheds*. Philadelphia, PA: Office of Watersheds, City of Philadelphia Water Department.
- Taha, H. (1997). Urban climates and heat islands: albedo, evapotranspiration, and anthropogenic heat. *Energy and Buildings*. 25, 99-103.

Green Roof Cost-Benefit Study

References

- Taylor, B. (2008). *The Stormwater Control Potential of Green Roofs in Seattle*. In Proceedings of the 2008 International Low Impact Development Conference. Environmental and Water Resource Institute (EWRI), ASCE
- TEEB. (2010). *The Economics of Ecosystems and Biodiversity: TEEB for Business*. Retrieved November 11, 2010 from <http://www.teebweb.org/ForBusiness/TEEBforBusinessDraftChapters/tabid/29434/Default.aspx>
- The Louis Berger Group, Inc. (2008). *Green Collar Jobs Demand Analysis*. Washington DC. The District of Columbia Office of Planning and District of Columbia Economic Partnership. Retrieved January 12, 2010 from <http://planning.dc.gov/DC/Planning/Across+the+City/Other+Citywide+Initiatives/Actionomics/Green+Collar+Jobs+Demand+Analysis>.
- Tolderlund, L. (2010). *Design Guidelines and Maintenance Manual for Green Roofs in the Semi-Arid and Arid West*. Green Roofs for Healthy Cities, City and County of Denver, USEPA Region 8, Urban Drainage and Flood Control District, and Colorado State University. Retrieved October 28, 2010 from www.epa.gov/region8/greenroof/pdf/GreenRoofsSemiAridAridWest.pdf
- Toronto Public Health. (2005). *Influence of Weather and Air Pollution on Mortality in Toronto*. Summary Report of Differential and Combined Impacts of Winter and Summer Weather and Air Pollution due to Global Warming on Human Mortality in South-Central Canada. Toronto, Ontario: Toronto Public Health
- Trieu, P., Guillozet, P., Galli, J., & Smith, M. (2001). *Combined Sewer Overflow Rooftop Type Analysis and Rain Barrel Demonstration Project*. Washington DC. CSO Control Program District of Columbia Water and Sewer Authority
- U.S. General Services Administration. (2010). Retrieved February 10, 2011, from <http://www.gsa.gov/portal/content/103493>
- U.S. General Services Administration. (2011). *Ariel Rios Federal Building (New Post Office)*, Washington, DC. Retrieved May 10, 2011 from <http://www.gsa.gov/portal/ext/html/site/hb/method/post/category/25431#>
- U.S. General Services Administration. (2011). *Environmental Protection Agency, West Building*, Washington, DC. Retrieved May 10, 2011 from <http://www.gsa.gov/portal/ext/html/site/hb/method/post/category/25431#>
- U.S. General Services Administration. (2011). *Federal Trade Commission (New Post Office)*, Washington, DC. Retrieved May 10, 2011 from <http://www.gsa.gov/portal/ext/html/site/hb/method/post/category/25431#>
- U.S. General Services Administration. (2011). *Internal Revenue Service Building*, Washington, DC. Retrieved May 10, 2011 from <http://www.gsa.gov/portal/ext/html/site/hb/method/post/category/25431#>
- Ulrich, R.S. and R. Simmons. (1986). *Recovery from stress during exposure to everyday outdoor environments*. In J. Wineman, R. Barnes, and C. Zimring, eds. *The Costs of Not Knowing*, Proceedings of the 17th Annual Conference of the Environmental Research Association. Washington D.C.: Environmental Research Association.
- United States Department of Labor. (2011). *Green Job Hazards*. Retrieved December 18, 2010 from <http://www.osha.gov/dep/greenjobs/index.html>
- US House of Representatives, Committee on Transportation and Infrastructure, Subcommittee on Water Resources and Environment (2009) (testimony of Lisa Jackson, EPA Administrator)
- USDOE. (2009). *Federal Energy Management Program. (Executive Order 13423)*. Retrieved April 10, 2009 from <http://www1.eere.energy.gov/femp/regulations/eo13423.html>
- USDOE. (1995). *Energy Information Administration, Office of Coal, Nuclear, Electric and Alternate Fuels Electricity Generation and Environmental Externalities: Case Studies*. DOE/EIA-0598, September 1995.
- USEPA. (2009). *Technical Guidance on Implementing the Stormwater Runoff Requirements for Federal Projects under Section 438 of the Energy Independence and Security Act of 2007*. (EPA 841-B-09-00). Washington DC
- USEPA. (1998) Office of Air and Radiation. *Regulatory Impact Analysis for the NOx SIP Call, FIP, and Section 126 Petitions*, EPA-452/R-98-003A; EPA: Washington

June 8, 2016

ARUP

Green Roof Cost-Benefit Study

References

- USEPA. (2007). *Reducing Stormwater Costs through Low Impact Development (LID) Strategies and Practices*. (EPA 841-F-07-006, Contract No. 68-C-02-108). Washington DC
- Van Setters, T., Rocha, L., MacMillan, G. (2007). *Evaluation of the runoff quantity and quality performance of an extensive green roof in Toronto, Ontario*. In Proceedings: Greening Rooftops for Sustainable Communities, Minneapolis, MN
- VanWoert, D.D., Rowe, D.B., Andersen, J.A., Rugh, C.L., Fernandez, R.T., and Xiao, L. (2005). Green roof Stormwater retention: Effects of surface slope and media depth. *Journal of Environmental Quality* 34(3):1036-1044.PAGE 127
- Walcek, C.J. and Yuan, H. (1995). Calculated influence of temperature-related factors on ozone formation rates in the lower troposphere. *Journal of Applied Meteorology*. 34: 1056-1069.
- Weeks, K. N. (2007). *Green roof thermal performance*. Masters Thesis at University of California.
- Werthmann, C. (2007). *Green Roof – A Case Study: Michael Van Valkenburgh Associates Design for the Headquarters of the American Society of Landscape Architects*. New York: Princeton Architectural Press.
- Wilson, E. (1999). *The Diversity of Life*. New York: Norton.
- Wilson, E. (2002). *The Future of Life*. New York: Knopf.
- Worldwatch Institute and Cornell University Global Labor Institute. (2008). *Green Jobs: Towards Decent Work in a Sustainable, Low-Carbon World*. UNEP/ILO/IOE/ITUC
- Yamada, H., Tsuyuki, H., Ishikawa, Y., Nakashima, A., Nakao, S and Yabu, S. (2005). Analysis for the Thermal Environment of the Wooden House Room under the Sod Planted Roof. *Journal of the Japanese Institute of Landscape Architecture* 65 (8), 893-896.
- Yamaguchi, T., Yokoyama, H. and Ishii, K. (2005). Mitigating Urban Heat Islands by Light and Thin Rooftop Greening. *Journal of the Japanese Institute of Landscape Architecture* 68 (5), 13-15.
- Yok, T. P. and Sia, A. (2005). *A pilot green roof research project in Singapore*. In Proceedings: Greening Rooftops for Sustainable Communities Conference, Washington DC