BILL/ RESOLUTION REQUEST

- 1. Title: Amends on call contract with E. T. Technologies, Inc. (201101761) by \$1,510,000 for continuation of projects relating to aboveground and underground storage tanks including critical storage tank infrastructure.
- 2. Requesting Agency: Environmental Health
- 3. Contact Person with actual knowledge of proposed ordinance

Name: Gary Lasswell Phone: 720-865-5440

Email:gary.lasswell@denvergov.org

4. Contact Person with actual knowledge of proposed ordinance who will present the item at Mayor Council and who will be available for first and second reading, if necessary

Name: Gary Lasswell Phone: 720-865-5440

Email:gary.lasswell@denvergov.org

- 5. Describe the proposed ordinance, including what the proposed ordinance is intended to accomplish, who's involved
 - a. Scope of Work

This request amends the existing "On Call" professional services contract to increase the contract capacity from \$490,000 to \$2,000,000 to allow for uninterrupted continuation of critical projects related to aboveground and underground storage tanks. The purpose of the Storage Tank program is to manage storage tanks in compliance with state law and minimize city environmental liability associated with aboveground and underground storage tanks. The Environmental Quality Division coordinates, through its professional services contractor, for maintenance, repair, and testing of active city-owned storage tanks, installation of critical tank infrastructure projects, and removal of obsolete or failed storage tanks.

b. Duration

09/01/2011 through 08/31/2013

c. Location

Various city facilities with aboveground and underground storage tanks

d. Affected Council District

n/a

e. Benefits

Allows for uninterrupted professional contract services for critical tank infrastructure projects

f. Costs

additional \$1,510,000 for a total of \$2,000,000

6. Is there any controversy surrounding this ordinance, groups or individuals who may have concerns about it? Please explain. $_{No.}^{\rm No}$

Bill Request Number: BR12-0370 Date: 5/7/2012