



201 W. Colfax Avenue, Dept. 507
Denver, CO 80202
P: 720-865-3003
DOTI.ER@denvergov.org

### **Easement Relinquishment Submittal Checklist**

### Any submittal not meeting all minimum checklist criteria herein shall be rejected as incomplete.

### Easement Relinquishment submittal documents will include the following:

	A . 12 42	
☑	Applicati	ion (Page 2&3 of this document) - Must be signed by owner, or a vested party
☑		holding document of the easement - eg. Ordinance, PNEE, Subdivision plan, etc.:
		Must include the Clerk and Recorder's Book and Page, and/or Recordation Number.
abla	A Legal I	Description and Exhibits are required if you are relinquishing a portion of the easement as held in the original
	documen	t. The Legal Description and Exhibit of the easement(s) to be relinquished, must be prepared by a Professional Land
		(PLS), licensed in the State of Colorado:
		PDF format (must be PLS signed and stamped) and
		Word format (Does not need to be PLS signed and stamped)
✓	Site Plan	- accurately engineered drawings to include:
	✓	Numerical and Bar Scale (Scale not to exceed 1:40)
	7	North arrow
	7	Legend
	7	Vicinity map, if necessary
	$\checkmark$	Plan set date and revision number (if applicable)
	<b>7</b>	Call out the location of the easement proposed to be relinquished and hatch area
	7	Call out the location if new easement will be conveyed (if applicable)
	$\checkmark$	Property lines
	<b></b>	Right-of-Way width
	$\checkmark$	Edge of Pavement and/or Curb and Gutter
	<b>V</b>	Sidewalks
	$\checkmark$	Trees and landscaping in the ROW
	<b>V</b>	Nearby driveways and alleys
	$\checkmark$	Street names
		Aerial imagery is allowed, but does not replace the required Engineered drawings
FEE Mood		amodiately Barrey College Coll
with	the project	nmediately after project is logged in and a project number is provided by your Coordinator along
Initia	l Processin	ng Fee = \$1,000.00 (Non-Refundable)
Lega	l Description	on Review Fee = \$300.00 (Non-Refundable)
Ordi	nance Fee =	= \$300.00 (Non-Refundable)
	V. 8000	
I hei	eby attest	t that all above information has been incorporated into our plan submittal.
	(0	role Ms Vaney 8/9/21
Ow	ner/Ves	ited Party/Applicant Signature Date
	10.0	es ident IL foundation as Manager of Gaylord Community LLC
	a DE	NVER
	TRAN	SPORTATION &
_	INFRA	ASTRUCTURE



#### DOTI | Right-of-Way Services

Engineering and Regulatory Office 201 W. Colfax Avenue, Dept. 507 Denver, CO 80202 P: 720-865-3003 DOTI.ER@denvergov.org

### **APPLICATION EASEMENT RELINQUISHMENT**

Please complete this application to apply for an ordinance to relinquish easements held by the City in the Public Right of Way. Please reference Rules and Regulations for Easement Relinquishments for more details on the relinquishment process. Please type or print. If necessary attach additional sheets to fully answer any of the following sections. Submit the complete application electronically to: DOTI.ER@denvergov.org.

		er, Site Plan and/or Concept Development project numbers:
	, 2019PM0000594 <b>F EASEMENT</b> : 3701 York St	
	F EASEMENT:	
APPLICANT:		
	ske, working as representativ	ve for:
	cable): Mile High Ministries	Title:
	ndot St, Denver, CO 80204	
Telephone number	:720-480-1076	Email address: raystranske@gmail.com
PROPERTY OWNER (	where the easement is located)	: Check if the same as Applicant
Company; Gayloro	Community LLC	
Owner Contact: St	an Sprinkle	
Address: 1520 W	Canal Ct Ste 220, Littleton, Co	O 80120
Telephone Number	(303) 297-2121	Email address: stan@sprinklefinancial.com
ORIGINAL HOLDING	DOCUMENT THE EASEME	ENT IS HELD IN:
Title of document:		
Clerk & Recorder l	Recordation Number: 200120499	96
Ondinanaa Niisakaa	(if applicable):	
Ordinance Number		





#### DOTI| Right-of-Way Services

Engineering and Regulatory
Office 201 W. Colfax Avenue, Dept. 507
Denver, CO 80202 P: 720-865-3003
DOTI.ER@denvergov.org

311 | POCKETGOV.COM | DENVERGOV.ORG | DENVER 8 TV

### APPLICATION EASEMENT RELINQUISHMENT


QUANTITY OF EASEMENTS TO BE RELINQUISH	1ED: <u>*</u>
Easement Groupings if submitting with multiple	easements:
DESCRIBE THE CURRENT STATE OF THE EASI	EMENT(S):
In the space below, please describe what the easement was	, ,
relinquished in it's entirety and any addition background inf	formation
	ect, operate, and maintain drainage facilities for water and sewage. r a new redevelopment on the block. The buildings that were served by the sewer line was capped at the street.
A new sewer line will located approximately 20'-30' to the vipplication, where it will serve the buildings to be construct	vest, as noted in the associated Site Development Plan referenced in this ed.
EXISTING UTILITIES: If there are existing utilities in the easement, please explain removed or relocated.	how these utilities will be accommodated and whether they will be
If there are no existing utilities in the easement to the best of	of your knowledge, please state NO Utilities or N/A
	been abandoned and the sewer line was capped in 37th Avenue. A cation further west and the owner will grant an easement to the City
EXPLANATION OF WHY THE EASEMENT RELING	
Please explain why the easement needs to be relinquishe The easement needs to be relinquished because building under a new site development plan that is currently being	s, parking lots, and other structures are planned in the easement
I/WE HEREBY CERTIFY THAT I/WE ARE THE OWN THE SUBJECT OF THIS APPLICATION AND THAT APPLICATION IS TRUE AND COMPLETE.	
(Parol Ma Dancy	DATE DATE Community L
DENVER TRANSPORTATION & INTERACTOR TO BE THE TRANSPORTATION & INTERACTOR TO THE TRANSP	as manager of Gaylord Community
HALLWAINACIONE	And I manufactured I provide the I make the first

### SITE DEVELOPMENT PLAN

A PORTION OF THE NORTHEAST QUARTER (NE1/4) OF THE NORTHEAST QUARTER (NE1/4) OF SECTION 26, TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN IN THE CITY AND COUNTY OF DENVER, STATE OF COLORADO

LOCATED AT 3700 GAYLORD STREET

STATISTICAL INFORMATION				
ZONE DISTRICT U-RX-5				
GENERAL ZONE LOT INFORMATION	SQ. FT.	ACRES		
ZONE LOT SIZE (GROSS PROJECT AREA)	107,421	2.46		
AREA TO BE DEEDED FOR ADDITIONAL RIGHT—OF—WAY				
NET PROJECT AREA (AFTER DEEDING OF ANY NEEDED PUBLIC RIGHT—OF—WAY)				
PRIMARY AND SIDE STREET DESIGNATIONS	PRIMARY: YORK STREET; SI GAYLORD	DE: 37TH AVE., 38TH AVE., STREET		
PROPOSED USE(S)	DWELLING,	MULTI-UNIT		
NUMBER OF DWELLING UNITS (RESIDENTIAL PROJECTS ONLY)	6	31		
GROSS FLOOR AREA FOR EACH USE (FOR NON RESIDENTIAL AND MIXED—USE PROJECTS)	76,689 SF, RESIDENTIAL			
BUILDING FORM USED	SHOPI	FRONT		
DESIGN ELEMENTS	ALLOWED	PROVIDED		
BUILDING HEIGHT, STORIES (MIN/MAX)	5 MAX	4		
BUILDING HEIGHT, FEET (MIN/MAX)	NA / 70	60		
BUILD-TO	REQUIRED	PROVIDED		
PRIMARY STREET TOTAL BUILD-TO (MIN % WITHIN MIN/MAX) (REFER TO SHEET 3 OF 6 FOR DETAILS)	70% WITHIN 0'/15'=247.29'	97.87%/345.76'		
SIDE STREET TOTAL BUILD—TO (MIN % WITHIN MIN/MAX) (REFER TO SHEET 3 OF 6 FOR DETAILS)	N/A	N/A		
OVERALL BUILDINGS OR STRUCTURE LENGTH (MAX)		345.76'		
PARKING	REQUIRED (MIN)	PROVIDED		
STANDARD SPACES	66	62		
COMPACT SPACES	N/A	4		
ACCESSIBLE	4	4		
TOTAL	70	70		
•	PARKING PROVIDED IS LESS THAN E DZC SECTION THAT WERE USE			
BICYCLE (ENCLOSED/FIXED)	16	16 (12/4)		
LOADING SPACES	1	1		
GROUND STORY ACTIVATION (TRANSPARENCY)	REQUIRED, % (MIN)	PROVIDED, %		
TOTAL TRANSPARENCY PRIMARY STREET (YORK STREET)	40	46		
TOTAL TRANSPARENCY SIDE STREET (37TH AVE)	25	44		
TOTAL TRANSPARENCY SIDE STREET (38TH AVE)	25	44.80		
TOTAL TRANSPARENCY SIDE STREET (GAYLORD STREET)	N/A	N/A		



### VICINITY MAP SCALE: 1"=500'

### SHEET INDEX

1 OF 17 2 OF 17	COVER SHEET SURVEY SHEET
3 OF 17	SITE PLAN
4 OF 17	GRADING & UTILITY PLAN
5 OF 17	LANDSCAPE PLAN
6 OF 17	LANDSCAPE PLAN
7 OF 17	LANDSCAPE DETAILS
8 OF 17	ARCHITECTURAL BUILDING ELEVATIONS - APARTMENTS
9 OF 17	ARCHITECTURAL BUILDING ELEVATIONS — TOWNHOMES
10 OF 17	ARCHITECTURAL FLOOR PLANS — APARTMENTS
11 OF 17	ARCHITECTURAL FLOOR PLANS — APARTMENTS
12 OF 17	ARCHITECTURAL FLOOR PLANS — TOWNHOMES
13 OF 17	ARCHITECTURAL FLOOR PLANS — TOWNHOMES
14 OF 17	ROOF PLAN — APARTMENTS
15 OF 17	ROOF PLAN — TOWNHOMES
16 OF 17	PHOTOMETRIC PLAN

### GENERAL NOTES:

17 OF 17 LIGHTING CUT SHEETS

- 1. THIS PROJECT WAS REVIEWED UNDER THE DENVER ZONING CODE VERSION EFFECTIVE DATE JUNE 25, 2010, RESTATED IN ITS ENTIRETY ON MAY 24, 2018, AS AMENDED THROUGH MARCH 31, 2021.
- 2. FENCES, WALLS, SIGNS AND ACCESSORY STRUCTURES ARE SUBJECT TO SEPARATE REVIEWS AND PERMITS.
- 3. ANGLES NOT SHOWN ARE EITHER 90 DEGREES OR A SUPPLEMENT OF THE ANGLE
- 4. PRIVATE ROADWAYS WILL BE POSTED WITH "FIRE LINE" SIGNS AS REQUIRED BY THE DENVER FIRE DEPARTMENT.
- 5. PARKING SPACES FOR PERSONS WITH DISABILITIES WILL BE CLEARLY DELINEATED WITH UPRIGHT SIGNS.
- 6. APPROVAL FOR THIS PLAN DOES NOT CONSTITUTE OR IMPLY COMPLIANCE WITH ADA
- 7. SITE(S) SHALL BE LANDSCAPED PRIOR TO ISSUANCE OF A FINAL CERTIFICATE OF OCCUPANCY (CO) DURING THE GROWING SEASON OF APRIL 1ST TO OCTOBER 1ST, AT ALL OTHER TIMES THE INDIVIDUAL SITES SHALL BE LANDSCAPED WITHIN 45 (FORTY-FIVE) DAYS OF THE START OF THE FOLLOWING GROWING SEASON.
- 8. AN ACCESS EASEMENT FOR EMERGENCY SERVICES IS HEREBY GRANTED ON AND ACROSS ALL AREAS FOR POLICE, FIRE, MEDICAL AND OTHER EMERGENCY VEHICLES AND FOR THE PROVISION OF EMERGENCY SERVICES.
- 9. ALL LANDSCAPE AREAS SHALL BE IRRIGATED WITH UNDERGROUND AUTOMATIC IRRIGATION SYSTEM. TREES, SHRUBS, AND DECORATIVE GRASSES WILL BE IRRIGATED BY A SEPARATE ZONE FROM SOD/GRASS; THIS INCLUDES TREES PLANTED IN SOD/GRASS AREA. THE IRRIGATION SYSTEM IS TO HAVE A RAIN SENSOR SHUTOFF INSTALLED.
- 10. PRIVATE ROADWAYS ARE NON-DEDICATED STREETS AND WILL NOT BE MAINTAINED BY THE CITY AND COUNTY OF DENVER.
- 11. RESPONSIBILITY FOR THE MAINTENANCE OF THE COMMONLY OWNED LAND AND STORM WATER DETENTION FACILITY CONSTRUCTED AS PART OF THIS DEVELOPMENT WILL BE THAT OF THE HOME OWNERS ASSOCIATION/ PROPERTY OWNER(S) OF PARCEL(S)
- 12. THE PROPOSED BUILDINGS ARE LESS THAN 25,000 SF AND ARE EXEMPT FROM THE GREEN BUILDING ORDINANCE.

### <u>OWNER'S SIGNATURE:</u>

PROPERLY SHOWS SAID SURVEY.

I (WE), THE UNDERSIGNED, SHALL COMPLY WITH ALL REGULATIONS CONTAINED IN DENVI ZONING CODE.
THE FOLLOWING SIGNATURES CONSTITUTE ALL OWNERS AND HOLDERS OF DEEDS OF TR LAND AND STRUCTURES INCLUDED IN THIS PLAN:
GAYLORD COMMUNITY, LLC - (COMPANY)
BY:DATE: (PRINTED NAME, COMPANY)
STATE OF COLORADO CITY AND COUNTY OF DENVER
THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME THISDAY OFA.D.,20, BY
WITNESS MY HAND AND OFFICIAL SEAL.
MY COMMISSION EXPIRES,
NOTARY PUBLIC
ADDRESS
SURVEYOR'S CERTIFICATION:
I, RICHARD B. GABRIEL, PLS, A REGISTERED LAND SURVEYOR IN THE STATE OF COLORADO, DO HEREBY CERTIFY THAT THE SURVEY FOR THE 3700 GAYLORD STREET W MADE UNDER MY SUPERVISION AND THE ACCOMPANYING PLAN ACCURATELY AND

RICHARD B. GABRIEL, PLS PLS #37929 FOR AND ON BEHALF OF POWER SURVEYING COMPANY, INC.	
APPROVALS:	
APPROVED BY:FOR THE ZONING ADMINISTRATOR	DATE
APPROVED BY:	

PLANNING AND DEVELOPMENT

CLERK AND RECORDER'S CERTIFICATION:	
STATE OF COLORADO	
CITY AND COUNTY OF DENVER	
I HEREBY CERTIFY THAT THIS INSTRUMENT WAS FILLED FOR RECORD IN MY OFFICE  ATO'CLOCKM.,20, AND DULY RECORDED	
UNDER RECEPTION #	
CLERK AND RECORDER: EX-OFFCIO CLERK OF THE CITY AND COUNTY OF DENVER.	
BY	DEPU
FEE	

DATE

### LEGAL DESCRIPTION

LOTS 1 TO 30, INCLUSIVE, BLOCK 2, CHEESMAN AND MOFFAT'S ADDITION TO THE CITY AND COUNTY OF DENVER, TOGETHER WITH THE VACATED ALLEY ADJACENT THERETO AS VACATED BY ORDINANCE NO. 1017, SERIES 2001, RECORDED NOVEMBER 30, 2001 AT RECEPTION NO. 2001203743, CITY AND COUNTY OF DENVER, STATE OF COLORADO.

### BASIS OF BEARINGS

BEARINGS ARE BASED UPON THE N. LINE OF BLOCK 2, CHEESMAN AND MOFFATS ADDITION, RECORDED IN BOOK 9, PAGE 10 CITY AND COUNTY OF DENVER, SAID LINE ASSUMED TO BEAR S.89°50'10"E., DISTANCE OF 266.47 FEET, SAID LINE MONUMENTED AT THE NW CORNER OF SAID BLOCK 2 BY A FOUND #3 REBAR (BENT) AND AT NE CORNER OF SAID BLOCK 2 BY A FOUND NAIL AND 1" BRASS TAG, STAMPED 37929.

### **BENCHMARK**

CITY AND COUNTY OF DENVER BENCHMARK "168B": BRASS CAP LOCATED AT THE SOUTHEAST CORNER OF YORK STREET AND EAST 36TH AVENUE IN THE TOP OF CURB @ INLET 5' EAST OF THE NORTH PCR.

PUBLISHED NAVD 88 ELEVATION = 5216.02 FEET



COVER SHEET SHEET: 1 OF 17

### ORIGINAL ZONE LOT LEGAL DESCRIPTION

# 3700 GAYLORD STREET

LOTS 1 TO 30, INCLUSIVE, BLOCK 2, CHEESMAN AND MOFFIT'S ADDITION TO THE CITY AND COUNTY OF DENVER, TOGETHER SITE DEVELOPMENT PLAN WITH THE VACATED ALLEY ADJACENT THERETO AS VACATED BY ORDINANCE NO. 1017, SERIES 2001, RECORDED NOVEMBER 30, 2001 AT RECEPTION NO. 2001203743, CITY AND COUNTY OF DENVER, STATE OF COLORADO.

CONTAINING ±97,944 SQ. FT. OR ±2.248 ACRES, MORE OR LESS.

ZONE LOT 1

LEGEND

A PORTION OF THE NORTHEAST QUARTER (NE1/4) OF THE NORTHEAST QUARTER (NE1/4) OF SECTION 26,

FIBER OPTIC

EL: 5214.13

BASIS OF BEARINGS RECORDED IN BOOK 9, PAGE 10 CITY AND COUNTY OF DENVER. SAID LINE ASSUMED TO BEAR SOUTH 89°50'10" EAST, A DISTANCE OF 266.47 FEET. SAID LINE MONUMENTED AT THE NORTHWEST CORNER OF SAID BLOCK 2 BY A FOUND #3 REBAR (BENT) AND AT NORTHEAST CORNER OF SAID BLOCK 2 BY A

TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN IN THE CITY AND COUNTY OF DENVER, STATE OF COLORADO LOCATED AT 3700 GAYLORD STREET

# PROJECT BENCHMARK

FOUND NAIL AND 1" BRASS TAG, STAMPED 37929.

CITY AND COUNTY OF DENVER BENCHMARK "168B": BRASS CAP LOCATED AT THE SOUTHEAST CORNER OF YORK STREET AND EAST 36TH AVENUE IN THE TOP OF CURB @ INLET 5' EAST OF THE NORTH PCR.

CALCULATED RANGE POINT

FOUND MONUMENT AS NOTED

RANGE LINE TO PROPERTY LINE

FLOW LINE TO FLOW LINE

VITRIFIED CLAY PIPE SANITARY MANHOLE

FIBER OPTIC BOX GUY WIRE ANCHOR

MONITORING WELL

TELEPHONE MANHOLE

OVERHEAD UTILITY LINE

-SANITARY SEWER MANHOLE

RIM: 5210.35'

INV IN: 5200.35'(E)

INV OUT: 5200.15'(W)

FIRE HYDRANT

TRAFFIC LIGHT

UTILITY POLE

WATER METER

WATER VALVE ELECTRIC BOX

SIGN

BOUNDARY

GAS LINE WATER LINE

CONCRETE

EL:5428.5 SPOT ELEVATION(GROUND)

SCALE: 1" = 30'

0 15' 30'

ELECTRIC LINE


FIBER OPTIC LINE

RANGE LINE LOT LINE

LIGHT POLE

RIGHT-OF-WAY

SET 1.25 YELLOW PLASTIC CAP OR 1" BRASS TAG STAMPED P.L.S. 37929



∠EL: 5212.61

-FND RED PLASTIC CAP

CONCRETE WALK

STAMPED LS 7361

0.14'(E)

## **EXISTING CONDITIONS**

EL: 5213.31

8" VCP (PLUGGED)

(LENGTH UNKNOWN)

266.47'(M) 266.34'(R)

SANITARY SEWER MANHOLE

INV IN: 5201.32'(E) INV IN: 5201.32'(S) INV IN: 5201.32'(N) INV OUT: 5201.12'(W)

RIM: 5213.32'


GONCRETE WALK

UE SAN UE SAN UE

Improvement Survey Plat

FIBER OPTIC-

(60' R.O.W./PUBLIC/PAVED)



### SURVEYOR'S NOTES

ACCORDING TO COLORADO LAW YOU MUST COMMENCE ANY LEGAL ACTION BASED UPON ANY DEFECT IN THIS SURVEY WITHIN THREE YEARS AFTER YOU FIRST DISCOVER SUCH DEFECT. IN NO EVENT, MAY ANY ACTION BASED UPON ANY DEFECT IN THIS SURVEY BE COMMENCED MORE THAN TEN YEARS FROM THE DATE OF THE CERTIFICATION SHOWN HEREON.

2. THIS SURVEY DOES NOT CONSTITUTE A TITLE SEARCH BY POWER SURVEYING, INC. THIS SURVEY WAS PREPARED WITHOUT THE

3. FLOOD ZONE DESIGNATION: THE SUBJECT PROPERTY LIES WITHIN ZONE X (MINIMAL FLOOD HAZARD AREA) AS SHOWN ON FEMA F.I.R.M. MAP #0800460089G, WITH AN EFFECTIVE DATE OF NOVEMBER 17, 2005.

4. FIELD SURVEY COMPLETION DATE: MARCH 28, 2020.

5. THIS IMPROVEMENT SURVEY PLAT/PARCEL RECONFIGURATION CONSISTS OF TWO (2) SHEETS, AND SHOULD NOT BE CONSIDERED COMPLETE UNLESS ALL SHEETS ARE INCLUDED AS A SET.


6. UNIT OF MEASUREMENT: U.S. SURVEY FOOT.

7. THE UNDERGROUND UTILITIES SHOWN HEREON WERE LOCATED FROM SURFACE EVIDENCE, VISIBLE PIN FLAGS AND PAINT MARKINGS SUPPLIED BY UTILO, LLC ON MARCH 24, 2020. SAID UNDERGROUND UTILITIES SHOWN HEREON ARE APPROXIMATE IN NATURE. FOR EXACT LOCATIONS OF ALL UNDERGROUND UTILITIES, POT-HOLING IS RECOMMENDED. THIS SURVEYOR HAS NOT PHYSICALLY OR ACTUALLY LOCATED ANY UNDERGROUND UTILITIES SHOWN HEREON. THE SURVEYOR MAKES NO GUARANTEES THAT THE UNDERGROUND UTILITIES COMPRISE ALL SUCH UTILITIES IN THE AREA, EITHER IN SERVICE OR ABANDONED. THE SURVEYOR FURTHER DOES NOT WARRANT THAT THE UNDERGROUND UTILITIES SHOWN HEREON ARE IN THE EXACT LOCATION INDICATED ALTHOUGH DOES CERTIFY THAT THEY ARE LOCATED AS ACCURATELY AS POSSIBLE FROM THE INFORMATION AVAILABLE. CALL THE UNDERGROUND UTILITY NOTIFICATION CENTER OF COLORADO. DIAL 811 OR 800.922.1987 FOR ALL LOCATE REQUESTS AT LEAST THREE BUSINESS DAYS PRIOR TO ANY CONSTRUCTION OR EXCAVATION.

8. THIS SURVEY PLAT WAS PREPARED FOR THE EXCLUSIVE USE OF THE PARTIES AS NAMED IN THE CERTIFICATE AS SHOWN HEREON. SAID CERTIFICATE DOES NOT EXTEND TO ANY UNNAMED ENTITY OR PERSON WITHOUT AN EXPRESS RE-CERTIFICATION BY THE SURVEYOR NAMING SUCH PERSON OR ENTITY.

### SURVEYORS CERTIFICATE

I, RICHARD B. GABRIEL, A LICENSED PROFESSIONAL LAND SURVEYOR IN THE STATE OF COLORADO, DO HEREBY CERTIFY THAT ON MARCH 28, 2020, A SURVEY WAS MADE OF THE ABOVE DESCRIBED PROPERTY UNDER MY DIRECT SUPERVISION, AND BASED UPON MY KNOWLEDGE, INFORMATION AND BELIEF IS IN ACCORDANCE WITH APPLICABLE STANDARDS AT PRACTICE DEFINED BY THE STATE OF COLORADO, AND THE CORNERS WERE SET AS SHOWN, HOLDING FOUND POINTS AND PLAT DISTANCES WHEREVER POSSIBLE AND UTILIZING CITY OF DENVER SURVEY INFORMATION FOR CONTROL. I FURTHER CERTIFY THAT THE IMPROVEMENTS ON THE ABOVE PARCEL ON THIS DATE, MARCH 28, 2020, EXCEPT UTILITY CONNECTIONS, ARE ENTIRELY WITHIN THE BOUNDARIES OF THE PARCEL, EXCEPT AS SHOWN, THAT THERE ARE NO ENCROACHMENTS UPON THE DESCRIBED PREMISES EXCEPT AS INDICATED, AS THAT THERE IS NO EVIDENCE OR SIGN OF ANY EASEMENT CROSSING OR BURDENING ANY PART OF SAID PARCEL, EXCEPT AS NOTED. THIS STATEMENT IS NOT A GUARANTY OR WARRANTY, EITHER EXPRESSED OR IMPLIED.



SANITARY SEWER MANHOLE -RIM: 5214.28'

INV IN: 5202.38'(E)


INV OUT: 5202.28'(W)

Surveying Company, Inc. 6911 BROADWAY **DENVER, CO. 80221** 

PH. 303-702-1617 FAX. 303-702-1488 WWW.POWERSURVEYING.COM

### SITE DEVELOPMENT PLAN

A PORTION OF THE NORTHEAST QUARTER (NE1/4) OF THE NORTHEAST QUARTER (NE1/4) OF SECTION 26, TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN IN THE CITY AND COUNTY OF DENVER, STATE OF COLORADO



MARTIN/MARTIN 12499 WEST COLFAX AVENUE, LAKEWOOD, COLORADO 80215 303.431.6100 MARTINMARTIN.COM

BASIS OF BEARINGS

EAST OF THE NORTH PCR.

**BENCHMARK** 

BEARINGS ARE BASED UPON THE N. LINE OF BLOCK 2,

CHEESMAN AND MOFFATS ADDITION, RECORDED IN BOOK 9, PAGE 10 CITY AND COUNTY OF DENVER, SAID LINE ASSUMED

TO BEAR S.89°50'10"E., DISTANCE OF 266.47 FEET, SAID LINE

FOUND #3 REBAR (BENT) AND AT NE CORNER OF SAID BLOCK

MONUMENTED AT THE NW CORNER OF SAID BLOCK 2 BY A

2 BY A FOUND NAIL AND 1" BRASS TAG, STAMPED 37929.

CITY AND COUNTY OF DENVER BENCHMARK "168B": BRASS CAP LOCATED AT THE SOUTHEAST CORNER OF YORK STREET

AND EAST 36TH AVENUE IN THE TOP OF CURB @ INLET 5'

1. 10'X10' PEDESTRIAN SIGHT TRIANGLES - NO ITEMS THAT

2. ROADWAY SIGHT TRIANGLES - NO ITEMS THAT ARE WIDER

TRIANGLE EXCEPT FOR STREET TREES AND TRAFFIC

3. 30'X30' CORNER SIGHT TRIANGLES - CORNER TRIANGLES

EXCEPT FOR TRAFFIC CONTROL DEVICES AND EQUIPMENT.

MUST BE FREE OF ALL ITEMS OVER 30" IN HEIGHT

ARE WIDER THAN 18 INCHES MAY BE TALLER THAN 30"

THAN 18 INCHES MAY BE TALLER THAN 30" WITHIN THIS

PUBLISHED NAVD 88 ELEVATION = 5216.02 FEET

SIGHT TRIANGLE RESTRICTIONS:

CONTROL DEVICES AND EQUIPMENT.

WITHIN THIS TRIANGLE.

**LEGEND** 

PROPERTY LINE

CURB & GUTTER

SIGN

**DESCRIPTIONS** 

**ASPHALT** 

PAVEMENT

CONCRETE,

SIDEWALK

PRIMARY STREET - YORK STREET

SIDE STREET - 37TH AVE.

SIDE STREET - 38TH AVE.

ALL LINEAL DIMENSIONS ARE IN U.S. SURVEY FEET

CALL 811 2-BUSINESS DAYS IN ADVANCE

BEFORE YOU DIG, GRADE OR EXCAVATE FOR

MARKING OF UNDERGROUND MEMBER UTILITIES

REQUIRED

70%

N/A

RIGHT-OF-WAY

PROPOSED

353.27 FEET

266.34 FEET

266.47 FEET

PROVIDED

97.87%/353.27LI

N/A

### FIRE FLOW DATA — TOWNHOMES

TOTAL FIRE FLOW REQUIRED FOR THIS SITE IS 1,500 GPM MINIMUM @ 20 PSI RESIDUAL PRESSURE.

THIS FLOW MUST BE PROVIDED FROM A MINIMUM OF 1 FIRE

EACH FIRE HYDRANT SHALL SUPPLY A MINIMUM OF 1500 GPM @ 20 PSI RESIDUAL PRESSURE AT THE HYDRANT OUTLET TO BE ACCEPTABLE.

CODE USED FOR ANALYSIS: 2018 IFC W/ 2019 AMENDMENTS OCCUPANCY GROUPS: N/A CONSTRUCTION TYPE: N/A (ASSUME V-B) FIRE FLOW CALCULATION AREA: 1,547 SF (16 UNITS)

EACH UNIT IS SEPARATED BY A 2HR FIREWALL

### FIRE FLOW DATA — APARTMENTS

TOTAL FIRE FLOW REQUIRED FOR THIS SITE IS 2,500 GPM MINIMUM

EACH FIRE HYDRANT SHALL SUPPLY A MINIMUM OF 1500 GPM @ 20 PSI RESIDUAL PRESSURE AT THE HYDRANT OUTLET TO BE

OCCUPANCY GROUPS: R-2/B/A-2/A-3

FIRE FLOW CALCULATION AREA: 76,689 SF. THIS BUILDING IS FULLY

ALL LINEAL DIMENSIONS ARE IN U.S. SURVEY FEET

CALL 811 2-BUSINESS DAYS IN ADVANCE

BEFORE YOU DIG, GRADE OR EXCAVATE FOR

MARKING OF UNDERGROUND MEMBER UTILITIES

MARTIN/MARTIN ASSUMES NO RESPONSIBILITY FOR UTILITY

LOCATIONS. UNLESS OTHERWISE NOTED, THE UTILITIES SHOWN ON

THIS DRAWING ARE BASED ON INFORMATION PROVIDED BY OTHERS

AND DEPICTED AS ASCE (38) QUALITY LEVEL D. IN ACCORDANCE

WITH THE PROVISIONS OF COLORADO REVISED STATUTE, TITLE 9, IT

IS THE CONTRACTORS RESPONSIBILITY TO CALL COLORADO 811

UTILITY LOCATE SERVICE FOR UTILITY LOCATES BEFORE DIGGING,

AND FIELD VERIFY THE SIZE, MATERIAL, HORIZONTAL AND VERTICAL

PRIOR TO THE COMMENCEMENT OF ANY CONSTRUCTION.

BEARINGS ARE BASED UPON THE N. LINE OF BLOCK 2,

CHEESMAN AND MOFFATS ADDITION, RECORDED IN BOOK 9, PAGE 10 CITY AND COUNTY OF DENVER, SAID LINE ASSUMED

2 BY A FOUND NAIL AND 1" BRASS TAG, STAMPED 37929.

CITY AND COUNTY OF DENVER BENCHMARK "168B": BRASS

PUBLISHED NAVD 88 ELEVATION = 5216.02 FEET

CAP LOCATED AT THE SOUTHEAST CORNER OF YORK STREET AND EAST 36TH AVENUE IN THE TOP OF CURB @ INLET 5'


TO BEAR S.89°50'10"E., DISTANCE OF 266.47 FEET, SAID LINE MONUMENTED AT THE NW CORNER OF SAID BLOCK 2 BY A

FOUND #3 REBAR (BENT) AND AT NE CORNER OF SAID BLOCK

# 3700 GAYLORD STREET SITE DEVELOPMENT PLAN

A PORTION OF THE NORTHEAST QUARTER (NE1/4) OF THE NORTHEAST QUARTER (NE1/4) OF SECTION 26, TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN IN THE CITY AND COUNTY OF DENVER, STATE OF COLORADO

ZONE DISTRICT U-SU-A1



@ 20 PSI RESIDUAL PRESSURE.

THIS FLOW MUST BE PROVIDED FROM A MINIMUM OF 3 FIRE

CODE USED FOR ANALYSIS: 2018 IFC W/ 2019 AMENDMENTS

CONSTRUCTION TYPE: V-A

MARTIN/MARTIN 12499 WEST COLFAX AVENUE, LAKEWOOD, COLORADO 80215 303.431.6100 MARTINMARTIN.COM

BASIS OF BEARINGS

EAST OF THE NORTH PCR.

**BENCHMARK** 

SHEET: 4 OF 17

SITE DEVELOPMENT PLAN

A PORTION OF THE NORTHEAST QUARTER (NE1/4) OF THE NORTHEAST QUARTER (NE1/4) OF SECTION 26,

TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN IN THE CITY AND COUNTY OF DENVER, STATE OF COLORADO

CORNER CURB LOCATED AT 3700 GAYLORD STREET RAMPS, RE: CIVIL CORNER SIGHT TRIANGLE, RE: CIVIL VEHICULAR SIGHT DRIVEWAY CUT AND — CORNER SIGHT TRIANGLE. RE: CIVIL PROPOSED TRIANGLE, RE: CIVIL STREETLIGHT, TYP. LOCATION AND ===+ — CORNER CURB RAMPS TO CURB RAMP TO DRIVE APRON **QUANTITY TO BE** VERIFIED BY XCEL STANDARD CONCRETE PAVING, TYP. FIBER OPTIC TRIANGLE, RE: CIVIL **UTILITY TO** REMAIN, RE - (23) CK CIVIL (11) AM2 -**BUS STOP** TYP. TO REMAIN WOOD MULCH WITH -STEEL EDGER ON EITHER SIDE, TYP. WATER LINE **COVERED PARKING** WITH SOLAR PANELS STAIRS WITH HANDRAIL — WATER QUALITY AREA, TYP. RE: CIVIL  $\aleph$ 0 (10) JG - $\vdash \mathsf{Z} \, \mathsf{G}$ **4 4 0** (93) MR2 - PROPOSED \_ ≥ \_ WATER AND <sub>m</sub> ⊃ <sup>m</sup> 1'-9" 2'-6" 8'-0" (41) PH-FIRE UTILITIES, RE: CIVIL (60) PV 

SURFACE PARKING LOTS	LANDSCAPE AREA	PLANTINGS	. — — —	ZONE LOT LINE
WITH:		REQUIRED		COVERED PARKING, RE: ARCH
21-100 PARKING SPACES		REQUIRED: 50% LIVE PLANT		SIGHT TRIANGLE
	REQUIRED: 5%	MATERIAL	4	STANDARD CONCRETE PAVING
	SHOWN: 53%	PROVIDED: 70%		BLUEGRASS TURF
		MATERIAL		CONTAINER PLANTING
				WET MEADOW SEED MIX
			+ + + + + + + + + + + + + + + + + + + +	NATIVE GRASS SEED MIX
				WOOD MULCH
				ROCK MULCH
				PARKING WALL
				PARKING LOT LIGHT, RE: ELEC
			1.1	BICYCLE RACKS, TYP.
			•	PROPOSED STREET LIGHT

**LEGEND** 

**EXISTING STREET LIGHT** 

INTERIOR SURFACE PARKING LOT LANDSCAPE ANALYSIS CHART

ASSOCIATES

LANDSCAPE

ARCHITECTURE & PLANNING

EXISTING UT	ILITY LEGEND
· — — — FD — — —	FIBER OPTIC
DHE	OVERHEAD ELECTRIC
E	ELECTRIC
G	NATURAL GAS
	SANITARY SEWER

		PERMITTED UP TO 50% G	ENUS	
ABV.	GENUS	SPECIES	QTY.	% GENUS
AS	ACER	SACCHARUM	8	33%
MA	MAACKIA	AMURENSIS	6	25%
QB2	QUERCUS	BICOLOR	4	17%
UL	ULMUS	JAPONICA	6	25%

### PLANTING LEGEND

TREES	QTY	BOTANICAL / COMMON NAME	SIZE
AS	8	ACER SACCHARUM / SUGAR MAPLE	2" CAL
AG	5	AMELANCHIER X GRANDIFLORA 'AUTUMN BRILLIANCE'/AUTUMN BRILLIANCE APPLE SERVICEBERRY	2" CAL
CI	7	CRATAEGUS CRUS-GALLI INERMIS/ THORNLESS COCKSPUR HAWTHORN	2" CAL
GS	6	GLEDITSIA TRIACANTHOS INERMIS 'SHADEMASTER' / SHADEMASTER HONEY LOCUST	2" CAL
MA	8	MAACKIA AMURENSIS / AMUR MAACKIA	2" CAL
MR	3	MALUS X `RADIANT` / RADIANT CRABAPPLE	2" CAL
PA	18	POPULUS X ACUMINATA / LANCELEAF POPLAR	2" CAL
PL	5	PYRUS CALLERYANA CHANTICLEER/ CHANTICLEER CALLERY PEAR	2" CAL
QB2	4	QUERCUS BICOLOR / SWAMP WHITE OAK	2" CAL
SR	5	SYRINGA RETICULATA/ JAPANESE TREE LILAC	2" CAL
UL	6	ULMUS JAPONICA X WILSONIANA `MORTON` TM / ACCOLADE ELM	2" CAL

I, (WE) THE UNDERSIGNED SHALL COMPLETE AND MAINTAIN THE LANDSCAPE IMPROVEMENTS SHOWN ON THIS PLAN AND SHALL COMPLY WITH THE GENERAL DESIGN STANDARDS, ARTICLE 10; DIVISION 10.5 OF THE DENVER ZONING CODE

#### PRINT NAME / DATE


#### OFFICE OF THE CITY FORESTER (OCF) STANDARD GENERAL PLAN NOTES:

- APPROVED THROUGHOUT CONSTRUCTION. NO ACCESS, CONSTRUCTION ACTIVITIES OR STORAGE OF CONSTRUCTION
- A. OCF-APPROVED TREE REMOVALS IN ROW OR PUBLIC PLACE BUILDING PERMITS OR PLAN APPROVALS AND MUST BE OBTAINED SEPARATELY FROM THE OCF. CONTACT THE OCF


- VERIFY CORRECT TREE SPECIES HAVE BEEN INSTALLED, TREES HAVE BEEN PLANTED AT PROPER DEPTH, AND ALL BURLAP, WIRE, AND ROPE HAS BEEN REMOVED FROM TREE ROOT BALLS. TREES PLANTED TOO DEEPLY MUST BE CORRECTED PER FORESTRY DIRECTION ROW TREE SPECIES THAT DEVIATE FROM APPROVED SDP MUST BE APPROVED BY OFFICE OF THE CITY FORESTER
- PROPOSED TREE PLANTING IN THE RIGHT-OF-WAY (ROW) OR PUBLIC SPACE SHALL BE PRE-APPROVED BY THE OFFICE OF THE CITY FORESTEI (OCF) AND SHALL BE A MINIMUM OF;
- A. 30' FROM OUTSIDE EDGE OF INTERSECTING CURBS FOR SIGHT TRIANGLE
- B. 20' FROM STOP SIGNS
- C. 25' FROM STREET LIGHTS
- D. 20' FROM PEDESTRIAN CURB RAMPS
- E. 10' FROM EDGE OF VEHICULAR DRIVE APRON AND HYDRANTS
- ALL PLANT MATERIAL SHALL MEET OR EXCEED CURRENT AMERICAN STANDARD FOR NURSERY STOCK ANSI Z60.1 AND THE COLORADO REQUIRED SOIL REMEDIATION WHEN REMOVING HARDSCAPE/CONCRETE/ASPHALT/PAVERS/ETC. TO PLANT TREES
- A. SOIL ANALYSIS. BULK DENSITY TESTING AND REMEDIATION REQUIRED WHEN REMOVING HARDSCAPE TO PLANT REES. INCLUDING BU NOT LIMITED TO CONCRETE, ASPHALT, PAVERS, BRICK
- DEEP SOIL ANALYSIS TO 24" DEPTH REQUIRED FROM CREDITED, LOCAL SOIL ANALYSIS LABORATORY WITH EXPERIENCE IN LOCAL
- II. ANALYSIS MUST DETERMINE SOIL TEXTURE AND TYPE, PH BALANCE, SOIL SALINITY, ORGAN MATTER (OM) PERCENTAGE, AND PLANT
- B. SOIL REMEDIATION REQUIRED BASED ON SOIL ANALYSIS. CONTACT THE OCF A MINIMUM OF FIVE (5) BUSINESS DAYS BEFORE COMMENCEMENT OF DEMOLITION AND/OR CONSTRUCTION ACTIVITY.

### LANDSCAPE NOTES


- IRRIGATION SYSTEM SHALL BE COMPLETED AND TESTED PRIOR TO COMMENCING PLANTING OPERATIONS.
- 2. THE CONTRACTOR SHALL SUPPLY ALL PLANTS IN QUANTITIES SUFFICIENT TO COMPLETE THE WORK SHOWN ON THE PLAN. SHOULD ANY DISCREPANCIES EXIST BETWEEN QUANTITIES SHOWN IN THE PLANT LIST AND THOSE SHOWN IN THE DRAWINGS, THE DRAWINGS SHALL TAKE PRECEDENCE.
- 3. CONTRACTOR SHALL FURNISH PLANT MATERIALS FREE OF PESTS OR PLANT DISEASES. PRESELECTED OR "TAGGED" MATERIAL MUST BE INSPECTED BY THE CONTRACTOR AND CERTIFIED PEST AND DISEASE FREE. IT IS THE CONTRACTOR'S OBLIGATION TO WARRANTY ALL PLANT MATERIALS PER THE SPECIFICATIONS.
- 4. CONTRACTOR SHALL RECEIVE APPROVAL OF GRADING FROM OWNER'S REPRESENTATIVE PRIOR TO COMMENCING SOIL PREP, PLANTING & SEEDING OPERATION.
- 5. REFER TO ARCHITECT'S AND STRUCTURAL ENGINEER'S DRAWINGS FOR PLANTING SETBACK REQUIREMENTS WHERE LANDSCAPE OCCURS ADJACENT TO BUILDING. ALL WATERPROOFING SHALL BE COMPLETED PRIOR TO THE INSTALLATION OF
- 6. ALL SOD AND NATIVE SEED AREAS SHALL RECEIVE SOIL PREP ACCORDING TO SPECS. ASSUME FULL COVERAGE OF ALL
- PLANTING AREAS PRIOR TO PLANTING. 7. ALL PLANTING AREAS TO RECEIVE 3" MIN. DEPTH SHREDDED CEDAR MULCH.
- 8. ALL LANDSCAPE AREAS SHALL BE IRRIGATED WITH UNDERGROUND AUTOMATIC IRRIGATION SYSTEM. TREES AND SHRUBS WILL BE IRRIGATED BY A SEPARATE ZONE FROM SOD/GRASS. THE IRRIGATION SYSTEM IS TO HAVE A RAIN SENSOR SHUTOFF
- 9. ALL PLANTING AREAS SHALL BE IRRIGATED WITH HEAD TO HEAD COVERAGE.
- 10. UPON COMPLETION, NO IRRIGATION TUBING SHALL BE VISIBLE WITHIN LANDSCAPE AREAS, PLANTERS OR POTS.
- 11. LANDSCAPE CONSTRUCTION TO BE CONCURRENT WITH ALL BUILDINGS.
- 12. PLUMB AND ORIENT PLANTS FOR BEST APPEARANCE.
- 13. ALL TREES TO BE PLANTED IN PUBLIC RIGHT OF WAY SHALL BE PLANTED PER DENVER FORESTRY SPECIFICATIONS. 14. SITE SHALL BE LANDSCAPED PRIOR TO ISSUANCE OF FINAL CERTIFICATE OF OCCUPANCY (CO) DURING THE GROWING SEASON
- OF APRIL 1ST TO OCTOBER 1ST, AT ALL OTHER TIMES THE INDIVIDUAL SITE SHALL BE LANDSCAPED WITHIN 45 (FORTY-FIVE) DAYS OF THE START OF THE FOLLOWING GROWING SEASON.



**AASHTO SIGHT TRIANGLE** NO ITEMS THAT ARE WIDER THAN 18" MAY BE TALLER THAN 30" WITHIN THIS TRIANGLE EXCEPT FOR STREET TREES AND TRAFFIC CONTROL DEVICES AND EQUIPMENT.



**CORNER SIGHT TRIANGLE** CORNER TRIANGLES HAVE A 30' LEG LOCATED AT THE EDGE OF EACH DRIVEWAY OR STREET FLOWLINE AND A 30' LEG LOCATED IN THE INTERSECTING STREETS FLOWLINE. CORNER TRIANGLES MUST BE FREE OF ALL ITEMS OVER 30" IN HEIGHT EXCEPT FOR TRAFFIC CONTROL DEVICES AND EQUIPMENT.



PEDESTRIAN SIGHT TRIANGLE THE PEDESTRIAN TRIANGLE HAS A 10' LEG LOCATED AT THE EDGE OF THE DRIVEWAY AND A 10' LEG LOCATED AT THE BACK OF THE SIDEWALK. NO ITEMS THAT ARE WIDER THAN 18 INCHES MAY BE TALLER THAN 30" WITHIN THIS TRIANGLE.

LANDSCAPE PLAN SHEET: 5 OF 17

A PORTION OF THE NORTHEAST QUARTER (NE1/4) OF THE NORTHEAST QUARTER (NE1/4) OF SECTION 26, TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN

I, (WE) THE UNDERSIGNED SHALL COMPLETE AND MAINTAIN THE LANDSCAPE IMPROVEMENTS SHOWN ON THIS PLAN AND SHALL COMPLY WITH THE GENERAL DESIGN STANDARDS, ARTICLE 10: DIVISION 10.5 OF THE DENVER ZONING CODE.

PRINT NAME / DATE



- EXISTING TREES REQUIRED TO BE PRESERVED IN ROW AND/OR PUBLIC SPACE SHALL BE PROTECT PER OCF STANDARDS AND PRACTICES. TREE PROTECTION SHALL BE INSTALLED PRIOR TO ISSUE OF DEMOLITION/BUILDING PERMIT, APPROVED BY THE OCF, AND SHALL REMAIN AS APPROVED THROUGHOUT CONSTRUCTION. NO ACCESS, CONSTRUCTION ACTIVITIES OR STORAGE OF CONSTRUCTION
- TREE CONTRACTORS VISIT WWW.DENVERGOV.ORG/FORESTRY
- A. OCF-APPROVED TREE REMOVALS IN ROW OR PUBLIC PLACE; I. TREE REMOVAL PERMIT ISSUED BY TGE OCF IS REQUIRED PRIOR TO REMOVAL. TREE REMOVAL PERMITS ARE NOT INCLUDED WITH BUILDING PERMITS OR PLAN APPROVALS AND MUST BE OBTAINED SEPARATELY FROM THE OCF. CONTACT THE OCF

- ALL ELECTRIC FIXTURES AND UTILITIES, INCLUDING BUT NOT LIMITED TO OUTLETS AND LIGHTS, SHALL BE LOCATED AT OUTSIDE PERIMETER
- VERIFY CORRECT TREE SPECIES HAVE BEEN INSTALLED, TREES HAVE BEEN PLANTED AT PROPER DEPTH, AND ALL BURLAP, WIRE, AND ROPE HAS BEEN REMOVED FROM TREE ROOT BALLS. TREES PLANTED TOO DEEPLY MUST BE CORRECTED PER FORESTRY DIRECTION
- ROW TREE SPECIES THAT DEVIATE FROM APPROVED SDP MUST BE APPROVED BY OFFICE OF THE CITY FORESTER. PROPOSED TREE PLANTING IN THE RIGHT-OF-WAY (ROW) OR PUBLIC SPACE SHALL BE PRE-APPROVED BY THE OFFICE OF THE CITY FORESTEI (OCF) AND SHALL BE A MINIMUM OF;
- A. 30' FROM OUTSIDE EDGE OF INTERSECTING CURBS FOR SIGHT TRIANGLE
- B. 20' FROM STOP SIGNS
- C. 25' FROM STREET LIGHTS
- D. 20' FROM PEDESTRIAN CURB RAMPS E. 10' FROM EDGE OF VEHICULAR DRIVE APRON AND HYDRANTS
- ALL PLANT MATERIAL SHALL MEET OR EXCEED CURRENT AMERICAN STANDARD FOR NURSERY STOCK ANSI Z60.1 AND THE COLORADO NURSERY ACT AND ACCOMPANYING RULES AND REGULATIONS.
- REQUIRED SOIL REMEDIATION WHEN REMOVING HARDSCAPE/CONCRETE/ASPHALT/PAVERS/ETC. TO PLANT TREES. A. SOIL ANALYSIS, BULK DENSITY TESTING AND REMEDIATION REQUIRED WHEN REMOVING HARDSCAPE TO PLANT REES, INCLUDING BUT
  - NOT LIMITED TO CONCRETE, ASPHALT, PAVERS, BRICK I. DEEP SOIL ANALYSIS TO 24" DEPTH REQUIRED FROM CREDITED, LOCAL SOIL ANALYSIS LABORATORY WITH EXPERIENCE IN LOCAL
  - II. ANALYSIS MUST DETERMINE SOIL TEXTURE AND TYPE, PH BALANCE, SOIL SALINITY, ORGAN MATTER (OM) PERCENTAGE, AND PLANT
- B. SOIL REMEDIATION REQUIRED BASED ON SOIL ANALYSIS.
- CONTACT THE OCF A MINIMUM OF FIVE (5) BUSINESS DAYS BEFORE COMMENCEMENT OF DEMOLITION AND/OR CONSTRUCTION ACTIVITY.

### LANDSCAPE NOTES

2" CAL


2" CAL

2" CAL


- IRRIGATION SYSTEM SHALL BE COMPLETED AND TESTED PRIOR TO COMMENCING PLANTING OPERATIONS.
- 2. THE CONTRACTOR SHALL SUPPLY ALL PLANTS IN QUANTITIES SUFFICIENT TO COMPLETE THE WORK SHOWN ON THE PLAN. SHOULD ANY DISCREPANCIES EXIST BETWEEN QUANTITIES SHOWN IN THE PLANT LIST AND THOSE SHOWN IN THE DRAWINGS, THE DRAWINGS SHALL TAKE PRECEDENCE. 3. CONTRACTOR SHALL FURNISH PLANT MATERIALS FREE OF PESTS OR PLANT DISEASES. PRESELECTED OR "TAGGED" MATERIAL
- MUST BE INSPECTED BY THE CONTRACTOR AND CERTIFIED PEST AND DISEASE FREE. IT IS THE CONTRACTOR'S OBLIGATION TO WARRANTY ALL PLANT MATERIALS PER THE SPECIFICATIONS.
- 4. CONTRACTOR SHALL RECEIVE APPROVAL OF GRADING FROM OWNER'S REPRESENTATIVE PRIOR TO COMMENCING SOIL PREP, PLANTING & SEEDING OPERATION.
- 5. REFER TO ARCHITECT'S AND STRUCTURAL ENGINEER'S DRAWINGS FOR PLANTING SETBACK REQUIREMENTS WHERE LANDSCAPE OCCURS ADJACENT TO BUILDING. ALL WATERPROOFING SHALL BE COMPLETED PRIOR TO THE INSTALLATION OF
- 6. ALL SOD AND NATIVE SEED AREAS SHALL RECEIVE SOIL PREP ACCORDING TO SPECS. ASSUME FULL COVERAGE OF ALL
- PLANTING AREAS PRIOR TO PLANTING. ALL PLANTING AREAS TO RECEIVE 3" MIN. DEPTH SHREDDED CEDAR MULCH.
- 8. ALL LANDSCAPE AREAS SHALL BE IRRIGATED WITH UNDERGROUND AUTOMATIC IRRIGATION SYSTEM. TREES AND SHRUBS WILL BE IRRIGATED BY A SEPARATE ZONE FROM SOD/GRASS. THE IRRIGATION SYSTEM IS TO HAVE A RAIN SENSOR SHUTOFF
- 9. ALL PLANTING AREAS SHALL BE IRRIGATED WITH HEAD TO HEAD COVERAGE
- 10. UPON COMPLETION, NO IRRIGATION TUBING SHALL BE VISIBLE WITHIN LANDSCAPE AREAS, PLANTERS OR POTS.
- 11. LANDSCAPE CONSTRUCTION TO BE CONCURRENT WITH ALL BUILDINGS.
- 12. PLUMB AND ORIENT PLANTS FOR BEST APPEARANCE

DAYS OF THE START OF THE FOLLOWING GROWING SEASON.


13. ALL TREES TO BE PLANTED IN PUBLIC RIGHT OF WAY SHALL BE PLANTED PER DENVER FORESTRY SPECIFICATIONS 14. SITE SHALL BE LANDSCAPED PRIOR TO ISSUANCE OF FINAL CERTIFICATE OF OCCUPANCY (CO) DURING THE GROWING SEASON OF APRIL 1ST TO OCTOBER 1ST, AT ALL OTHER TIMES THE INDIVIDUAL SITE SHALL BE LANDSCAPED WITHIN 45 (FORTY-FIVE)



**AASHTO SIGHT TRIANGLE** NO ITEMS THAT ARE WIDER THAN 18" MAY BE TALLER THAN 30" WITHIN THIS TRIANGLE EXCEPT FOR STREET TREES AND TRAFFIC CONTROL DEVICES AND EQUIPMENT.




**CORNER SIGHT TRIANGLE** CORNER TRIANGLES HAVE A 30' LEG LOCATED AT THE EDGE OF EACH DRIVEWAY OR STREET FLOWLINE AND A 30' LEG LOCATED IN THE INTERSECTING STREETS FLOWLINE. CORNER TRIANGLES MUST BE FREE OF ALL ITEMS OVER 30" IN HEIGHT EXCEPT FOR TRAFFIC CONTROL DEVICES AND EQUIPMENT.



PEDESTRIAN SIGHT TRIANGLE THE PEDESTRIAN TRIANGLE HAS A 10' LEG LOCATED AT THE EDGE OF THE DRIVEWAY AND A 10' LEG LOCATED AT THE BACK OF THE SIDEWALK. NO ITEMS THAT ARE WIDER THAN 18 INCHES MAY BE TALLER THAN 30" WITHIN THIS TRIANGLE.

LANDSCAPE PLAN



QB2

ASSOCIATES


LANDSCAPE


ARCHITECTURE & PLANNING QUERCUS BICOLOR / SWAMP WHITE OAK

SYRINGA RETICULATA/ JAPANESE TREE LILAC

ULMUS JAPONICA X WILSONIANA 'MORTON' TM / ACCOLADE ELM

A PORTION OF THE NORTHEAST QUARTER (NE1/4) OF THE NORTHEAST QUARTER (NE1/4) OF SECTION 26, TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN IN THE CITY AND COUNTY OF DENVER, STATE OF COLORADO LOCATED AT 3700 GAYLORD STREET






01 DECIDUOUS TREE PLANTING

ASSOCIATES LANDSCAPE

ARCHITECTURE

& PLANNING

02 BICYCLE RACK




LANDSCAPE DETAILS SHEET: 7 OF 17

### SITE DEVELOPMENT PLAN

A PORTION OF THE NORTHEAST QUARTER (NE1/4) OF THE NORTHEAST QUARTER (NE1/4) OF SECTION 26, TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN IN THE CITY AND COUNTY OF DENVER, STATE OF COLORADO

BLDG 05 - TRANSPARENCY ANALYSIS				
U-RX-5,	SHOPFRONT			
TRANSPARENCY ANALYSIS	REQUIRED (% & FT)	PROVIDED (% & FT)		
PRIMARY STREET -	40%	42%		
YORK STREET	-	-		
STREET FACING BUILDING FACADE LENGTH	257.1	345.77 FT		
GLAZING	138.3	144.3		
ALTERNATIVES	N/A	N/A		
SIDE STREET -	25%	44%		
37TH AVE.	-	-		
STREET FACING BUILDING FACADE LENGTH	N/A	57.02 FT		
GLAZING	14.25 FT	25 FT		
ALTERNATIVES	N/A	N/A		
SIDE STREET -	25%	44.8%		
38TH AVE.	-	-		
STREET FACING BUILDING FACADE LENGTH	N/A	70.02 FT		
GLAZING	17.5 FT	19.21 FT		
ALTERNATIVES	N/A	N/A		

40% REQUIRED TRANSPARENCY BASED ON RESIDENTIAL PRIMARY BUILDING USE. ALL OTHER SPACES ARE ACCESSORY TO RESIDENTIAL SPACE. PER LINE H, P5.3-25.





ARCHITECTURAL BUILDING ELEVATIONS - APARTMENTS

ALL PUBLIC AREAS, TYP.

ALL PUBLIC AREAS, TYP.


2019PM0000594 - MHM CLARA BROWN COMMONS


4 BLDG 05 ELEVATION - INTERIOR SIDE

## SITE DEVELOPMENT PLAN

A PORTION OF THE NORTHEAST QUARTER (NE1/4) OF THE NORTHEAST QUARTER (NE1/4) OF SECTION 26, TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN IN THE CITY AND COUNTY OF DENVER, STATE OF COLORADO LOCATED AT 3700 GAYLORD STREET

BLDG 01,02,03,04 - TRANSPARENCY ANALYSIS					
U-RX-3,	TOWN HOUSE				
TRANSPARENCY ANALYSIS	REQUIRED (% & FT)	PROVIDED (% & FT)			
PRIMARY STREET -	40%	42%			
GAYLORD STREET	-	-			
STREET FACING BUILDING FACADE LENGTH					
GLAZING					
ALTERNATIVES	N/A	13.1.6.3.a.5.C			
SIDE STREET -	25%	28.9%			
37TH AVE.	-	-			
STREET FACING BUILDING FACADE LENGTH	N/A	65.69FT			
GLAZING	16.4FT	19.0FT			
ALTERNATIVES	N/A	13.1.6.3.a.5.C			
SIDE STREET -	25%	26.9%			
38TH AVE.	-	-			
STREET FACING BUILDING FACADE LENGTH	N/A	37.14FT			
GLAZING	9.29FT	16.0FT			
ALTERNATIVES	N/A				





3 BLDG 01, 02, 03, 04 ELEVATION - 37TH AVE

1 BLDG 01, 02, 03, 04 ELEVATION - 38TH AVE





ARCHITECTURAL BUILDING ELEVATIONS - TOWNHOMES

SHEET: 9 OF 17

## SITE DEVELOPMENT PLAN

A PORTION OF THE NORTHEAST QUARTER (NE1/4) OF THE NORTHEAST QUARTER (NE1/4) OF SECTION 26, TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN IN THE CITY AND COUNTY OF DENVER, STATE OF COLORADO LOCATED AT 3700 GAYLORD STREET

BLDG 05 - BUILD-TO ANALYSIS					
U-RX-5, SHOPFRONT					
BUILD-TO ANALYSIS	REQUIRED (% & FT)	PROVIDED (% & FT)			
PRIMARY STREET - YORK S	STREET				
TOTAL BUILD-TO (MIN% WITHIN MIN/MAX)	70%	97.87%			
ZONE LOT STREET FRONTAGE LENGTH (FEET)	-	353.27 FT			
BUILDING LENGTH (THAT MEETS BUILD-TO) (FEET)	247.29 FT	345.76 FT			
ALTERNATIVES PROVIDED (LIST ALTERNATIVES HERE)	N/A	N/A			
TOTAL ACTIVE USE (OF MIN % OF BUILD-TO RQR'D)	100%	100%			
SIDE STREET - 37TH AVE	NUE	1			
TOTAL BUILD-TO (MIN% WITHIN MIN/MAX)	N/A	N/A			
SIDE STREET - 38TH AVE	NUE				
TOTAL BUILD-TO (MIN% WITHIN MIN/MAX)	N/A	N/A			

BLDG 05 - VEHICLE & BIKE PARKING						
U-RX-5						
VEHICLE (1 / UNIT)	REQUIRED	PROVIDED				
STANDARD	66	62				
COMPACT	0	4				
ACCESSIBLE	4	4				
BIKE (1 / 4 UNITS)	REQUIRED	PROVIDED				
ENCLOED (80%)	12	12				
FIXED (20%)	4	4				


	BIKE (1 / 4 UNITS)		REQUIRED	PROVI
ENCLOED (80%)			12	12
FIXED (20%)			4	4
				•
0000	FLOOD ADEA /l.	. 701111	10)	
GRUSS	FLOOR AREA (unde	r ZONIN	NG)	
LEVEL	NAME	Δ	REA	
LEVEL 1	LEVEL 1 RESIDENTIAL	15215 S	F	
LEVEL 1	AMENITY SPACE	5262 SF		

	•	,
LEVEL	NAME	AREA
LEVEL 1	LEVEL 1 RESIDENTIAL	15215 SF
LEVEL 1	AMENITY SPACE	5262 SF
LEVEL 1		20477 SF
LEVEL 2	LEVEL 2 RESIDENTIAL	15684 SF
LEVEL 2	RESIDENTIAL AMENITY	2761 SF
LEVEL 2		18445 SF
LEVEL 3	LEVEL 3 RESIDENTIAL	18207 SF
LEVEL 3	RESIDENTIAL AMENITY	676 SF
LEVEL 3		18883 SF
LEVEL 4	LEVEL 4 RESIDENTIAL	18207 SF
LEVEL 4	RESIDENTIAL AMENITY	676 SF
LEVEL 4		18883 SF
TOTAL GFA		76689 SF










ARCHITECTRUAL FLOOR PLANS - APARTMENTS SHEET: 10 OF 17

## SITE DEVELOPMENT PLAN

A PORTION OF THE NORTHEAST QUARTER (NE1/4) OF THE NORTHEAST QUARTER (NE1/4) OF SECTION 26, TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN IN THE CITY AND COUNTY OF DENVER, STATE OF COLORADO LOCATED AT 3700 GAYLORD STREET

LEVEL	NAME	AREA
LEVEL 1	LEVEL 1 RESIDENTIAL	15215 SF
LEVEL 1	AMENITY SPACE	5262 SF
EVEL 1		20477 SF
		T
LEVEL 2	LEVEL 2 RESIDENTIAL	15684 SF
LEVEL 2	RESIDENTIAL AMENITY	2761 SF
LEVEL 2		18445 SF
LEVEL 3	LEVEL 3 RESIDENTIAL	18207 SF
LEVEL 3	RESIDENTIAL AMENITY	676 SF
LEVEL 3		18883 SF
LEVEL 4	LEVEL 4 RESIDENTIAL	18207 SF
LEVEL 4	RESIDENTIAL AMENITY	676 SF
	TALSIDENTIAL AWENTT	
LEVEL 4 TOTAL GFA		18883 SF 76689 SF








1 BLDG 05 - LEVEL 3

ARCHITECTURAL FLOOR PLANS - APARTMENTS SHEET: 11 OF 17

A PORTION OF THE NORTHEAST QUARTER (NE1/4) OF THE NORTHEAST QUARTER (NE1/4) OF SECTION 26, TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN IN THE CITY AND COUNTY OF DENVER, STATE OF COLORADO LOCATED AT 3700 GAYLORD STREET

BLDG 01,02,03,04 - VEHICLE & BIKE PARKING							
U-RX-3							
VEHICLE (1 / UNIT)	REQUIRED	PROVIDE					
STANDARD	17	17					
COMPACT	0	0					
ACCESSIBLE	0	0					
BIKE (1 / 4 UNITS)	REQUIRED	PROVIDE					
ENCLOSED (80%)	5	17					
FIXED (20%)	0	0					

BLDG 01,02,03,04 - BUILD-TO ANALYSIS					
U-RX-3, TOWN HOUS	E				
BUILD-TO ANALYSIS	REQUIRED (% & FT)	PROVIDED (% & FT)			
PRIMARY STREET - GAYLORD S	TREET				
SETBACKS	10'	10'			
TOTAL BUILD-TO (MIN% WITHIN MIN/MAX)	70%	78.67%			
ZONE LOT STREET FRONTAGE LENGTH (FEET)	-	354.02			
BUILDING LENGTH (THAT MEETS BUILD-TO) (FEET)	247.81 FT	278.51 FT			
ALTERNATIVES PROVIDED (LIST ALTERNATIVES HERE)	N/A	N/A			
TOTAL ACTIVE USE (OF MIN % OF BUILD-TO RQR'D)	100%	100%			
SIDE STREET - 37TH AVENU	JE				
SETBACKS	7.5'	7.5'			
TOTAL BUILD-TO (MIN% WITHIN MIN/MAX)	N/A	N/A			
SIDE STREET - 38TH AVENU	JE				
SETBACKS	7.5'	7.5'			
TOTAL BUILD-TO (MIN% WITHIN MIN/MAX)	N/A	N/A			






1 BLDG 01,02,03,04 - LEVLE

ARCHITECTURAL FLOOR PLANS - TOWNHOMES

A PORTION OF THE NORTHEAST QUARTER (NE1/4) OF THE NORTHEAST QUARTER (NE1/4) OF SECTION 26, TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN IN THE CITY AND COUNTY OF DENVER, STATE OF COLORADO LOCATED AT 3700 GAYLORD STREET






ARCHITECTRUAL FLOOR PLANS - TOWNHOMES SHEET: 13 OF 17

## SITE DEVELOPMENT PLAN


A PORTION OF THE NORTHEAST QUARTER (NE1/4) OF THE NORTHEAST QUARTER (NE1/4) OF SECTION 26, TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN IN THE CITY AND COUNTY OF DENVER, STATE OF COLORADO LOCATED AT 3700 GAYLORD STREET





ROOF PLAN - APARTMENTS' SHEET: 14 OF 17


A PORTION OF THE NORTHEAST QUARTER (NE1/4) OF THE NORTHEAST QUARTER (NE1/4) OF SECTION 26, TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN IN THE CITY AND COUNTY OF DENVER, STATE OF COLORADO LOCATED AT 3700 GAYLORD STREET





ROOF PLAN - TOWNHOMES SHEET: 15 OF 17

A PORTION OF THE NORTHEAST QUARTER (NE1/4) OF THE NORTHEAST QUARTER (NE1/4) OF SECTION 26, TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN



SITE PHOTOMETRIC PLAN

GENERAL NOTES


(THIS SHEET)


- . NO SUBSTITUTIONS, ADDITIONS, OR CHANGES MAY BE MADE
- 2. PRIOR TO ISSUING A CERTIFICATE OF OCCUPANCY THE CITY MA REQUIRE CERTIFICATION THAT THE PROPERTY IS COMPLIANT WITH THE APPROVED PLANS AND THE REGULATIONS OF THE
- 8. ALL CALCULATIONS ARE DONE WITH A LIGHT LOSS FACTOR OF
- 4. ALL CALCULATIONS POINTS ARE AT GRADE
- 5. ANY PROPOSED LIGHT FIXTURES INSTALLED ON PRIVATE PROPERTY, ADJACENT TO THE RIGHT-OF-WAY, SHALL BE ORIENTED IN SUCH A MANNER OR LIMITED IN LUMEN OUTPUT TO PREVENT GLARE PROBLEMS AND SHALL NOT EXCEED NATIONAL IES LIGHTING STANDARDS FOR DISABILITY GLARE
- 6. ALL LUMINAIRES TO BE FULL CUTOFF.

SITE CALCULATIO	N STATIS	TICS:			
AREA	AVG (FC)	MAX (FC)	MIN (FC)	MAX/MIN	AVG/MIN
PROPERTY LINE	0.4	5.0	0.0	N/A	N/A
MAIN ENTRY	2.3	4.3	0.5	8.6:1	4.6:1
PARKING AREAS	2.0	4.6	0.5	9.2:1	4.0:1


PHOTOMETRIC PLAN SHEET: 16 OF 17

A PORTION OF THE NORTHEAST QUARTER (NE1/4) OF THE NORTHEAST QUARTER (NE1/4) OF SECTION 26, TYPE D TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE SIXTH PRINCIPAL MERIDIAN






TYPE WR



TYPE	DESCRIPTION	MANUFACTURER	CATALOG SERIES NUMBER	LAMPS	INPUT	LUMENS	VOLT	MOU	NTIN	G	NOTE
				(QTY) TYPE	VA			R	S	P V	<u>ــــــــــــــــــــــــــــــــــــ</u>
D	5" SURFACE-MOUNT LED DOWNLIGHT	CONTECH	SMTR5-30K-12D1-S	LED, 3000K	11	770	120		х		
G2	30' AREA LIGHT POLE WITH TYPE 2 DISTRIBUTION	BEACON	RAR2-480L-185-3K7-2-120-BLT-BC	LED, 3000K	185	24000	120		Х		
G4	30' AREA LIGHT POLE WITH TYPE 4 DISTRIBUTION	BEACON	RAR2-480L-185-3K7-4-120-BLT-BC	LED, 3000K	185	24000	120		х		-
2G4	30' 2-HEAD AREA LIGHT POLE WITH TYPE 4 DISTRIBUTION	BEACON	2-RAR2-480L-185-3K7-4-120-BLT-BC	LED, 3000K	185	24000	120		х		+
W	FULL-CUTOFF SCONCE	BEGA	33513-K3-SLV	LED, 3000K	2.1W	159	120		х	)	( +8'-0
WR	RESIDENTIAL SCONCE	OXYGEN	3-720-XX	LED, 3000K	12.4	529	120		х	>	( +7'-0



Type 4W Square Arm Bronze

Type 3 Square Arm Bronze

Type 4W Square Arm Bronze

4000K/70CRI 120-277V

4000K/70CRI 120-277V

RAR2-165-4K-3

RAR2-165-4K-4W



1-08B

### 2001204996 2001/12/04 13:33:46 1/ 4 EAS DENVER COUNTY CLERK AND RECORDER .00

.00 JCZ

**EASEMENT** 

#### KNOW ALL MEN BY THESE PRESENTS:

That Fred V. Himschoot, 599 Soda Creek Road, Highway 140, Idaho Springs, of the County of Clear Creek, State of Colorado, and Kimberly McBride, Trustee for the York Street Land Trust, P.O. Box 270032, Louisville, CO 80027, each of whom owns one half of the property subject to this easement, and each of whom are the fee owners of the remaining portion of the property subject to this easement hereinafter sometimes referred to collectively as "Grantor", for and in consideration of One Dollar (\$1.00), receipt of which is acknowledged, and the prospective benefits to be derived by reason of the presence of drainage facilities for water and sewage owned and maintained by the City and County of Denver located on or below lands owned by Grantor, as defined below, and other good and valuable considerations in hand paid, do hereby grant, convey and release to the CITY AND COUNTY OF DENVER, a municipal corporation of the State of Colorado, its successors and assigns, sometimes hereinafter referred to as the "City" or "Grantee", a non-exclusive and perpetual easement and right-of-way for drainage facilities for water and sewage across lands owned by Grantor, and situated in the City and County of Denver, State of Colorado "Easement".

Grantor hereby grants to Grantee the perpetual right to enter, re-enter and use the hereinafter described easement to locate, construct, inspect, operate, maintain, repair, remove, replace, relocate and reconstruct drainage facilities for water and sewage, including underground and surface facilities and appurtenances thereto, into, within, over, upon, across, through and under the parcel of land for which the easement and right-of-way is hereby granted, and said parcel of land is more particularly described as follows, to wit:

SEE EXHIBIT A ATTACHED AND INCORPORATED BY REFERENCE ("Easement Property").

The Grantor hereby warrants that Grantor has full right and lawful authority to make the grant herein contained and that Grantor has or will have fee simple title to the land over which said easement is granted. The interest granted to the City herein shall specifically include any after acquired rights of Grantor in the subject property, to the extent of the specified easement rights herein stated.

If ingress to and egress from the parcel of land for which an easement is hereby granted from and to a public road or highway is not available, the Grantor grants to Grantee the right of ingress to and egress from said parcel over and across the land owned by Grantor by means of roads and lanes thereon, if such exist, otherwise by such route or routes as shall occasion the least practicable damage and inconvenience to Grantor; provided that such right of ingress and egress shall not extend to any portion of said land which is isolated from the strip by any public road or highway now crossing or hereafter crossing said land; and provided further, that if any portion of said land is or shall be subdivided and dedicated roads or highways on such portion shall extend to the strip, the right of ingress and egress on that portion shall be confined to such dedicated roads and highways.

Grantee agrees that after Grantee's repair, maintenance, operation or improvement of any of the drainage facilities for water and sewage located within the Easement granted hereunder, Grantee shall restore, at its sole cost and expense, the surface of the Easement Property (and if applicable Grantor's immediately adjacent property) to the grade and condition it was in immediately prior to said construction, repair, and improvement which obligation shall include, the patching and resurfacing of any parking surface on a portion of the Easement Property and immediately surrounding parking surfaces to the extent the need for such patching and/or resurfacing is attributable to the construction or subsequent maintenance, repair, replacement or removal of the drainage facilities for water and sewage.

Grantor grants to Grantee the right from time to time to trim and to cut down and clear away any and all trees and brush now or hereafter on the strip and to trim and to cut down and clear away any trees on either side of the Easement Property which now or hereafter in the opinion of Grantee may be a hazard to the said facilities, or appurtenances thereto, or may interfere with the exercise of Grantee's rights hereunder; provided, however, that all trees which Grantee is hereby authorized to cut and remove, if

Bik. 2, Cheesman & Moffat's Addition

Project No. 2001-234

WMD No. 1317.02 SE

SAUTHER SEW.

AS TO FORM

valuable for timber or wood, shall continue to be the property of Grantor, but all tops, lops, brush and refuse wood shall be burned or removed by Grantee.

Grantor RESERVES for itself the right of ownership, use and occupancy of the Easement Property insofar as said ownership, use and occupancy do not interfere with the installation, construction, maintenance, repair, inspection and operation of said facilities installed or permitted to be installed by the City and County of Denver, and PROVIDING FURTHER that the Grantor shall not erect or place any building, tree or other obstruction on the above-described easement and right-of-way and the City shall not be liable for their removal if they are so placed, EXCEPT to the extent otherwise provided herein.

The Easement granted hereby is personal to the Grantee and shall not be assigned or transferred by the Grantee voluntarily, by operation of law, by merger or other corporate proceedings, or otherwise, in whole or in part, without the prior written consent of the Grantor. No written Grantor of any of the provisions shall deem consent by Grantor a waiver hereof, except to the extent of such consent.

This Easement contains all of the terms agreed upon by the parties with respect to the subject matter hereof. Any amendment or modification to this Easement shall be reduced to writing and executed by the parties hereto.

This Easement shall be governed by and construed in accordance with the laws of the State of Colorado.

This Grant shall extend to and be binding upon the successors and assigns of the respective parties hereto. The terms, covenants, agreements and conditions in this Grant shall be construed as covenants running with the land.

Signed and delivered this 17<sup>th</sup> day of August 2001. Grantor York Street Land Trust STATE OF COLORADO CITY AND COUNTY OF DENVER)

The foregoing instrument was acknowledged before me this 17th day of August, 2001, by Fred V. Himschoot and by Kimberly McBride, Trustee for the York Street Land Trust.

In Witness Whereof. My Commission Expires

(SEAL)

Bik. 2, Cheesman & Moffat's Addition

Project No. 2001-234

WMD No. 1317.02 SE

NE1/4, S26, T3S, R68W, 6TH. P.M.

#### LEGAL DESCRIPTION

A PARCEL OF LAND LOCATED IN THE NORTHEAST 1/4 OF SECTION 26, TOWNSHIP 3 SOUTH, RANGE 68 WEST OF THE 6TH P.M., ALSO BEING A PART OF BLOCK 2, CHEESMAN AND MOFFAT'S ADDITION TO THE CITY OF DENVER, CITY AND COUNTY OF DENVER, STATE OF COLORADO, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHEAST CORNER OF SAID BLOCK 2, THENCE ALONG THE SOUTH LINE OF SAID BLOCK 2, NORTH 90°00'00" WEST, A DISTANCE OF 125.12 FEET TO THE POINT OF BEGINNING.

THENCE CONTINUING ALONG SAID SOUTH LINE, NORTH 90'00'00" WEST, A DISTANCE OF 16.00 FEET:

DISTANCE OF 16.00 FEET; THENCE ALONG THE WEST LINE OF THE PLATTED ALLEY RIGHT OF WAY, NORTH 00°04'20" EAST, A DISTANCE OF 367.69 FEET;

THENCE ALONG THE NORTH LINE OF SAID BLOCK 2, SOUTH 89\*50'10" EAST, A DISTANCE OF 16.00 FEET;

THENCE ALONG THE EAST LINE OF THE PLATTED ALLEY; SOUTH 00°04'20" WEST, A DISTANCE OF 367.64 FEET TO THE POINT OF BEGINNING.

SAID PARCEL CONTAINS 5,882.63± SQUARE FEET.

BASIS OF BEARING IS THE SOUTH LINE OF BLOCK 2, CHEESMAN AND MOFFAT'S ADDITION TO THE CITY OF DENVER ASSUMED TO BEAR NORTH 90°00'00" WEST, AS MONUMENTED BY 4' DENVER RANGE LINE CROSSES.

					EXHI	BIT A	
0 NE G/6					ILLANS INC.	DB CUITE 200	
O ARIA CO	REVISED	HAR	8/27	8471 TURNPIKE DR. SUITE 200 WESTMINSTER, CO 80031			
X-√: //30098, / 2≥ 1	APPROVED				03-426-1731		
	CHECKED				OCK 2, CHEESMAN		
Co. B	DRAWN	HAR	7/10	1	FFAT'S ADDITION A		
ONAL LAND S	SURVEYED			Transport (ku-es)	NE1/4, S26, T3S,	R68W, (68-3-26.1)	
~~~	ACTION	BY	DATE	101004	2001-234	1317.02-SE	1 0 2

CITY AND COUNTY OF DENVER, DEPARTMENT OF PUBLIC WORKS, WASTEWATER MANAGEMENT DIVISION

NE1/4, S26, T3S, R68W, 6TH. P.M. 20 40 60 **38TH AVENUE** 16.00' S89'50'10"E LOT 1 LOT 30 80' 80' **ROW** ROW GAYLORD STREET POINT OF COMMENCEMENT 367.64 **LOT 16 LOT 15** <u>125.12</u>' N90'00'00"W 37TH AVENUE **EXHIBIT** A GILLANS INC. 8471 TURNPIKE DR. SUITE 200 REVISED HAR 8/27 WESTMINSTER, CO 80031 APPROVED 303-426-1731 CHECKED BLOCK 2, CHEESMAN AND MOFFAT'S ADDITION ALLEY VAC. HAR 7/10 DRAWN NE1/4, S26, T3S, R68W, (68-3-26.1) SURVEYED FLE NO. 1317.02—SE 2001-234 101004 DATE

CITY AND COUNTY OF DENVER, DEPARTMENT OF PUBLIC WORKS, WASTEWATER MANAGEMENT DIVISION



Department of Public Works Engineering, Regulatory, & Analytics

201 W. Colfax Ave., Dept. 507 Denver, Colorado 80202-5304 (720) 865-3003

denver.pwera@denvergov.org

Page 1 of 6

### **Clara Brown Commons Relinquishment**

**Review Phase:** 

10/26/2021

Location:

**Master ID:** 2019-PROJMSTR-0000594 **P1** 

**Project Type:** ROW

ROW Relinquisment

**Review ID:** 2021-RELINQ-0000025

**Review End Date:** 10/08/2021

Any denials listed below must be rectified in writing to this office before project approval is granted.

Reviewing Agency: Asset Management Review

3701 York St

Review Status: Approved

Reviewers Name: Katherine Rinehart

Reviewers Email: Katherine.Rinehart@denvergov.org

Status Date: 10/04/2021 Status: Approved

Comments:

Reviewing Agency: City Forester Review Review Review Status: Approved

Reviewers Name: Nick Evers

Reviewers Email: Nick.Evers@denvergov.org

Status Date: 10/08/2021 Status: Approved

Comments: Approved. No expected PRW tree conflict.

Reviewing Agency: Comcast Referral Review Status: Approved - No Response

Status Date: 10/11/2021

Status: Approved - No Response

Comments:

Reviewing Agency: Denver Water Referral Review Status: Approved

Status Date: 10/11/2021 Status: Approved

Comments: PWPRS Project Number: 2021-RELINQ-0000025 - Clara Brown Commons Relinquishment

Reviewing Agency/Company: Denver Water

Reviewers Name: Gina Begly Reviewers Phone: 303-628-6219

Reviewers Email: gina.begly@denverwater.org

Approval Status: Approved

Comments:

Reviewing Agency: Survey Review Review Review Status: Approved w/Conditions

Reviewers Name: Robert Castaneda

Reviewers Email: Robert.Castaneda@denvergov.org

Status Date: 10/26/2021

Status: Approved w/Conditions

Comments: PWPRS Project Number: 2021-RELINQ-0000025 - Clara Brown Commons Relinquishment

Page 2 of 6

### Clara Brown Commons Relinquishment

#### 10/26/2021

Master ID: 2019-PROJMSTR-0000594 Project Type: ROW Relinquisment

Review ID: 2021-RELINQ-0000025 Review Phase:

Location: 3701 York St Review End Date: 10/08/2021

#### Any denials listed below must be rectified in writing to this office before project approval is granted.

Reviewing Agency/Company: DOTI ROWS Survey

Reviewers Name: Scott Castaneda Reviewers Phone: 720-879-1937

Reviewers Email: robert.castaneda@denvergov.org Approval Status: Approved with conditions

Comments:

Review not needed of exhibit, per an email by Martin Plate:

For the ordinance when an entire easement is being relinquished, the CAO does not use a legal description. Here is an example of language from an ordinance where an entire easement was relinquished:

That the action of the Executive Director of the Department of Transportation and Infrastructure in relinquishing the easement reserved in Ordinance No. 20170153, Series of 2017, recorded with the Denver Clerk & Recorder at Reception No. 2017032202, be and the same is hereby approved and that the easement in the above-referenced recorded ordinance is hereby relinquished.

That language is followed by the ordinance signature page. We do the ordinances without a legal description because the City is giving up everything it received, so no legal description is necessary.

Status Date: 10/11/2021 Status: Denied

Comments: PWPRS Project Number: 2021-RELINQ-0000025 - Clara Brown Commons Relinquishment

Reviewing Agency/Company: DOTI ROWS Survey

Reviewers Name: Scott Castaneda Reviewers Phone: 720-879-1937

Reviewers Email: robert.castaneda@denvergov.org

Approval Status: Denied

Comments:

Project Name: 2021-RELINQ-0000025

Project Description: 2019PM0000594 MHM Clara Brown Commons Reviewed By: Scott Castaneda Robert.castaneda@denvergov.org

1. Submitted exhibit is in the form of a PNEE, which is a different document. For a relinquishment, the intent should be to relinquish the existing easement. Please reference the existing easement by reception number, and then using language like further described as, recite the legal description of the original easement.

Status Date: 10/08/2021 Status: Denied

Comments: Project Name: 2021-RELINQ-0000025

Project Description: 2019PM0000594 MHM Clara Brown Commons Reviewed By: Scott Castaneda Robert.castaneda@denvergov.org

1. Submitted exhibit is in the form of a PNEE, which is a different document. For a relinquishment, the intent should be to relinquish the existing easement. Please reference the existing easement by reception number, and then using language like further described as, recite the legal description of the original easement.

Reviewing Agency: Case Manager Review/Finalize

Review Status: Confirmation of Payment

Page 3 of 6

### Clara Brown Commons Relinquishment

10/26/2021

Master ID: 2019-PROJMSTR-0000594 Project Type: ROW Relinquisment

Review ID: 2021-RELINQ-0000025 Review Phase:

Location: 3701 York St Review End Date: 10/08/2021

Any denials listed below must be rectified in writing to this office before project approval is granted.

Reviewers Name: Jessica Eusebio

Reviewers Email: Jessica.Eusebio@denvergov.org

Status Date: 10/11/2021

Status: Confirmation of Payment

Comments:

Status Date: 10/11/2021

Status: Comments Compiled

Comments:

Reviewing Agency: Denver Fire Department Review Review Status: Approved

Reviewers Name: Richard Tenorio

Reviewers Email: Richard.Tenorio@denvergov.org

Status Date: 10/11/2021 Status: Approved

Comments: PWPRS Project Number: 2021-RELINQ-0000025 - Clara Brown Commons Relinquishment

Reviewing Agency/Company: Denver Fire Dept. / Fire Prevention Division

Reviewers Name: Rich Tenorio Reviewers Phone: 720.633.3222

Reviewers Email: richard.tenorio@denvergov.org

Approval Status: Approved

Comments:

Denver Fire Dept. Approved - RT

Status Date: 10/08/2021 Status: Approved

Comments: Denver Fire Dept. Approved - RT

Reviewing Agency: Landmark Review Review Status: Approved - No Response

Reviewers Name: Becca Dierschow

Reviewers Email: Becca.Dierschow@denvergov.org

Status Date: 10/11/2021

Status: Approved - No Response

Comments:

Reviewing Agency: Metro Wastewater Referral Review Status: Approved - No Response

Status Date: 10/11/2021

Status: Approved - No Response

Comments:

Reviewing Agency: Office of Emergency Management Referral Review Status: Approved - No Response

Status Date: 10/11/2021

Status: Approved - No Response

Page 4 of 6

### Clara Brown Commons Relinquishment

10/26/2021

Master ID: 2019-PROJMSTR-0000594 Project Type: ROW Relinquisment

Review ID: 2021-RELINQ-0000025 Review Phase:

Location: 3701 York St Review End Date: 10/08/2021

Any denials listed below must be rectified in writing to this office before project approval is granted.

Comments:

Reviewing Agency: Office of Emergency Management Referral Review Status: Approved - No Response

Status Date: 10/11/2021

Status: Approved - No Response

Comments:

Reviewing Agency: Parks and Recreation Review Review Status: Approved

Reviewers Name: Greg Neitzke

Reviewers Email: Greg.Neitzke@denvergov.org

Status Date: 09/22/2021 Status: Approved

Comments:

Reviewing Agency: Construction Engineering Review Review Review Status: Approved

Reviewers Name: Matthew Schwindt

Reviewers Email: Matthew.Schwindt@denvergov.org

Status Date: 10/08/2021 Status: Approved

Comments:

Reviewing Agency: Policy and Planning Review Review Status: Approved - No Response

Reviewers Name: Emily Gloeckner

Reviewers Email: Emily.Gloeckner@denvergov.org

Status Date: 10/11/2021

Status: Approved - No Response

Comments:

Reviewing Agency: TES Sign and Stripe Review Review Review Status: Approved - No Response

Reviewers Name: Brittany Price

Reviewers Email: Brittany.Price@denvergov.org

Status Date: 10/11/2021

Status: Approved - No Response

Comments:

Reviewing Agency: CenturyLink Referral Review Status: Approved

Status Date: 10/11/2021 Status: Approved

Comments: PWPRS Project Number: 2021-RELINQ-0000025 - Clara Brown Commons Relinquishment

Reviewing Agency/Company: CenturyLink

Reviewers Name: LISA A GALLEGOS-THOMPSON

Page 5 of 6

### Clara Brown Commons Relinquishment

10/26/2021

Master ID: 2019-PROJMSTR-0000594 Project Type: ROW Relinquisment

**Review ID:** 2021-RELINQ-0000025 **Review Phase:** 

**Location:** 3701 York St Review End Date: 10/08/2021

Any denials listed below must be rectified in writing to this office before project approval is granted.

Reviewers Phone: 4064430583

Reviewers Email: lagallegos@yahoo.com

Approval Status: Approved

Comments:

Attachment: Vacate City of Denver Jessica Eusebio.pdf REDLINES uploaded to E-review webpage

Reviewing Agency: Xcel Referral Review Status: Approved

Status Date: 10/11/2021 Status: Approved

Comments: PWPRS Project Number: 2021-RELINQ-0000025 - Clara Brown Commons Relinquishment

Reviewing Agency/Company: Public Service Company of Colorado (PSCo) dba Xcel Energy

Reviewers Phone: 303-571-3306

Reviewers Email: donna.l.george@xcelenergy.com

Approval Status: Approved

Comments:

Reviewing Agency: City Councilperson and Aides Referral Review Status: Approved - No Response

Status Date: 10/11/2021

Status: Approved - No Response

Comments:

Reviewing Agency: DS Project Coordinator Review Review Review Status: Approved w/Conditions

Reviewers Name: Sarah Kaplan

Reviewers Email: Sarah.Kaplan@denvergov.org

Status Date: 10/11/2021

Status: Approved w/Conditions

Comments: PWPRS Project Number: 2021-RELINQ-0000025 - Clara Brown Commons Relinquishment

Reviewing Agency/Company: Development Services, CPD

Reviewers Name: Sarah Kaplan Reviewers Phone: 7208652991

Reviewers Email: sarah.kaplan@denvergov.org Approval Status: Approved with conditions

Comments:

2019PM0000594 SDP is currently in review and not yet approved. Easement RELINQ is approved by Project Coordinator but

this approval does not constitute SDP Plan Set approval. Please identify RELINQ where required with SDP Plan Set.

Reviewing Agency: DES Transportation Review Review Status: Approved

Reviewers Name: Matt Farmen

Reviewers Email: Matt.Farmen@denvergov.org

Page 6 of 6

### Clara Brown Commons Relinquishment

10/26/2021

Master ID: 2019-PROJMSTR-0000594 Project Type: ROW Relinquisment

Review ID: 2021-RELINQ-0000025 Review Phase:

**Location:** 3701 York St Review End Date: 10/08/2021

Any denials listed below must be rectified in writing to this office before project approval is granted.

Status Date: 10/01/2021 Status: Approved

Comments:

Reviewing Agency: DES Wastewater Review Review Status: Approved

Reviewers Name: Kelsey Kijowski

Reviewers Email: Kelsey.Kijowski@denvergov.org

Status Date: 09/24/2021 Status: Approved

Comments:

Reviewing Agency: RTD Referral Review Status: Approved

Status Date: 10/11/2021 Status: Approved

Comments: PWPRS Project Number: 2021-RELINQ-0000025 - Clara Brown Commons Relinquishment

Reviewing Agency/Company: RTD Reviewers Name: Clayton Scott Woodruff

Reviewers Phone: 3032992943

Reviewers Email: clayton.woodruff@rtd-denver.com

Approval Status: Approved

Comments:

Reviewing Agency: CDOT Referral Review Status: Approved - No Response

Status Date: 10/11/2021

Status: Approved - No Response

Comments: