1	1 BY AUTHORITY		
2	RESOLUTION NO. CR18-0375	COMMITTEE OF REFERENCE:	
3	SERIES OF 2018	and Use, Transportation & Infrastructure	
4	A RESOLUTION		
5	Accepting and approving the plat of Stapleton Filing No. 54.		
6	WHEREAS, the property owners of the following described land, territory or real property		
7	situate, lying and being in the City and County of Denver, State of Colorado, to wit:		
8 9 10	A part of Section 10, Township 3 South, Range 67 West of the Sixth Principal Meridian, City and County of Denver, State of Colorado, more particularly described as follows:		
11 12 13 14 15 16	<b>COMMENCING</b> at the South Quarter Corner of said Section 10; thence North 85°37'50" West a distance of 888.69 feet to the southeast corner of Stapleton Filing No. 49 as recorded at Reception Number 2016106705 in the Clerk and Recorder's Office of said City and County of Denver, also being a point on the southerly line of Parcel TK-9A (LA-9A) described at Reception Number 2010075685 in said Clerk and Recorder's Office and the <b>POINT</b> <b>OF BEGINNING</b> ;		
<ol> <li>17</li> <li>18</li> <li>19</li> <li>20</li> <li>21</li> <li>22</li> <li>23</li> </ol>	<ul> <li>thence along the easterly line of said Stapleton Filing No.</li> <li>1. along the arc of a curve to the right having a radius 11°13'38", an arc length of 6.66 feet and whose ch distance of 6.65 feet;</li> <li>2. North 00°15'25" West a distance of 142.52 feet to</li> </ul>	s of 34.00 feet, a central angle of hord bears North 05°52'14" West a a point of curve;	
24 25 26 27 28 29	<ul> <li>5°15'25", an arc length of 43.95 feet and whose ch distance of 43.93 feet;</li> <li>4. North 05°00'00" East a distance of 348.72 feet to a 5. along the arc of a curve to the right having a radius 24°13'34", an arc length of 321.77 feet and whose</li> </ul>	hord bears North 02°22'18" East a a point of curve; s of 761.00 feet, a central angle of	
30 31 32 33	<ul> <li>6. North 29°13'34" East a distance of 87.85 feet;</li> <li>7. South 60°46'26" East a distance of 22.00 feet;</li> <li>8. North 29°13'34" East a distance of 38.00 feet;</li> <li>9. North 60°46'26" West a distance of 27.03 feet to a</li> </ul>		
34 35 36 37	32°15′52", an arc length of 1191.56 feet and whos distance of 1175.88 feet;		
38 39 40	12. North 89°44'35" East a distance of 17.88 feet; 13. North 04°02'14" West a distance of 38.08 feet; 14. South 89°44'35" West a distance of 20.77 feet;	point of non-tongent out to	
41 42 43 44	16.along the arc of a curve to the left having a radius 20°32'10", an arc length of 758.42 feet and whose	of 2116.00 feet, a central angle of	
	1		

- 1 17. North 19°11'40" East a distance of 3.18 feet;
- 2 18. North 64°11'40" East a distance of 21.62 feet;
- 3 19. North 25°48'20" West a distance of 32.00 feet;
- 4 20. South 64°11'40" West a distance of 21.62 feet;
- 5 21. North 70°48'20" West a distance of 1.75 feet to a point of non-tangent curve;
- 6 22. along the arc of a curve to the left having a radius of 2117.00 feet, a central angle of
   0°02'52", an arc length of 1.76 feet and whose chord bears North 26°17'45" West a
   distance of 1.76 feet;
- 10 thence North 64°11'40" East a distance of 88.49 feet to a point of curve;
- 11 thence along the arc of a curve to the left having a radius of 481.00 feet, a central angle of
- 12 24°30'52", an arc length of 205.80 feet and whose chord bears North 51°56'14" East a distance of 13 204.23 feet to a point of reverse curve;
- 14 thence along the arc of a curve to the right having a radius of 1019.00 feet, a central angle of
- 15 17°13'48", an arc length of 306.44 feet and whose chord bears North 48°17'42" East a distance of 305.28 feet;
- 17 thence North 16°43'37" East a distance of 0.84 feet to a point of non-tangent curve;
- thence along the arc of a curve to the left having a radius of 2879.00 feet, a central angle of
- 19 0°28'16", an arc length of 23.67 feet and whose chord bears North 29°33'13" West a distance of 20 23.67 feet;
- thence North 58°04'30" East a distance of 42.03 feet to a point of non-tangent curve;
- thence along the arc of a curve to the right having a radius of 2921.00 feet, a central angle of
- 23 0°12'57", an arc length of 11.01 feet and whose chord bears South 29°42'43" East a distance of 24 11.01 feet:
- thence North 58°04'30" East a distance of 173.95 feet to a point of curve;
- thence along the arc of a curve to the right having a radius of 1832.00 feet, a central angle of
- 17°15'07", an arc length of 551.62 feet and whose chord bears North 66°42'04" East a distance of 549.54 feet;
- thence North 10°05'03" West a distance of 11.04 feet to a point of non-tangent curve;
- 30 thence along the arc of a curve to the right having a radius of 1843.00 feet, a central angle of
- 1°18'32", an arc length of 42.10 feet and whose chord bears North 76°00'32" East a distance of
  42.10 feet;
- thence South 10°05'03" East a distance of 9.01 feet to a point of non-tangent curve;
- 34 thence along the arc of a curve to the right having a radius of 1834.00 feet, a central angle of
- 10°12'57", an arc length of 327.00 feet and whose chord bears North 81°45'19" East a distance of
   326.57 feet;
- 37 thence North 00°33'08" West a distance of 9.01 feet to a point of non-tangent curve;
- thence along the arc of a curve to the right having a radius of 1843.00 feet, a central angle of
- <sup>39</sup> 1°51'58", an arc length of 60.03 feet and whose chord bears North 87°48'32" East a distance of
- 40 60.02 feet;

9

- 41 thence South 00°33'08" East a distance of 9.00 feet to a point of non-tangent curve;
- 42 thence along the arc of a curve to the right having a radius of 1834.00 feet, a central angle of
- 8°08'36", an arc length of 260.67 feet and whose chord bears South 87°11'23" East a distance of
  260.45 feet;
- 45 thence South 83°07'05" East a distance of 43.37 feet;
- 46 thence North 00°33'08" West a distance of 9.08 feet;
- 47 thence South 83°07'05" East a distance of 42.36 feet;
- 48 thence South 00°33'08" East a distance of 13.11 feet;
- 49 thence South 83°07'05" East a distance of 612.20 feet;
- 50 thence North 00°33'08" West a distance of 13.11 feet;

- 1 thence South 83°07'05" East a distance of 32.27 feet;
- 2 thence South 00°33'08" East a distance of 13.11 feet;
- 3 thence South 83°07'05" East a distance of 547.83 feet;
- 4 thence North 00°33'08" West a distance of 13.11 feet;
- 5 thence South 83°07'05" East a distance of 34.29 feet;
- 6 thence South 00°33'08" East a distance of 13.11 feet;
- 7 thence South 83°07'05" East a distance of 50.43 feet to a point 50.00 feet westerly of the easterly
- 8 line of the Northeast Quarter of said Section 10;
- 9 thence South 00°33'08" East, parallel with and 50.00 feet westerly of said easterly line of the
- Northeast Quarter of Section 10, a distance of 903.32 feet to a point 50.00 feet westerly of the
   easterly line of the Southeast Quarter of said Section 10;
- 12 thence South 00°32'36" East, parallel with and 50.00 feet westerly of said easterly line of the
- 13 Southeast Quarter of Section 10, a distance of 2554.80 feet to the southeast corner of TK-13B
- 14 (LA-13B Rev) described at Reception Number 2010075685 in said Clerk and Recorder's Office;
- thence along the southerly line of said TK-13B (LA-13B Rev) described at Reception Number
   2010075685 the following three (3) courses:
  - 1. South 89°29'45" West a distance of 169.61 feet;
  - 2. South 00°30'17" East a distance of 10.38 feet;
- South 88°51'45" West a distance of 331.16 feet to the southwest corner of TK-13B (LA-13B
   Rev) described at Reception Number 2010075685, also being a point on the easterly line of
   a parcel of land described at Reception Number 2007195495 in said Clerk and Recorder's
   Office.
- 22

26

27

28 29

33

36

37

38

39

43

44

45

17

18

thence along said easterly, northerly and westerly lines of a parcel of land described at Reception
 Number 2007195495 the following three (3) courses:

- 1. North 01°00'04" West a distance of 14.04 feet;
- 2. South 89°29'45" West a distance of 100.00 feet;
- 3. South 01°00'04" East a distance of 15.15 feet to the southeast corner of TK-13C (LA-13
  - REV. 3) described at Reception Number 2010075685 in said Clerk and Recorder's Office;
- thence South 88°51'45" West a distance of 4.24 feet to the southeast corner of Stapleton Filing
  No. 52 recorded at Reception Number 2017085094 in said Clerk and Recorder's Office;
- thence along the easterly, northerly and westerly lines of said Stapleton Filing No. 52 the following
   fourteen (14) courses:
  - 1. North 31°26'24" West a distance of 11.74 feet;
  - 2. North 00°18'44" West a distance of 485.07 feet;
  - 3. North 02°05'10" West a distance of 64.61 feet;
  - 4. North 78°08'17" West a distance of 65.47 feet to a point of curve;
- 40 5. along the arc of a curve to the right having a radius of 466.00 feet, a central angle of
  41 21°55'46", an arc length of 178.36 feet and whose chord bears North 64°54'06" West a
  42 distance of 177.27 feet to a point of reverse curve;
  - along the arc of a curve to the left having a radius of 534.00 feet, a central angle of 71°22'55", an arc length of 665.28 feet and whose chord bears North 89°37'40" West a distance of 623.09 feet to a point of reverse curve;
- 46
  7. along the arc of a curve to the right having a radius of 566.00 feet, a central angle of
  47
  48
  48
  48
  48
  48
  49
  49
  40
  40
  40
  41
  41
  42
  43
  44
  44
  44
  45
  46
  47
  48
  48
  48
  48
  48
  48
  49
  49
  40
  40
  41
  41
  42
  43
  44
  44
  44
  45
  46
  47
  47
  48
  48
  48
  48
  48
  48
  48
  48
  49
  49
  49
  40
  40
  41
  41
  41
  42
  42
  43
  44
  44
  44
  45
  46
  47
  47
  48
  48
  48
  48
  48
  48
  49
  49
  49
  40
  40
  41
  41
  41
  42
  43
  44
  44
  44
  44
  44
  45
  46
  47
  47
  47
  48
  48
  48
  49
  49
  49
  49
  49
  40
  40
  41
  41
  41
  42
  44
  44
  44
  44
  44
  45
  46
  46
  47
  47
  48
  48
  48
  48
  48
  49
  49
  49
  49
  40
  40
  41
  41
  41
  42
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44
  44</
- 49 8. South 71°14'44" West a distance of 47.62 feet;
- 50 9. South 13°09'10" East a distance of 138.48 feet to a point of curve;

- 10. along the arc of a curve to the right having a radius of 566.00 feet, a central angle of
   12°36'01", an arc length of 124.47 feet and whose chord bears South 06°51'09" East a
   distance of 124.22 feet;
- 4 11. South 00°33'08" East a distance of 192.04 feet;
- 5 12. South 43°25'53" East a distance of 19.10 feet;
- 6 13. South 00°33'08" East a distance of 104.31 feet;
- 7 14. South 10°14'06" West a distance of 12.73 feet to a point on the southerly line of said Parcel
   8 TK-13C (LA-13 Rev. 3) described at Reception Number 2010075685;
   9

thence South 89°29'45" West, along said southerly line of Parcel TK-13C (LA-13 Rev. 3), a
distance of 1854.12 feet to the **POINT OF BEGINNING**.

12

13 Containing 10,417,234 square feet or 239.147 acres, more or less.

BASIS OF BEARING: Bearings are based on the south line of the Southeast Quarter of Section
10, Township 3 South, Range 67 West of the Sixth Principal Meridian, City and County of Denver,
State of Colorado, bearing North 89°29'45" East based on NAD 83/92 Colorado Central Zone
State Plane Coordinates. The South Quarter Corner of said Section 10 is a found 3-1/4" aluminum
Cap in a Monument Box Stamped: PLS 27936. The Southeast Corner of said Section 10 is a
found 3-1/4" aluminum Cap in a Monument Box Stamped ZBS INC PLS 11434.

21

propose to lay out, plat and subdivide said land, territory or real property into blocks, lots and tracts, and have submitted to the Council of the City and County of Denver a plat of such proposed subdivision under the name and style aforesaid, showing the adjacent streets and platted territory,

accompanied by a certificate of title from the attorney for the City and County of Denver; and

WHEREAS, said subdivision was surveyed by or under the direction of the City Engineer of the City and County of Denver and said City Engineer has certified as to the accuracy of said survey and said plat or map and their conformity with the requirements of Chapter 49, Article III of the Revised Municipal Code of the City and County of Denver, and said plat has been approved by the City Engineer, the Executive Director of Community Planning and Development, the Executive Director of Public Works and the Executive Director of Parks and Recreation:

## 32 BE IT RESOLVED BY THE COUNCIL OF THE CITY AND COUNTY OF DENVER:

33 **Section 1**. That the Council hereby finds and determines that said land, territory, or real 34 property has been platted in strict conformity with the requirements of the Charter of the City and 35 County of Denver.

Section 2. That the said plat or map of Stapleton Filing No. 54 be and the same are hereby
 accepted by the Council of the City and County of Denver.

- 38
- 39

1	COMMITTEE APPROVAL DATE: April 17, 2018 by Consent	
2	MAYOR-COUNCIL DATE: April 24, 2018	
3	PASSED BY THE COUNCIL: April 30, 2018	
4	- Alm Back F	PRESIDENT
5 6 7 8	Ε	CLERK AND RECORDER, EX-OFFICIO CLERK OF THE CITY AND COUNTY OF DENVER
8 9	PREPARED BY: Bradley A. Beck, Assistant City Attorn	ey DATE: April 26, 2018
10 11 12 13 14	Pursuant to section 13-12, D.R.M.C., this proposed resolution has been reviewed by the office of the City Attorney. We find no irregularity as to form, and have no legal objection to the proposed resolution. The proposed resolution is not submitted to the City Council for approval pursuant to § 3.2.6 of the Charter.	
15	Kristin M. Bronson, Denver City Attorney	
16	BY:, Assistant City Attorney	DATE: <u>Apr 26, 2018</u>