1	BY AUTHORITY				
2	ORDINANCE NO COUNCIL BILL NO. CB18-0424				
3	SERIES OF 2018 COMMITTEE OF REFERENCE:				
4	Land Use, Transportation & Infrastructure				
5	<u>A BILL</u>				
6 7	For an ordinance changing the zoning classification for approximately 9701 East 56th Avenue in Stapleton.				
8	WHEREAS, the City Council has determined, based on evidence and testimony presented				
9	at the public hearing, that the map amendment set forth below conforms with applicable City laws,				
10	is consistent with the City's adopted plans, furthers the public health, safety and general welfare of				
11	the City, will result in regulations and restrictions that are uniform within the M-RX-5 district, is				
12	justified by one of the circumstances set forth in Section 12.4.10.8 of the Denver Zoning Code, and				
13	is consistent with the neighborhood context and the stated purpose and intent of the proposed zone				
14	district;				
15	NOW THEREFORE, BE IT ENACTED BY THE COUNCIL OF THE CITY AND COUNTY OF				
16	DENVER:				
17	Section 1. That upon consideration of a change in the zoning classification of the land area				
18	hereinafter described, Council finds:				
19	a. The land area hereinafter described is presently classified as M-RH-3 and OS-B.				
20	b. It is proposed that the land area hereinafter described be changed to M-RX-5.				
21	Section 2. That the zoning classification of the land area in the City and County of Denver				
22	described as follows as depicted on Exhibit A shall be and hereby is changed from M-RH-3 and				
23	OS-B to M-RX-5:				
24	Legal Description				
25	PARCEL 1				
26 27 28 29 30 31 32 33	A PARCEL OF LAND LOCATED IN SECTION 10, TOWNSHIP 3 SOUTH, RANGE 67 WEST OF THE 6TH PRINCIPAL MERIDIAN, CITY AND COUNTY OF DENVER, STATE OF COLORADO, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS, WITH BEARINGS REFERENCED TO THE EAST LINE OF THE SOUTHEAST ONE-QUARTER OF SAID SECTION 10, BEING MONUMENTED ON THE NORTH END BY A FOUND 3-1/4" ALUMINUM CAP IN A RANGE BOX, STAMPED "ZBS INC", "PLS 11434", "1991" AND ON THE SOUTH END BY A FOUND 3-1/4" ALUMINUM CAP IN A RANGE BOX, STAMPED "ZBS INC", "PLS 11434", "1991", ASSUMED TO BEAR SOUTH 00°32'23" EAST, A DISTANCE OF 2,654.84 FEET;				
34 35	BEGIN AT THE NORTH END OF SAID EAST LINE OF THE SOUTHEAST ONE-QUARTER OF SAID SECTION 10;				
36 37 38	THENCE SOUTH 00°32′23″ EAST, ALONG SAID EAST LINE, A DISTANCE OF 2,654.84 FEET, TO THE SOUTHEAST CORNER OF SAID SECTION 10;				

THENCE SOUTH 89°29'45" WEST, ALONG THE SOUTH LINE OF SAID SECTION 10, A DISTANCE OF 2,648.62 FEET; THENCE NORTH 00°33'08" WEST A DISTANCE OF 222.47 FEET; THENCE NORTH 89°26'52" EAST A DISTANCE OF 2,255.33 FEET TO A 200.00 FOOT RADIUS TANGENT CURVE WHOSE CENTER BEARS NORTHERLY; THENCE NORTHEASTERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 86°26'16" AN ARC DISTANCE OF 301.73 FEET; THENCE NORTH 03°00'35" EAST A DISTANCE OF 1,196.89 FEET TO A 1,500.00 FOOT RADIUS TANGENT CURVE WHOSE CENTER BEARS WESTERLY; THENCE NORTHERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 03°33'43" AN ARC DISTANCE OF 93.25 FEET; THENCE NORTH 00°33'08" WEST A DISTANCE OF 108.37 FEET TO A 200.00 FOOT RADIUS TANGENT CURVE WHOSE CENTER BEARS WESTERLY; THENCE NORTHERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 18°57'57" AN ARC DISTANCE OF 66.20 FEET: THENCE NORTH 19°31'05" WEST A DISTANCE OF 211.15 FEET TO A 400.00 FOOT RADIUS TANGENT CURVE WHOSE CENTER BEARS EASTERLY; THENCE NORTHERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 37°55'53" AN ARC DISTANCE OF 264.81 FEET; THENCE NORTH 18°24'48" EAST A DISTANCE OF 211.16 FEET TO A 200.00 FOOT RADIUS TANGENT CURVE WHOSE CENTER BEARS WESTERLY: THENCE NORTHERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 18°57'56" AN ARC DISTANCE OF 66.20 FEET; THENCE NORTH 00°33'09" WEST A DISTANCE OF 837.30 FEET: THENCE SOUTH 89°26'52" WEST A DISTANCE OF 1,220.27 FEET; THENCE NORTH 00°33'08" WEST A DISTANCE OF 137.00 FEET; THENCE SOUTH 89°26'52" WEST A DISTANCE OF 708.90 FEET TO A 500.00 FOOT RADIUS NON-TANGENT CURVE WHOSE CENTER BEARS SOUTH 86°00'05" WEST; THENCE SOUTHERLY, ALONG SAID NON-TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 03°26'47" AN ARC DISTANCE OF 30.07 FEET; THENCE SOUTH 00°33'08" EAST A DISTANCE OF 106.94 FEET; THENCE SOUTH 89°26'52" WEST A DISTANCE OF 39.69 FEET TO A 500.00 FOOT RADIUS TANGENT CURVE WHOSE CENTER BEARS SOUTHERLY; THENCE WESTERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 27°26'32" AN ARC DISTANCE OF 239.48 FEET; THENCE SOUTH 62°00'20" WEST A DISTANCE OF 393.43 FEET;

THENCE NORTH 27°13'07" WEST A DISTANCE OF 175.67 FEET; THENCE NORTH 58°04'30" EAST A DISTANCE OF 196.45 FEET TO A 1,800.00 FOOT RADIUS TANGENT CURVE WHOSE CENTER BEARS SOUTHEASTERLY; THENCE EASTERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 38°48'25" AN ARC DISTANCE OF 1,219.16 FEET; THENCE SOUTH 83°07'05" EAST A DISTANCE OF 1,299.60 FEET; THENCE NORTH 00°33'08" WEST A DISTANCE OF 1,306.14 FEET TO A 350.00 FOOT RADIUS TANGENT CURVE WHOSE CENTER BEARS WESTERLY; THENCE NORTHWESTERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 90°00'00" AN ARC DISTANCE OF 549.78 FEET; THENCE SOUTH 89°26'52" WEST A DISTANCE OF 885.08 FEET TO A 500.00 FOOT RADIUS TANGENT CURVE WHOSE CENTER BEARS SOUTHERLY; THENCE WESTERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 19°49'41" AN ARC DISTANCE OF 173.03 FEET TO A 500.00 FOOT RADIUS REVERSE CURVE; THENCE WESTERLY ALONG SAID REVERSE CURVE, THROUGH A CENTRAL ANGLE OF 39°39'22" AN ARC DISTANCE OF 346.07 FEET TO A 500.00 FOOT RADIUS REVERSE CURVE; THENCE WESTERLY, ALONG SAID REVERSE CURVE, THROUGH A CENTRAL ANGLE OF 19°49'41" AN ARC DISTANCE OF 173.03 FEET; THENCE SOUTH 89°26'52" WEST A DISTANCE OF 200.47 FEET TO A 750.00 FOOT RADIUS TANGENT CURVE, WHOSE CENTER BEARS SOUTHERLY: THENCE WESTERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 14°13'34" AN ARC DISTANCE OF 186.22 FEET TO A 750.00 FOOT RADIUS REVERSE CURVE; THENCE WESTERLY, ALONG SAID REVERSE CURVE, THROUGH A CENTRAL ANGLE OF 14°13'34" AN ARC DISTANCE OF 186.22 FEET; THENCE SOUTH 89°26'52" WEST A DISTANCE OF 545.67 FEET; THENCE NORTH 00°30'47" WEST A DISTANCE OF 164.69 FEET TO THE NORTH LINE OF THE NORTHWEST **ONEQUARTER OF SECTION 10;** THENCE NORTH 89°29'13" EAST, ALONG SAID NORTH LINE, A DISTANCE OF 546.00 FEET TO THE NORTH ONE QUARTER CORNER OF SAID SECTION 10; THENCE NORTH 89°28'41" EAST, ALONG THE NORTH LINE OF THE NORTHEAST ONE-QUARTER OF SAID SECTION 10, A DISTANCE OF 2,599.14 FEET TO THE NORTHEAST CORNER THEREOF; THENCE SOUTH 00°33'08" EAST, ALONG THE EAST LINE OF SAID NORTHEAST ONE QUARTER, A DISTANCE OF 2,654.89 FEET TO THE POINT OF BEGINNING. THE ABOVE DESCRIPTION YIELDS A CALCULATED AREA OF 2,194,979 SQUARE FEET, OR 50.38979 ACRES, MORE OR LESS, AND IS DEPICTED ON THE ATTACHED GRAPHICAL EXHIBIT. in addition thereto those portions of all abutting public rights-of-way, but only to the centerline

1	thereof, which are immediately adjacent to the aforesaid specifically described area.				
2	PARCEL 2				
3 4 5 6 7 8 9 10	A PARCEL OF LAND LOCATED IN THE SOUTH ONE-HALF OF SECTION 10, TOWNSHIP 3 SOUTH, RANGE 67 WEST OF THE 6TH PRINCIPAL MERIDIAN, CITY AND COUNTY OF DENVER, STATE OF COLORADO, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS, WITH BEARINGS REFERENCED TO THE EAST LINE OF THE SOUTHEAST ONE-QUARTER OF SAID SECTION 10, BEING MONUMENTED ON THE NORTH END BY A FOUND 3-1/4" ALUMINUM CAP IN A RANGE BOX, STAMPED "ZBS INC", "PLS 11434", "1991" AND ON THE SOUTH END BY A FOUND 3-1/4" ALUMINUM CAP IN A RANGE BOX, STAMPED "ZBS INC", "PLS 11434", "1991", ASSUMED TO BEAR SOUTH 00°32'23" EAST, A DISTANCE OF 2,654.84 FEET;				
11 12 13 14	COMMENCE AT THE EAST QUARTER CORNER OF SAID SECTION 10; THENCE SOUTH 00°32′23″ EAST, ALONG THE EAST LINE OF THE SOUTHEAST QUARTER OF SECTION 10, A DISTANCE OF 2,654.84 FEET, TO A THE SOUTHEAST CORNER THEREOF;				
15 16	THENCE SOUTH 89°29'45" WEST, ALONG THE SOUTH LINE OF SAID SECTION 10, A DISTANCE OF 2,648.62 FEET;				
17 18 19	THENCE NORTH 00°33'08" WEST A DISTANCE OF 586.12 FEET TO A 1,000.00 FOOT RADIUS TANGENT CURVE WHOSE CENTER BEARS EASTERLY;				
20 21 22	THENCE NORTHERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 11°56'03" AN ARC DISTANCE OF 208.29 FEET TO THE POINT OF BEGINNING ;				
23 24 25	THENCE CONTINUE NORTHERLY, ALONG THE PREVIOUSLY DESCRIBED CURVE, THROUGH A CENTRAL ANGLE OF 08°53'42" AN ARC DISTANCE OF 155.24 FEET TO A 2,900.00 FOOT RADIUS REVERSE CURVE;				
26 27 28	THENCE NORTHERLY, ALONG SAID REVERSE CURVE, THROUGH A CENTRAL ANGLE OF 13°56'18" AN ARC DISTANCE OF 705.48 FEET;				
29 30	THENCE SOUTH 83°39'42" EAST A DISTANCE OF 34.00 FEET;				
31 32	THENCE NORTH 89°26′52″ EAST A DISTANCE OF 1,688.29 FEET;				
33 34 35	THENCE SOUTH 00°33'08" EAST A DISTANCE OF 1,005.66 FEET TO A 500.00 FOOT RADIUS NON-TANGENT CURVE WHOSE CENTER BEARS NORTH 09°23'19" EAST;				
36 37 38	THENCE NORTHWESTERLY, ALONG SAID NON-TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 26°40'29" AN ARC DISTANCE OF 232.78 FEET TO A 500.00 FOOT RADIUS REVERSE CURVE;				
39 40 41	THENCE WESTERLY, ALONG SAID REVERSE CURVE, THROUGH A CENTRAL ANGLE OF 71°22'55" AN ARC DISTANCE OF 622.92 FEET TO A 600.00 FOOT RADIUS REVERSE CURVE;				
42 43 44	THENCE SOUTHWESTERLY, ALONG SAID REVERSE CURVE, THROUGH A CENTRAL ANGLE OF 49°05'18" AN ARC DISTANCE OF 514.05 FEET;				
45 46	THENCE NORTH 76°13'50" WEST A DISTANCE OF 669.37 FEET TO THE POINT OF BEGINNING .				
47 48 49	THE ABOVE DESCRIBED PARCEL YIELDS A CALCULATED AREA OF 1,673,985 SQUARE FEET, OR 38.42941 ACRES, MORE OR LESS, AND IS DEPICTED ON THE ATTACHED GRAPHICAL EXHIBIT.				
50	in addition thereto those portions of all abutting public rights-of-way, but only to the centerline				
51	51 thereof, which are immediately adjacent to the aforesaid specifically described area.				

1	1 PARCEL 3A			
2 3 4 5 6 7 8 9	A PARCEL OF LAND LOCATED IN SECTION 10, TOWNSHIP 3 SOUTH, RANGE 67 WEST OF THE 6TH PRINCIPAL MERIDIAN, CITY AND COUNTY OF DENVER, STATE OF COLORADO, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS, WITH BEARINGS REFERENCED TO THE EAST LINE OF THE SOUTHEAST ONE-QUARTER OF SAID SECTION 10, BEING MONUMENTED ON THE NORTH END BY A FOUND 3-1/4" ALUMINUM CAP IN A RANGE BOX, STAMPED "ZBS INC", "PLS 11434", "1991" AND ON THE SOUTH END BY A FOUND 3-1/4" ALUMINUM CAP IN A RANGE BOX, STAMPED "ZBS INC", "PLS 11434", "1991", ASSUMED TO BEAR SOUTH 00°32'23" EAST, A DISTANCE OF 2,654.84 FEET;			
10 11 12	COMMENCE AT THE NORTH END OF SAID EAST LINE; THENCE SOUTH 00°32′23″ EAST, ALONG SAID EAST LINE A DISTANCE OF 2,654.84 FEET, TO THE SOUTHEAST CORNER THEREOF;			
13 14	THENCE SOUTH 89°29'45" WEST, ALONG THE SOUTH LINE OF SAID SECTION 10, A DISTANCE OF 2,648.62 FEET;			
15 16	THENCE NORTH 00°33'08" WEST A DISTANCE OF 222.47 FEET TO THE POINT OF BEGINNING ;			
17 18 19	THENCE CONTINUE NORTH 00°33'08" WEST A DISTANCE OF 363.65 FEET TO A 1,000.00 FOOT RADIUS TANGENT CURVE WHOSE CENTER BEARS EASTERLY;			
20 21 22 23 24 25	THENCE NORTHERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 11°56'03" AN ARC DISTANCE OF 208.29 FEET;			
	THENCE SOUTH 76°13'50" EAST A DISTANCE OF 669.37 FEET TO A 600.00 FOOT RADIUS TANGENT CURVE WHOSE CENTER BEARS NORTHERLY;			
26 27 28	THENCE EASTERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 30°55′20″ AN ARC DISTANCE OF 323.82 FEET;			
 THENCE SOUTH 13°09'10" EAST A DISTANCE OF 107.89 FEET TO A 600.00 FOOT RADIUS TANGENT CU CENTER BEARS WESTERLY; CENTER BEARS WESTERLY; 				
32 33 34	THENCE SOUTHERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 12°36'01" AN ARC DISTANCE OF 131.95 FEET;			
35 36	THENCE SOUTH 00°33'08" EAST A DISTANCE OF 175.04 FEET;			
37 38	THENCE SOUTH 89°26'52" WEST A DISTANCE OF 1,028.00 FEET TO THE POINT OF BEGINNING .			
39 40 41	THE ABOVE DESCRIBED PARCEL YIELDS A CALCULATED AREA OF 465,211 SQUARE FEET, OR 10.67978 ACRES AND IS DEPICTED ON THE ATTACHED GRAPHICAL EXHIBIT.			
42	in addition thereto those portions of all abutting public rights-of-way, but only to the centerline			
43	thereof, which are immediately adjacent to the aforesaid specifically described area.			
44	PARCEL 3B			
45 46 47 48 49 50 51 52	A PARCEL OF LAND LOCATED IN SECTION 10, TOWNSHIP 3 SOUTH, RANGE 67 WEST OF THE 6TH PRINCIPAL MERIDIAN, CITY AND COUNTY OF DENVER, STATE OF COLORADO, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS, WITH BEARINGS REFERENCED TO THE EAST LINE OF THE SOUTHEAST ONE-QUARTER OF SAID SECTION 10, BEING MONUMENTED ON THE NORTH END BY A FOUND 3-1/4" ALUMINUM CAP IN A RANGE BOX, STAMPED "ZBS INC", "PLS 11434", "1991" AND ON THE SOUTH END BY A FOUND 3-1/4" ALUMINUM CAP IN A RANGE BOX, STAMPED "ZBS INC", "PLS 11434", "1991", ASSUMED TO BEAR SOUTH 00°32'23" EAST, A DISTANCE OF 2,654.84 FEET;			

COMMENCE AT THE NORTH END OF SAID EAST LINE; THENCE SOUTH 00°32'23" EAST, ALONG SAID EAST LINE A DISTANCE OF 2,654.84 FEET, TO THE SOUTHEAST CORNER THEREOF; THENCE SOUTH 89°29'45" WEST, ALONG THE SOUTH LINE OF SAID SECTION 10, A DISTANCE OF 2,648.62 FEET; THENCE NORTH 00°33'08" WEST A DISTANCE OF 222.47 FEET; THENCE NORTH 89°26'52" EAST A DISTANCE OF 1,954.33 FEET TO THE POINT OF BEGINNING; THENCE NORTH 00°18'44" WEST A DISTANCE OF 392.74 FEET; THENCE NORTH 00°33'08" WEST A DISTANCE OF 1,285.66 FEET; THENCE SOUTH 89°26'52" WEST A DISTANCE OF 998.05 FEET; THENCE NORTH 00°33'08" WEST A DISTANCE OF 300.00 FEET; THENCE SOUTH 89°26'52" WEST A DISTANCE OF 712.03 FEET TO A 2,900.00 FOOT RADIUS NON-TANGENT CURVE WHOSE CENTER BEARS SOUTH 84°56'19" WEST; THENCE NORTHERLY, ALONG SAID NON-TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 20°25'18" AN ARC DISTANCE OF 1,033.63 FEET; THENCE NORTH 62°00'20" EAST A DISTANCE OF 393.43 FEET TO A 500.00 FOOT RADIUS TANGENT CURVE WHOSE CENTER BEARS SOUTHEASTERLY; THENCE EASTERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 27°26'32" AN ARC DISTANCE OF 239.48 FEET; THENCE NORTH 89°26'52" EAST A DISTANCE OF 39.69 FEET: THENCE NORTH 00°33'08" WEST A DISTANCE OF 106.94 FEET TO A 500.00 FOOT RADIUS TANGENT CURVE WHOSE CENTER BEARS WESTERLY; THENCE NORTHERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 03°26'47" AN ARC DISTANCE OF 30.07 FEET; THENCE NORTH 89°26'52" EAST A DISTANCE OF 708.90 FEET; THENCE SOUTH 00°33'08" EAST A DISTANCE OF 137.00 FEET; THENCE NORTH 89°26'52" EAST A DISTANCE OF 1,220.27 FEET; THENC SOUTH 00°33'09" EAST A DISTANCE OF 837.30 FEET TO A 200.00 FOOT RADIUS NON-TANGENT CURVE WHOSE CENTER BEARS SOUTH 89°26'52" WEST; THENCE SOUTHERLY, ALONG SAID NON-TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 18°57'56" AN ARC DISTANCE OF 66.20 FEET: THENCE SOUTH 18°24'48" WEST A DISTANCE OF 211.16 FEET TO A 400.00 FOOT TANGENT CURVE WHOSE CENTER BEARS EASTERLY; THENCE SOUTHERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 37°55'53" AN ARC DISTANCE OF 264.81 FEET;

1 THENCE SOUTH 19°31'05" EAST A DISTANCE OF 211.15 FEET TO A 251.82 FOOT RADIUS NON-TANGENT CURVE, 2 WHOSE CENTER BEARS SOUTH 72°26'46" WEST; 3 4 THENCE SOUTHERLY, ALONG SAID NON-TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 15°02'15" AN ARC 5 DISTANCE OF 66.09 FEET; 6 7 THENCE SOUTH 00°33'08" EAST A DISTANCE OF 108.37 FEET TO A 1,500.00 FOOT RADIUS TANGENT CURVE WHOSE 8 CENTER BEARS WESTERLY; 9 10 THENCE SOUTHERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 03°33'43" AN ARC DISTANCE 11 OF 93.25 FEET; 12 13 THENCE SOUTH 03°00'35" WEST A DISTANCE OF 1,196.89 FEET TO A 200.00 FOOT RADIUS TANGENT CURVE 14 WHOSE CENTER BEARS WESTERLY; 15 16 THENCE SOUTHWESTERLY, ALONG SAID TANGENT CURVE. THROUGH A CENTRAL ANGLE OF 86°26'16" AN ARC 17 DISTANCE OF 301.73 FEET; 18 19 THENCE SOUTH 89°26'52" WEST A DISTANCE OF 300.99 FEET TO THE POINT OF BEGINNING. 20 21 THE ABOVE DESCRIBED PARCEL YIELDS A CALCULATED AREA OF 4,344,395 SQUARE FEET, OR 99.73360 ACRES AND 22 IS DEPICTED ON THE ATTACHED GRAPHICAL EXHIBIT. 23 in addition thereto those portions of all abutting public rights-of-way, but only to the centerline 24 thereof, which are immediately adjacent to the aforesaid specifically described area. 25 PARCEL 4 26 A PARCEL OF LAND LOCATED IN THE NORTH ONE-HALF OF SECTION 10, TOWNSHIP 3 SOUTH, RANGE 67 WEST OF 27 THE 6TH PRINCIPAL MERIDIAN, CITY AND COUNTY OF DENVER, STATE OF COLORADO, BEING MORE PARTICULARLY 28 DESCRIBED AS FOLLOWS, WITH BEARINGS REFERENCED TO THE EAST LINE OF THE SOUTHEAST ONE-QUARTER OF 29 SAID SECTION 10, BEING MONUMENTED ON THE NORTH END BY A FOUND 3-1/4" ALUMINUM CAP IN A RANGE 30 BOX, STAMPED "ZBS INC", "PLS 11434", "1991" AND ON THE SOUTH END BY A FOUND 3-1/4" ALUMINUM CAP IN A 31 RANGE BOX, STAMPED "ZBS INC", "PLS 11434", "1991", ASSUMED TO BEAR SOUTH 00°32'23" EAST, A DISTANCE 32 OF 2,654.84 FEET; 33 34 COMMENCE AT THE NORTH END OF SAID EAST LINE; THENCE SOUTH 00°32'23" EAST, ALONG SAID EAST LINE A 35 DISTANCE OF 2,654.84 FEET, TO THE SOUTHEAST CORNER THEREOF; 36 37 THENCE SOUTH 89°29'45" WEST, ALONG THE SOUTH LINE OF SAID SECTION 10, A DISTANCE OF 2,648.62 FEET; 38 39 THENCE NORTH 00°33'08" WEST A DISTANCE OF 586.12 FEET TO A 1,000.00 FOOT RADIUS TANGENT CURVE 40 WHOSE CENTER BEARS EASTERLY; 41 42 THENCE NORTHERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 20°49'44" AN ARC DISTANCE 43 OF 363.53 FEET TO A 2,900.00 FOOT RADIUS REVERSE CURVE; 44 45 THENCE NORTHERLY, ALONG SAID REVERSE CURVE, THROUGH A CENTRAL ANGLE OF 49°13'51" AN ARC DISTANCE 46 OF 2,491.80 FEET TO THE POINT OF BEGINNING; 47 48 THENCE CONTINUE NORTHWESTERLY, ALONG THE PREVIOUSLY DESCRIBED REVERSE CURVE, THROUGH A CENTRAL 49 ANGLE OF 15°21'28" AN ARC DISTANCE OF 777.32 FEET; 50 51 THENCE NORTH 44°18'43" WEST A DISTANCE OF 443.25 FEET TO A 500.00 FOOT RADIUS TANGENT CURVE WHOSE 52 CENTER BEARS NORTHEASTERLY; 53

1 2 3	THENCE NORTHEASTERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 133°45′35″ AN ARC DISTANCE OF 1,167.27 FEET;
3 4 5 6	THENCE NORTH 89°26'52" EAST A DISTANCE OF 545.67 FEET TO A 750.00 FOOT RADIUS TANGENT CURVE WHOSE CENTER BEARS NORTHERLY;
7 8 9	THENCE EASTERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 14°13′34" AN ARC DISTANCE OF 186.22 FEET TO A 750.00 FOOT RADIUS REVERSE CURVE;
10 11 12	THENCE EASTERLY, ALONG SAID REVERSE CURVE, THROUGH A CENTRAL ANGLE OF 14°13′34″ AN ARC DISTANCE OF 186.22 FEET;
13 14 15	THENCE NORTH 89°26′52″ EAST A DISTANCE OF 200.47 FEET TO A 500.00 FOOT RADIUS TANGENT CURVE WHOSE CENTER BEARS SOUTHERLY;
16 17 18	THENCE EASTERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 19°49'41" AN ARC DISTANCE OF 173.03 FEET TO A 500.00 FOOT RADIUS REVERSE CURVE;
19 20 21	THENCE EASTERLY, ALONG SAID REVERSE CURVE, THROUGH A CENTRAL ANGLE OF 39°39'22" AN ARC DISTANCE OF 346.07 FEET TO A 500.00 FOOT RADIUS REVERSE CURVE;
21 22 23 24	THENCE EASTERLY, ALONG SAID REVERSE CURVE, THROUGH A CENTRAL ANGLE OF 19°49'41" AN ARC DISTANCE OF 173.03 FEET;
25 26 27	THENCE NORTH 89°26′52″ EAST A DISTANCE OF 885.08 FEET TO A 350.00 FOOT RADIUS TANGENT CURVE, WHOSE CENTER BEARS SOUTHERLY;
28 29 30	THENCE SOUTHEASTERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 90°00'00" AN ARC DISTANCE OF 549.78 FEET;
31 32	THENCE SOUTH 00°33'08" EAST A DISTANCE OF 1,306.14 FEET;
33 34 35	THENCE NORTH 83°07'05" WEST A DISTANCE OF 1,299.60 FEET TO A 1,800.00 FOOT RADIUS TANGENT CURVE WHOSE CENTER BEARS SOUTHERLY;
36 37 38	THENCE WESTERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 38°48'25" AN ARC DISTANCE OF 1,219.16 FEET;
39 40	THENCE SOUTH 58°04'30" WEST A DISTANCE OF 196.45 FEET TO THE POINT OF BEGINNING .
41 42	THE ABOVE DESCRIBED PARCEL YIELDS A CALCULATED AREA OF 5,087,002 SQUARE FEET, OR 116.78149 ACRES AND IS DEPICTED ON THE ATTACHED GRAPHICAL EXHIBIT.
43	in addition thereto those portions of all abutting public rights-of-way, but only to the centerline
44	thereof, which are immediately adjacent to the aforesaid specifically described area.
45	PARCEL 5
46 47 48 49 50 51 52 53	A PARCEL OF LAND LOCATED IN THE SOUTHEAST ONE-QUARTER OF SECTION 10, TOWNSHIP 3 SOUTH, RANGE 67 WEST OF THE 6TH PRINCIPAL MERIDIAN, CITY AND COUNTY OF DENVER, STATE OF COLORADO, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS, WITH BEARINGS REFERENCED TO THE EAST LINE OF THE SOUTHEAST ONEQUARTER OF SAID SECTION 10, BEING MONUMENTED ON THE NORTH END BY A FOUND 3-1/4" ALUMINUM CAP IN A RANGE BOX, STAMPED "ZBS INC", "PLS 11434", "1991" AND ON THE SOUTH END BY A FOUND 3-1/4" ALUMINUM CAP IN A RANGE BOX, STAMPED "ZBS INC", "PLS 11434", "1991", ASSUMED TO BEAR SOUTH 00°32'23" EAST, A DISTANCE OF 2,654.84 FEET;

 COMMENCE AT THE NORTH END OF SAID EAST LINE; THENCE SOUTH 00°32'23" EAST, ALONG SAID EAST LINE A DISTANCE OF 2,654.84 FEET TO THE SOUTHEAST CORNER THEREOF; THENCE SOUTH 89°29'45" WEST, ALONG THE SOUTH LINE OF SAID SECTION 10, A DISTANCE OF 2,648.62 FEET; 			
 THENCE SOUTH 89°29'45" WEST, ALONG THE SOUTH LINE OF SAID SECTION 10, A DISTANCE OF 2,648.62 FEET; 			
 THENCE SOUTH 89°29'45" WEST, ALONG THE SOUTH LINE OF SAID SECTION 10, A DISTANCE OF 2,648.62 FEET; 			
5			
 6 THENCE NORTH 00°33'08" WEST A DISTANCE OF 586.12 FEET TO A 1,000.00 FOOT RADIUS TANGENT CURVE 7 WHOSE CENTER BEARS EASTERLY; 			
 7 WHOSE CENTER BEARS EASTERLY; 8 			
9 THENCE NORTHERLY, ALONG SAID TANGENT CURVE, THROUGH A CENTRAL ANGLE OF 20°49'44" AN ARC DISTANCE			
10 OF 363.53 FEET TO A 2,900.00 FOOT RADIUS REVERSE CURVE;			
11			
 12 THENCE NORTHERLY, ALONG SAID REVERSE CURVE, THROUGH A CENTRAL ANGLE OF 13°56'18" AN ARC DISTANCE 13 OF 705.48 FEET TO THE POINT OF BEGINNING; 			
14			
15 THENCE CONTINUE NORTHERLY, ALONG THE PREVIOUSLY DESCRIBED REVERSE CURVE, THROUGH A CENTRAL			
ANGLE OF 11°23′59″ AN ARC DISTANCE OF 577.00 FEET;			
17 18 THENCE NORTH 89°26'52" EAST A DISTANCE OF 712.03 FEET;			
THENCE NORTH 89°26′52″ EAST A DISTANCE OF 712.03 FEET;			
THENCE SOUTH 00°33'08" EAST A DISTANCE OF 300.00 FEET;			
21			
THENCE NORTH 89°26'52" EAST A DISTANCE OF 998.05 FEET;			
23			
 24 THENCE SOUTH 00°33'08" EAST A DISTANCE OF 280.00 FEET; 25 			
26 THENCE SOUTH 89°26'52" WEST A DISTANCE OF 1,688.29 FEET;			
27			
THENCE NORTH 83°39'42" WEST A DISTANCE OF 34.00 FEET TO THE POINT OF BEGINNING .			
29			
 THE ABOVE DESCRIBED PARCEL YIELDS A CALCULATED AREA OF 690,349 SQUARE FEET, OR 15.84824 ACRES AND IS DEPICTED ON THE ATTACHED GRAPHICAL EXHIBIT. 			
32 in addition thereto those portions of all abutting public rights-of-way, but only to the centerli	ne		
33 thereof, which are immediately adjacent to the aforesaid specifically described area.			
34 Section 3. That this ordinance shall be recorded by the Manager of Community Planning a	nd		
35 Development in the real property records of the Denver County Clerk and Recorder.			
[THE REMAINDER OF THIS PAGE IS INTENTIONALLY LEFT BLANK]			

1	COMMITTEE APPROVAL DATE: May 15, 2018		
2	MAYOR-COUNCIL DATE: May 22, 2018		
3	PASSED BY THE COUNCIL:		
4	Al Bak	- PRESIDENT	
5	APPROVED:	- MAYOR	
6 7 8	ATTEST:	- CLERK AND RECORDER, EX-OFFICIO CLERK OF THE CITY AND COUNTY OF DENVER	
9	NOTICE PUBLISHED IN THE DAILY JOURNAL:	;;	
10	PREPARED BY: Nathan J. Lucero, Assistant City Attorney DATE: June 7, 2018		
11 12 13 14	Pursuant to Section 13-12, D.R.M.C., this proposed ordinance has been reviewed by the office of the City Attorney. We find no irregularity as to form, and have no legal objection to the proposed ordinance. The proposed ordinance is not submitted to the City Council for approval pursuant to § 3.2.6 of the Charter.		
15	Kristin M. Bronson, Denver City Attorney		
16	BY: Kunter J Chauford , Assistant City Attorn	ey DATE: Jun 6, 2018	