

Denver Zoning Code Text Amendment #2 COLORS-AS-SIGNS & ONE-STORY PORCH SETBACK ENCROACHMENT CLARIFICATION TEXT AMENDMENT

LAND USE, TRANSPORTATION & INFRASTRUCTURE COMMITTEE REDLINE REVIEW DRAFT 8/06/18

This document contains the redlined code articles for a proposed Denver Zoning Code text amendment to clarify the definition of 'sign' and correct previously adopted drafting errors and streamline zoning code administration:

- 1. Amend the definition of a "sign" in the Denver Zoning Code by removing the word "colors" from the sign definition to clarify code language and promote predictable and consistent regulations city-wide
- 2. Correct drafting errors adopted in the May 2018 Slot Home Text Amendment that resulted in a lack of clarity regarding previously-permitted one story porch encroachments into the Primary Street Setback

Redline Document Conventions

- Text in <u>red underline</u> is proposed new language.
- Text in red strikethrough is proposed deleted language.
- Text in blue strikethrough is being moved from one section/location to another.
- Text in blue, no strikethrough, has been moved from another section/location.
- Only pages with changes relevant to this text amendment are included in the review file. You may wish to look at other sections of the Denver Zoning Code for additional context.
- While efforts are made to ensure document quality, cross-referenced section numbers, figure numbers, page
 numbers, and amendment numbers may appear incorrect since both new and old text appears in a redlined
 draft. These will be corrected in the final, "clean" version of the text amendment that is filed for adoption by City
 Council.

The Denver City Council Land Use, Transportation and Infrastructure (LUTI) Committee meeting is scheduled for 8/21/2018.

Visit <u>www.denvergov.org/textamendments</u> to learn more about this proposed text amendment. Please send any questions or comments to Matt Seubert, Development Services Supervisor (<u>matthew.seubert@denvergov.org</u>) or Abe Barge, Principal City Planner (<u>abe.barge@denvergov.org</u>).

ALL INTERESTED PERSONS AND ORGANIZATIONS SHOULD EXPRESS THEIR CONCERNS OR SUPPORT AT THE PUBLIC HEARING BEFORE CITY COUNCIL.

	ZONE DISTRICTS	BUILDING FORMS	PRIMARY STREET	SIDE STREET	SIDE INTE- RIOR	REAR	
Porches (1 sStory or multi-sStory), Decks, Patios, Exterior Balconies, Stoops, and above-grade stairways at the Street Level connected to a porch: • May be covered; • All sides shall be at least 50% open except for any side abutting a building facade or fire wall.	All S- Zone Districts	All Building Forms	8' and minimum of 1' between right- of-way and first riser of above- grade stairway	5' and minimum of 1' between right-of- way and first riser of above-grade stairway	Not allowed	5′	
Intent: To promote elements which provide for street activation and human scale.					<		
	Primary Street Setback Milowed Milowed Encroathment						
Illustrative only	ARIMARY STREET ANOWED ANOTHER Not to Scale. Illustrative Only.						
	ZONE DISTRICTS	BUILDING FORMS	PRIMARY STREET	SIDE STREET	SIDE INTE- RIOR	REAR	
Projecting Windows: • Shall be a minimum of 1.5' above finished floor; • Shall not extend floor to ceiling; and • No individual projection shall be more than 10' in horizontal length at the opening along the face of the building.	All S- Zone Districts	All Building Forms	1.5′	1.5′	Not allowed	1.5'	
Intent: To allow for improved interior daylighting.			Rear Setback		c atback		
Illustrative only	Primary Street And Makimum Setback And Makimum Side Setback Side Setback Side Setback Side Setback And Makimum Side Setback Side Setback Not to Scale. Illustrative Only.						

	ZONE DISTRICTS	BUILDING FORMS	PRIMARY STREET	SIDE STREET	SIDE INTERIOR	REAR
Gutters and Roof Overhang	All E- Zone Districts	All build- ing forms	3′	3′	3'; if setback is less than 5': 2'	5′
Intent: To allow features of structures intended to repel weather		1 3	Rear Ser	62	rback	l
	Primary Str. Setback	eet .			Allowed Side Services Side Services Street	jątback –
Illustrative only		ARY STREET	l	wed achment	lot to Scale. Illustrative	Only.
	ZONE DISTRICTS	BUILDING FORMS	PRIMARY STREET	SIDE STREET	SIDE INTERIOR	REAR
Multi-story Porches (1 Story or multi-Story) and Decks, Patios, Exterior Balconies, Stoops, and above-grade stairways at the Street Level connected to a porch:	All E- Zone	Town House	8' and minimum of 1' between right- of-way and first riser of above- grade stairway	5' and minimum of 1' between right-of- way and first riser of above- grade stairway	Street Level 1 Story Porches, Decks, Patios, Exterior Balconies and Stoops only: 5' and at no point closer than 5' to the Zone Lot line Multi-Story features: Not allowed	5′
May be covered; All sides shall be at least 50% open except for any side abutting a building facade or fire wall.	Districts	All build ing forms others	8' and minimum of 1' between right- of-way and first riser of above- grade stairway	5' and minimum of 1' between right-of- way and first riser of above- grade stairway	Not allowed	5′
Intent: To promote elements which provide for street activation and human scale.		1				•
Illustrative only	Primary Si Setback	TARY STREET		Allowed Allowe	Real Selback Allo Encro Not to Scale. Illustrative	

4.3-58 |

	ZONE- DISTRICTS	BUILDING FORMS	PRIMARY STREET	SIDE- STREET	SIDE— INTERIOR	REAR
stairways connected to a porch: • May be covered; • All sides shall be at least 50% open except	All E-MU, E-MX,	Town House	8' and minimum of 1' between right- of-way and- first riser of- above- grade- stairway	5' and minimum of 1' between right-of-way and first riser of abovegrade stairway	5' and at no point closer than 5' to the Zone Lot line	5'
	E-RX, and E-MS Zone Districts	All others	8' and minimum of 1' between right- of-way and first riser of above- grade stairway	5'and- minimum of 1' between right-of- way and- first riser of above- grade stairway	Not allowed	5'
Intent: To promote elements which provide for street activation and human scale:	Primary Stre Setback	RN STREET	En	Moved SID	Rear Seiback Allow Encroar	

	ZONE DISTRICTS	BUILDING FORMS	PRIMARY STREET	SIDE STREET	SIDE INTERIOR	REAR
Multi-story-Porches (1 Story or multi-Story) and, Decks, Patios, Exterior Balconies, Stoops, and above-grade stairways at the Street Level con- nected to a porch: • May be covered; • All sides shall be at least 50% open except for any side abutting a building facade or fire wall.	All U- Zone Districts	All build- ing forms	8' and minimum of 1' between right-of-way and first riser of above- grade stairway	5' and minimum of 1' between right-of- way and first riser of above-grade stairway	Not allowed	5′
Intent: To promote elements which provide for street activation and human scale.					. ~	
	Primary Stre Setback	er er			Rear Settack	Allowed Ment neroachment
Illustrative only	PRIMA	RV STREET	MI Encr	wed something Not	to Scale. Illustra	
	ZONE- DISTRICTS		PRIMARY- STREET	SIDE STREET	SIDE- INTERIOR	REAR
Street Level Porches (1 Story), Decks, Patios, Exterior Balconies, Stoops, and above-grade- stairways connected to a porch: • May be covered; • All sides shall be at least 50% open except- for any side abutting a building facade or- fire wall.	All U-RX, U-MX, and- U-MS Zone- Districts	All build- ing forms	8' and minimum of 1' between right-of-way and first riser of above-grade stairway	5' and minimum of 1' between right-of- way and- first riser of above-grade stairway	1.5'	5'
Intent: To promote elements which provide for street activation and human scale.				· ·	×	
Illustrative only	Primary Street Setback		Allow	siDE SER	EN	Moved Independent Strong Christine Only.

	ZONE DISTRICTS	BUILDING FORMS	PRIMARY STREET	SIDE STREET	SIDE INTERIOR	REAR
Gutters and Roof Overhang	All G- Zone Districts	All build- ing forms	3′	3′	3'; if setback is less than 5': 2'	5′
Intent: To allow features of structures intended to repel weather			Rear Set	back	- setback	
Illustrative only	Primary Streesetback	Ry STREET		wed someth	State of to Scale. Illustration	e Only.
	ZONE DISTRICTS	BUILDING FORMS	PRIMARY STREET	SIDE STREET	SIDE INTERIOR	REAR
Multi-story Porches (1 Story or multi-Story) and, Decks, Patios, Exterior Balconies, Stoops, and above-grade stairways at the Street Level con- nected to a porch: • May be covered; • All sides shall be at least 50% open except	All G- Zone Districts	Town House	8' and minimum of 1' between right-of- way and first riser of above- grade stairway	5' and minimum of 1' between right-of- way and first riser of above-grade stairway	Street Level 1 Story Porches, Decks, Patios, Exterior Balconies and Stoops only: 5' and at no point closer than 5' to the Zone Lot line Multi-Story features: Not allowed	5′
for any side abutting a building facade or fire wall.		All build- ing forms others	8' and minimum of 1' between right-of- way and first riser of above- grade stairway	5' and minimum of 1' between right-of- way and first riser of above-grade stairway	Not allowed	5′
Intent: To promote elements which provide for street activation and human scale.						
Illustrative only	Primary Str Setback	ARV STREET		Allowed	Rear Setback	tive Only

	ZONE- DISTRICTS	BUILDING FORMS	PRIMARY- STREET	SIDE- STREET	SIDE— INTERIOR	REAR
Street Level Porches (1 Story); Decks, Patios; Exterior Balconies, Stoops, and above-grade stairways connected to a porch: •May be covered; •All sides shall be at least 50% open except for any side abutting a building facade or fire wall.	All G-MU and G-RO Zone-	Town House	8'and- minimum of 1'between right-of- way and- first riser of- above- grade- stairway	5'and- minimum of 1'between- right-of- way and- first riser of- above-grade stairway	5' and at no- point closer than 5' to the Zone Lot line	5'
	Districts	All others	8' and minimum of 1' between right-of- way and first riser of above- grade stairway	5'and- minimum of 1'between- right-of- way and- first riser of- above-grade stairway	Not allowed	5 ′
Intent: To promote elements which provide for street activation and human scale:		PRIMARY STREET		Allowed	ESTA	Jowed Togethment Togethment
Illustrative only			~	Eur,	Not to Scale. Illustrat	ive Only.

	ZONE DISTRICTS	BUILDING FORMS	PRIMARY STREET	SIDE STREET	SIDE INTERIOR	REAR	
Gutters and Roof Overhang	All C- Zone Districts	All building forms	3′	3′	3'; if setback is less than 5': 2'	5′	
Intent: To allow features of structures intended to repel weather			Rear Se	24.	, back		
	Primary Street PRIMARY STREET Allowed Allowed Allowed Allowed Allowed Not to Scale. Illustrative Or						
Illustrative only	ZONE	BUILDING	PRIMARY	SIDE STREET	ot to Scale. Illustrat	REAR	
Multi-story Porches (1 Story or multi-Story) and, Decks, Patios, Exterior Balconies, Stoops, and above-grade stairways at the Street Level connected to a porch: • May be covered; • All sides shall be at least 50% open except for any side abutting a building facade or fire wall.	All C- Zone Districts	All building forms	8' and min- imum of 1' between right-of- way and first riser of above- grade stairway	5' and minimum of 1' between right-of- way and first riser of above-grade stairway	INTERIOR Not allowed	5′	
Intent: To promote elements which provide for street activation and human scale					./ [*]		
	Primary Street Setback	er Street		Allowed SID Encroachment	Rear Solback	Allowed homent haroachment	
Illustrative only				Enci /	Not to Scale. Illustra	ative Only.	

Contents

ARTICLE 9. SPECIAL CONTEXTS AND DISTRICTS

DIVISION 9.1	INDUSTRIAL CONTEXT (I-MX, I-A, I-B)	9.1-1
Section 9.1.1	Industrial Context Description	
Section 9.1.2	Districts Established	9.1-2
Section 9.1.3	Design Standards	9.1-3
Section 9.1.4	Supplemental Design Standards	9.1-11
Section 9.1.5	Uses and Required Minimum Parking	9.1-33
DIVISION 9.2	CAMPUS CONTEXT (CMP)	9. 2 -1
Section 9.2.1	Campus Context Description	
Section 9.2.2	Districts Established	
Section 9.2.3	Campus Healthcare and Healthcare 2 (CMP-H, CMP-H2)	
Section 9.2.4	Campus-Education/Institution (CMP-EI, CMP-EI2)	9.2-9
Section 9.2.5	Campus- Entertainment (CMP-ENT)	
Section 9.2.6	Campus - National Western Center (CMP-NWC)	9.2-19
Section 9.2.7	Design Standard Exceptions CMP-H, CMP-H2; CMP-EI, CMP-EI2; CMP-CMP-NWC	
Section 9.2.8	Uses and Required Minimum Parking	
DIVISION 9.3	OPEN SPACE CONTEXT (OS-A, OS-B, OS-C)	9/3-49 9.3-1
Section 9.3.1	Open Space Context Description	
Section 9.3.2	Districts Established	
Section 9.3.3	Primary Building Form Standards	
Section 9.3.4	Uses and Required Minimum Parking	
DIVISION 9.4	OVERLAY ZONE DISTRICTS	
Section 9.4.1	General Intent	
Section 9.4.2	Overlay Zone Districts Established.	
Section 9.4.3	Conservation Overlay District (CO-)	
Section 9.4.4	Use Overlay Districts (UO-)	
Section 9.4.5	Design Overlay Districts (DO-)	
Section 9.4.6	Incentive Overlay Districts (IO-)	
DIVISION 9.5	DENVER INTERNATIONAL AIRPORT ZONE DISTRICTS	
DIVISION 3.3	AND 0-1 ZONE DISTRICT	0 E-1
Section 9.5.1	Districts Established	
Section 9.5.2	Denver International Airport Zone District (DIA)	
Section 9.5.3	DIA Influence Area Overlay Zone (AIO-)	
Section 9.5.4	O-1 Zone District	
Section 9.5.5	Uses and Required Minimum Parking	
	PLANNED UNIT DEVELOPMENT DISTRICT (PUD)	
DIVISION 9.6		
Section 9.6.1	Planned Unit Development District (PUD)	
DIVISION 9.7	MASTER PLANNED CONTEXT (M-RH, M-RX, M-CC, M-MX, I	
	M-GMX)	
Section 9.7.1	Master Planned Context Description	
Section 9.7.2	Districts Established	
Section 9.7.3	Design Standards	
Section 9.7.4	Detached Accessory Building Form Standards	
Section 9.7.5	Supplemental Design Standards	
Section 9.7.6	Design Standard Alternatives	
Section 9.7.7	Design Standard Exceptions	
Section 9.7.8	Reference to Other Design standards	
Section 9.7.9	Uses and Required Minimum Parking	9.7-64

	ZONE DISTRICTS	BUILDING FORMS	PRIMARY STREET	SIDE STREET	SIDE INTERIOR	REAR
Porches (1 <u>*S</u> tory or multi- <u>*S</u> tory), Decks, Patios, Exterior Balconies, Stoops, and above-grade stairways at the <u>ground story Street Level</u> connected to a porch: • May be covered; • All sides shall be at least 50% open except for any side abutting a building facade or fire wall.	All I- Zone Districts	All building forms	8' and minimum of 1' between right-of- way and first riser of above- grade stairway	5' and min- imum of 1' between right-of- way and first riser of above- grade stairway	Not allowed	5′
Intent: To promote elements which provide for street activation and human scale.						
	Primary Street Selback Allowed Encroachment Encroachment Not to Scale. Illustrative Onli					
Illustrative only			EL	ימני	Not to Scale. Illustr	ative Only.
	ZONE DISTRICTS	BUILDING FORMS	PRIMARY STREET	SIDE STREET	SIDE INTERIOR	REAR
Projecting Windows: • Shall be a minimum of 1.5' above finished floor; • Shall not extend floor to ceiling; and • No individual projection shall be more than 10' in horizontal length at the opening along the face of the building.	All I- Zone Districts	All Others	1.5'	1.5'	1.5' Not Allowed	1.5'
Intent: To allow for improved interior daylighting.			Rear Setb		hack	
	Primary Street Setback	Maxin Extension	num on	Length SiDE	STREET Scale. Illustrat	ge setback
Illustrative only	MAK	RYSTREET	Encros	•	ot to Scale. Illustrat	ive Only.

	ZONE DISTRICTS	BUILDING FORMS	PRIMARY STREET	SIDE STREET	SIDE INTERIOR	REAR
Gutters and Roof Overhang	All CMP- Zone Districts	All Building Forms	3′	3′	3'; if setback is less than 5': 2'	5′
Intent: To allow features of structures intended to repel weather			Rear Setback		*back	
Illustrative only	Primary Street Setback PRIMARY ST	RECT	Mlowed Money Englose Englose three	Allower Engage	XI.	ive Only.
	ZONE DISTRICTS	BUILDING FORMS	PRIMARY STREET	SIDE STREET	SIDE INTERIOR	REAR
Porches (1 sStory or multi-sStory), Decks, Patios, Exterior Balconies, Stoops, and above-grade stairways at the Street Level connected to a porch: • May be covered; • All sides shall be at least 50% open except for any side abutting a building facade or fire wall.	All CMP- Zone Districts	All Building Forms	8' and minimum of 1' between right-of- way and first riser of above- grade stairway	5' and min- imum of 1' between right-of- way and first riser of above- grade stairway	Not al- lowed	5′
Intent: To promote elements which provide for street activation and human scale.					<	
	Primary Street Setback PRIMARY S	MET	Money	SIDE STRE		Mlowed history and
Illustrative only		" \\	Allower	Not to	Scale. Illustro	ative Only.

	ZONE DISTRICTS	BUILDING FORMS	PRIMARY STREET	SIDE STREET	SIDE INTERIOR	REAR
Porches (1 sStory or multi-sStory), Decks, Patios, Exterior Balconies, Stoops, and above-grade stairways at the Street Level connected to a porch: • May be covered; • All sides shall be at least 50% open except for any side abutting a building facade or fire wall.	All M- Zone Districts	All Building Forms	Any distance provided a minimum of 1' between right-ofway and first riser of above- grade stairway	Any distance provided a minimum of 1' between right-of- way and first riser of above-grade stairway	Not al- lowed	5′
Intent: To promote elements which provide for street activation and human scale.			_			
	Primary So Setback	reet		Re	ar soiback	wed and when the state of the s
Illustrative only	Allowed Encroachment Sole Street Not to Scale. Illustrative Only					
	ZONE DISTRICTS	BUILDING FORMS	PRIMARY STREET	SIDE STREET	SIDE INTERIOR	REAR
Projecting Windows: • Shall be a minimum of 1.5' above finished floor; • Shall not extend floor to ceiling; and • No individual projection shall be more than 10' in horizontal length at the opening along the face of the building.	All M- Zone Districts	All Building Forms	1.5'	1.5′	Not al- lowed	1.5′
Intent: To allow for improved interior daylighting.			Rear Setback		*back	
Illustrative only	Primary Street Setback Setback Setback Setback Setback Street Not to Scale. Illustrative Only					



Screening: A method of visually shielding or obscuring one abutting or nearby structure or use from another by fencing, walls, berms, or densely planted vegetation

Secondary Area of GDP: Boundary of a designated area adjoining the primary area of the GDP where development may not be imminent, but based on adopted City plans, can be expected to transition over time.

Semi-Trailer: Any vehicle of the trailer type so designed and used in conjunction with a truck-tractor that some part of its own weight and that of its own load rest upon or is carried by a truck-tractor.

Setback: See Rule of Measurement, Division 13.1.

Setback Space or Area: The area between a zone lot line and a required minimum setback line.

Shielded: The light emitted from the lighting fixture is projected below a horizontal plain running through the lowest point of the fixture where light is emitted. The lamp is not visible with a shielded light fixture, and no light is emitted from the sides of such a fixture.

SIC: Standard Industrial Classification as published by the U.S. Census Bureau, has been replaced by the NAICS.

Side-by-Side Dwelling Units: See "Dwelling Units, Side-by-Side," above.

Side Zone Lot Line: See "Zone Lot, Side".

Side Street: See Rule of Measurement, Division 13.1.

Sign: A sign is any object or device or part thereof situated outdoors or indoors which is used to advertise or identify an object, person, institution, organization, business, product, service, event or location by any means including words, letters, figures, designs, symbols, fixtures, ors, motion illumination or projected images. Signs do not include the following:

- a. Flags of nations, or an organization of nations, states and cities, fraternal, religious and civic organizations;
- b. Merchandise, pictures or models of products or services incorporated in a window display;
- c. Time and temperature devices not related to a product;
- d. National, state, religious, fraternal, professional and civic symbols or crests;
- e. Works of art which in no way identify a product.

Sign, Animated: Any sign or part of a sign which changes physical position by any movement or rotation.

Sign, Arcade: A wall or projecting sign attached to the roof or wall of an arcade and totally within the outside limits of the structural surfaces which are delineating the arcade.

Sign, Billboard: See definition of "Outdoor General Advertising Device," above.

