Requisition Work Sheet

Date: 1/7/16	Is this Unit Replacement? [x3] Expansion? []					
Requestor Name: Daniel Freix	Is this a Golf or Wastewater Unit? Yes [] No [X]					
Requestor Phone: 720-865-3850	Are these up fit parts? Yes []					
Reference Number(s): 16-122 ,	, 16-123, 16-124					
Total Quantity: 3						
Units being replaced: T37, E29, E30						
	one Pierce Velocity 105' Aerial Ladder 'wo Pierce Velocity Pumpers					

Estimated Delivery Date: 10 Months after clean PO. (3.2.6e process will be required)

Cost per unit: <u>VARIES</u> x number of units <u>3</u> = Total Cost **\$1,886,437.80** *See Below

Vendor: Pierce Manufacturing

Vendor Contact Name: Duane Doucette

Phone: 303-449-9911

Email: duaneD@frontrangefire.com

Chartfield (Funding) Information

Fund:______ Org:______ Account:_____

Special Instructions:

Mike,

Please use the pricing on the first page of each of the attachments that corresponds with the **100% pre-payment option**. This has been standard procedure pretty much forever on planned fleet fire apparatus purchases. Specification build list attached in email for reference for each vehicle type.

FOR FURNISHING FIRE APPARATUS

January 03, 2016

City and County of Denver

The undersigned is prepared to manufacture for you, upon an order being placed by you, for final acceptance by Pierce Manufacturing, Inc., at its home office in Appleton, Wisconsin, the apparatus and equipment herein named and for the following prices:

(1) Pierce Velocity 105' Ladder per attached component list Delivery is approximately 10 to 11 months		\$ 916,116.00
Option 1: Make Chassis Pre-Payment of \$391,201.00 Due in Net 30 Days of Signed Contract	Deduct	\$10,513.00
Option 2: Make 100% Prepayment of \$868,116.00 Due in Net 30 Days of Signed Contract	Deduct	\$48,000.00

Total \$

Said apparatus and equipment are to be built and shipped in accordance with the specifications hereto attached, delays due to strikes, war, or intentional conflict, failures to obtain chassis, materials, or other causes beyond our control not preventing, within about 10 to 11 months after receipt of this order and the acceptance thereof at our office at Appleton, Wisconsin, and to be delivered to you at <u>Denver, CO</u>

The specifications herein contained shall form a part of the final contract, and are subject to changes desired by the purchaser, provided such alterations are interlined prior to the acceptance by the company of the order to purchase, and provided such alterations do not materially affect the cost of the construction of the apparatus.

The specifications for fire apparatus conforms with all Federal Department of Transportation (DOT) rules and regulations in effect at the time of bid, and with all National Fire Protection Association (NFPA) Guidelines for Automotive Fire Apparatus as published at the time of bid, except as modified by customer specifications. Any increased costs incurred by first party because of future changes in or additions to said DOT or NFPA standards will be passed along to the customers as an addition to the price set forth above.

Unless accepted within 30 days from date, the right is reserved to withdraw this proposition.

PIERCE MANUFACTURING, INC.

By:

Duane Doucette SALES REPRESENTATIVE



	Pierce.	Option List		
Custo	mer:	Denver Fire Department	Number:	565
Repres	sentative	Doucette, Duane	Job Number:	
	ization:	Front Range Fire Apparatus, Ltd	Number of Units:	1
•	rements Manage		Date:	01-03-2016
	ption:	Aerial, 105' No Pump	Stock Number:	
Body: Chass	ie:	Aerial, HD Ladder 105', No Pump, Alum Body Velocity Chassis, Aerials/Tankers Tandem (Big Block), 2010	Price Level:	34 (Current: 3-
	Option Typ			Qty
4	0050242	Deiler Dietee, Aeriel 405/ UD Ledder, w/e Durre		
1 (0658342	Boiler Plates, Aerial 105' HD Ladder, w/o Pump Fire Department/Customer - Denver Fire Department Operating/In conjunction W-Service Center - Operatir		1
		Miles - 25 Miles Number of Fire Dept/Municipalities - 25		
		Bidder/Sales Organization - Front Range Fire Appara Delivery - Delivery representative	tus	
		Dealership/Sales Organization, Service - Front Range	e Fire Apparatus	
2 (0018180	Single Source Compliance, Aerials		1
3 (0584456	Manufacture Location: Appleton, Wisconsin		1
4 (0584452	RFP Location: Appleton, Wisconsin		1
5 (0588609	Vehicle Destination, US		1
6 (0670275	Unit to be Similar in some Aspects, Excluding Pump Panel		1
		Fill in Blank - Velocity 105' ladder job #25827 in som provided	e aspects, pictures	
7 (0533316	Comply NFPA 1901 Changes Effective Jan 1, 2009, With Except	otions	1
8 (0533349	Aerial Fire Apparatus		1
9 (0588613	Vehicle Certification, Aerial w/o Pump		1
10 (0681279	Agency, Apparatus Certification, Aerial w/o Pump, U.L.		1
11 (0008036	Career/Paid Department		1
12 (0092138	Highly Customized Product (HCP)		1
	0535579	Not Required, Unit of Measure, (no pump, no tank)		1
	0030006	Bid Bond Not Requested		1
	0582800	Performance Bond, 100 Percent w/25 Percent Warranty Bond, Bond	1 Yr, and Payment	1
16 (0000007	Approval Drawing		1
	0002928	Electrical Diagrams		1
	0564211	Velocity Chassis, Aerials/Tankers Tandem (Big Block), 2010		1
	0021007	Maximum Overall Height		1
13 1	0021007	Size - 11'-6"		I.
20 (0000110	Wheelbase		1
21 (0000070	Wheelbase - 238.50" GVW Rating		1
21		GVW rating - 70,800 pounds		
22 (0000203	Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF		1
23 (0060637	Frame Liner, Inv "L" 12.68" x 3.00" x .25", AXT/Vel/Imp, Full Ler	ngth, 56"Qval	1
24 (0508849	Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel		1
25 (0010427	Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/DCF/En	f	1
26 (0087572	Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf		1
27 (0000322	Oil Seals, Front Axle		1
28 (0594821	Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply		1
29 (0019611	Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot		1
	0530478	Axle, Rear, Meritor RT46-160, 48,000 lb, Imp/Vel/DCF		1
	0544244	Top Speed of Vehicle, 60 MPH		1
	0000564	Suspen, Rear, Dynalastic 202S, 48,000 lb		1
	0000485	Oil Seals, Rear Axle		1
	0683735 SP	Gear Ratio, Special		1
	0599208	Tires, Rear, Goodyear, G622 RSD, 11R22.50, 16 ply, Tandem		1
	0019639	Wheels, Rear, Alcoa, 22.50" x 8.25", Aluminum, Hub Pilot, Tand	lem	1
	0642999	Tire Balancing, Nothing Required		1
	0545826	No Tire Pressure Indicator, Fire Department Omits, Non-NFPA	Compliant	1

Line	Option	Туре	Option Description	Qty
39	0003245		Axle Hub Covers w/center hole, S/S, Front Axle	1
40	0002045		Mud Flaps, w/logo front & rear	1
41	0021931		Tire, "Crossfire" Air Pressure Equalization (tandem)	1
42	0544802		Chocks, Wheel, SAC-44-E, Folding	1
			Qty, Pair - 01	
43	0544806		Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal	1
			Qty, Pair - 01	
			Location, Wheel Chocks - Left Side Rear Tire, Forward	
44	0593759		ESC/ABS/ATC Wabco Brake System, Tandem Rear Axle, 2010	1
45	0030185		Brakes, Knorr/Bendix 17", Disc, Front, TAK-4	1
	0000730		Brakes, Meritor, Cam, Rear, 16.50 x 7.00"	1
47	0020784		Air Compressor, Brake, Cummins/Wabco 18.7 CFM	1
48	0000789		Brake Reservoirs, Five	1
49	0587033		Air Dryer, Brake, AD-9 w/heat, 2010	1
50	0000790		Brake Lines, Nylon	1
51	0000854		Air Inlet, w/Disconnect Coupling	1
			Location, Air Coupling(s) - a) DS Step Well	
			Qty, Air Coupling (s) - 1	
52	0000860		Outlet, Air, with shut off valve	1
			Location, Air Coupling(s) - o) DS Frt Body Compt	
			Qty, Air Coupling (s) - 1	-
53	0004200		Hose, Air 25' length, w/air chuck	2
- 4	0070040		Qty, - 02	
	0070810		All Wheel Lockup (Aerial/Tanker Chassis)	1
	0014130		Air Tank, Additional for Extra Air Horn Capacity	1
	0610756		Engine, Cummins ISX12, 500 hp, 1645 lb-ft, W/OBD, EPA 2016, Velocity	1
	0001244		High Idle w/Electronic Engine, Custom	1
58	0678027		Engine Brake, Jacobs Compression Brake, Cummins Engine, with Allison Retarder	1
50	0007000	0.0	Switch, Engine Brake - d) ISC/ISM/ISL/ISL9/ISX, Hi Lo	
	0607623	SP	Clutch, Fan, Air Actuated, Horton Drive Master, Compression Fitting	1
	0123135		Air Intake, w/Ember separator, Imp/Vel	1
	0565965		Exhaust System, 5", 2010 DD13, ISX engine, Horizontal, Officer Side	1
	0688512	SP	Exhaust, 35 Degree w/modified end for extraction system, Approval Req'd	1
	0557543		Radiator, Impel/Velocity	1
	0612334	SP	Cooling Hoses, Gates Silicone, To include .25" Surge Tank	1
	0014124		Skid Plate, Radiator, All Custom Chassis	1
66	0673756		Winter Cover With Ventilation, Front Cab Grille, One Piece, Vel	1
			Color, Vinyl Cover - d) White	
	0001125		Fuel Tank, 65 Gallon, Left Side Fill	1
	0001129		Lines, Fuel	1
69	0595087		DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle	1
70	0550777		Door, Material & Finish, DEF Tank - Polished Stainless	4
	0552777		Fuel Pump for Repriming	1
	0582243		Shutoff Valves, Fuel Line @ Primary Filter, Cummins	1
	0553019		Cooler, Engine Fuel, Imp/Vel, AXT/Qtm/Sab/DCF/SFR/Enf	1
	0578959		Fuel/Water Separator, Racor Inline	1
74	0642591		Trans, Allison 5th Gen, 4000 EVS PR, Imp/Vel/Dash CF	1
			Trans. retarder capacity - e. medium/1600, 4000 EVS	
75	0625221		Trans, retarder control - I) Auto 1/3, 2/3, 3/3	1
	0625331		Transmission, Shifter, 6-Spd, Push Button, 4000 EVS	1
	0698377		Transmission Oil Cooler, Champ Retarder Cooler, with Modine External Sump Cooler	1
	0001375		Driveline, Spicer 1810 Steering, Shoppard M110 w/Tilt, TAK 4, Eaton Rump, w/Coolor	1
	0669988		Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler	1
	0001544		Not Required, Steering Assist Cylinder on Front Axle	1
	0509230		Steering Wheel, 4 Spoke without Controls	1
81	0690274		Logo/Emblem, on Dash	1
			Text, Row (1) One - Denver	
			Text, Row (2) Two - Fire Text, Row (3) Three - Department	
82	0034671		Lube System, Vogel, 22 Point, w/TAK-4 Suspension	1
02			Location - reservoir will be in the right rear outrigger area	

Line	Option	Туре	Option Description	Qty
	0123624		Bumper, 16" Extended, Imp/Vel	1
84	0616467		Tray, Tool, Center, 16" Bumper, Outside Air Horns, Imp/Vel	1
			Grating, Bumper extension - Grating, None	
85	0617307		Cover, Aluminum Treadplate, Two (2) Flush Lift and Turn Latches, Tool Tray	1
			Stay arm, Tray Cover - b) Pneumatic Stay Arm	
86	0510226		Lift & Tow Package, Imp/Vel, AXT, Dash CF	1
87	0522573		Tow Hooks Not Required, Due to Lift and Tow Package	1
88	0565541		Cab, Velocity 2010, 8410 Raised Roof w/ Deep Notch Aerial	1
89	0640221	SP	Engine Tunnel, ISX, Impel/Velocity FR Design	1
90	0677478		Rear Wall, Exterior, Cab, Aluminum Treadplate	1
91	0122466		Cab Lift, Elec/Hyd, w/Manual Override, Imp/Vel	1
	0123176		Grille, Bright Finished, Front of Cab, Impel/Velocity	1
	0002224		Scuffplates, S/S At Cab Door Jambs, 4-Door Cab	1
00	0002221		Material Trim/Scuffplate - c) S/S, Polished	I
Q 4	0527032		Trim, S/S Band, Across Cab Face, Rect Lights, Velocity	1
54	0021002		Material Trim/Scuffplate - b) S/S, Brushed	1
			Turnsignal Covers - No Covers	
05	0087357		Molding, Chrome on Side of Cab	1
	0559130			1
90	0559150		Mirrors, Forward Mtd, Htd/Rmt, Pierce One-Eleven	I
			Finish, Arm Cover - Chrome	
07	0040045	00	Finish, Mirror Head - Chrome	4
	0640215	SP	Door, Full Height, Velocity 4-Door Cab, Raised Roof, FR Design	1
	0655511		Door Panel, Brushed Stainless Steel, Impel/Velocity 4-Door Cab	1
	0550229		Storage Pockets w/ Elastic Cover, Recessed, Rotomolded, Imp/Vel	1
100	0641245	SP	Controls, Electric Windows, All Cab Doors, Impel/Velocity FR Design	1
101	0555485		Steps, 4-Door Full Tilt Cab, Std, Imp/Vel	1
102	0509649		Lights, Cab and Crew Cab Access Steps, P25, LED w/Bezel, 1 Light Per Step	1
103	0002140		Fenders, S/S on Cab	1
	0199245		Window, Side of C/C, Fixed, 84"/104" Vel/Imp	1
	0552934		Trim, Cab Side Windows, 84" Velocity	1
	0012090		Not Required, Windows, Front/Side of raised roof	1
	0509287		Windows, Rear CC, (2) 8" x 14", Velocity	1
	0553196		Trim, Cab Rear Windows, Velocity	1
	0566045		Compt, Storage, Transverse Crew Cab, 84/104" Vel/Imp	
109	0500045			1
110	0100697		Light, Short Transverse Compt - On Scene Solutions Axe, Right Side	1
110	0199687		Cab Interior, ABS Console, Vinyl Covered Walls, Velocity/Velocity SLT	1
	0500400		Color, Cab Interior Vinyl/Fabric - a) Silver/Gray	4
111	0509492		Cab Interior, paint color, Imp/Vel	1
			Color, Cab Interior Paint - a) gray	
	0509532		Floor, Rubber Padded Cab & Crew Cab, Imp/Vel, Dash CF	1
	0122520		Heater/defroster, Imp/Vel	1
114	0559377		Air Conditioning, Imp/Vel, Aerial	1
115	0028432		Brush Guard/Cover, Air Conditioning Condenser, 4-way, Cab Roof Aerial	1
116	0639675		Sun Visor, Smoked Lexan, AXT, Dash CF, Imp/Vel, Saber FR/Enforcer	1
			Sun Visor Retention - No Retention	
117	0548173		Grab Handles, Driver and Passenger Door Post, Imp/Vel	1
118	0002526		Light, Engine Compt, All Custom Chassis	1
119	0122516		Fluid Check Access, Imp/Vel	1
	0583042		Side Roll and Frontal Impact Protection	1
	0622618		Seating Capacity, 5 Seats	1
	0697005		Seat, Driver, Pierce PS6, Premium, Air Ride, High Back, Safety	1
	0696994		Seat, Officer, Pierce, PS6, Premium, Air Ride, SCBA, Safety	1
	0656795		Radio Compartment, Behind Officer Air Ride SCBA Seat, Imp/Vel	1
	0102788		Not Required, Seat, Rr Facing C/C, DS Outboard	1
	0102783		Not Required, Seat, Rr Facing C/C, Center	1
	0102790		Not Required, Seat, Rr Facing C/C, PS Outboard	1
	0122716		Seat, Forward Facing C/C, DS Outboard, Pierce PS6, Premium Safety, SCBA	1
	0122745		Seat, Forward Facing C/C, Center, (1) Pierce PS6, Premium Safety, SCBA	1
	0122729		Seat, Forward Facing C/C, PS Outboard, Pierce PS6, Premium Safety, SCBA	1
131	0511300		Upholstery, Seats In Cab, All Imperial 1200, Pierce PS6	1
			Color, Cab Interior Vinyl/Fabric - h) Gray/Black	

Line	Option	Туре	Option Description	Qty
132	0543991		Bracket, Air Bottle, Hands-Free II, Cab Seats	4
			Qty, - 04	
133	0627339		Seat Belt, Ready Reach	
			Seat Belt Color - Red	
134	0553393		Seat Belt Height Adjustment, Imp/Vel, Dash CF	Ę
			Qty, - 05	
135	0627014		Pick Not Required, Seat Belt Color Selected in Seat Belt Option 627339	1
136	0691237		Seat Belt Monitoring System	1
137	0543133		Bracket, Helmet Holder, Zico UHH-1	1
			Qty, Helmet Storage Brkt - 5	
138	0647637		Lights, Dome, Weldon Dual LED 6 Lts	1
			Color, Dome Lt - Red & White	
			Color, Dome Lt Bzl - Grey	
			Control, Dome Lt White - Door Switches and Lens Switch	
			Control, Dome Lt Color - Lens Switch	
139	0631779		Light, Map, Overhead, Round Halogen, AXT/Imp/Vel/Dash CF, Hawk EX	1
			12vdc power from - Battery switched	
140	0650352		Spotlight, Golight® Stryker™, Model 30**4, LED, 2 Lts	1
			Location - on each side	
			Color, GoLt - White	
			Bracket, Spotlight - Pedestal - 2 Lts	
	0650059		Controller, Spotlight, Golight Stryker, Wired Dash Mount, 2 Lts	1
	0621826		Location, Spotlight Controller, Driver Overhead and Officer Overhead, 2 Lts	1
143	0000000	STF	Handlights, (4) Streamlight, Fire Vulcan, 44451, C4 LED, Tail Lts, 12v, Orange	1
			Location, Portable Hand Light - ship loose	
	0568369		Cab Instruments, Ivory Gauges, Chrome Bezels, Impel/Velocity 2010, Dash CF	1
	0509511		Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX	1
146	0543751		Light, Do Not Move Apparatus	1
			Alarm, Do Not Move Truck - Pulsing Alarm	
147	0509042		Messages, Open Door/Do Not Move Truck, MUX w/Color Display	1
148	0611681		Switching, Cab, Membrane, Impel/Velocity/Quantum, Dash CF, AXT WiFi MUX	1
			Location, Emerg Sw Pnls - Driver's Side Overhead	
149	0555915		Wiper Control, 2-Speed with Intermittent, MUX, Impel/Velocity	1
150	0002565		Hourmeter, Aerial Inside Cab	1
151	0002615		Switch, Aerial 12V Master	1
152	0002617		PTO switch, w/light - aerial	1
153	0548009		Wiring, Spare, 20 A 12V DC 1st	1
			Qty, - 01	
			12vdc power from - Battery direct	
			Wire termination - Butt Splice	
			Location, Spare Wiring - in the electronics box over the engine behind	
151	0549004		panel #9 rearward	
154	0548004		Wiring, Spare, 15 A 12V DC 1st	4
			Qty, - 04	
			12vdc power from - Battery direct Wire termination - Butt Splice	
			Location, Spare Wiring - two in the front of the cab behind panel #9 and	
			two in the rear, tucked into the forward facing seat riser	
155	0548006		Wiring, Spare, 15 A 12V DC 2nd	1
			Qty, - 01	
			12vdc power from - Battery direct	
			Wire termination - 15 amp power point plug	
			Location - on the rear face of the dog house. Location, 1" - 2" to the right of	
			the engine access door hinge, as near the top edge of dog house as practical	
156	0566101		Recess, Dash Panel, Officer Side, Vel/Imp	1
157	0615386		Vehicle Information Center, 7" Color Display, Touchscreen, MUX	1
			System Of Measurement - US Customary	
158	0543930		Vehicle Data Recorder, Dual Module	1
159	0003757		Antenna, Std and Add'l Mts Only, 2-way Radio,Cust,Spl Cable Routing	3
			Location - routed to officer seat box	
			Qty, - 03	
			Location 1 - on cab roof just to the rear of PS lightbar, one in each far	
			corner of the crew cab roof	

				Qt
160	0615100		Pierce Command Zone, Advanced Electronics & Control System, Diag LEDs, Vel, WiFi	
161	0624254		Electrical System, Velocity	
162	0604825	SP	Batteries, (5) Exide Grp 31, 750 CCA each, Threaded Stud	
163	0008621		Battery System, Single Start, All Custom Chassis	
	0123174		Battery Compartment, Imp/Vel	
	0579436		Charger, Sngl Sys, Kussmaul, 1200, 091-187-12-Remote, 40 Amp	
	0090367		Location, Charger/Compr, Front left body compt, Location Feature	
100	0090307		Location - D5 rearward wall mounted as high as possible - see photo in Job E-Folder	
167	0531403		Location, Battery Charger Indicator, Driver's Seat with Bracket	
	0016856		Shoreline, 15A 120V, Kussmaul Auto Eject, 091-55-15-120, Super Qty, - 01	
			Color, Kussmaul Cover - d) yellow Connection, Shoreline - the battery charger and six place receptacle strip in the cab	
169	0026800		Shoreline Location	
			Location, Shoreline(s) - DS Rear bulkhead	
170	0566294		Alternator, 430 amp, Niehoff C680-1	
	0660887	SP	Antenna Mount, NMO on Body w/100' LMR240 Ultra	
., .	0000007	01	Location - at the rear of the truck over the traffic advisor on passenger side	
			Qty, - 01	
			Location, Antenna Cable - officer seat box	
172	0002860	SP	Sealer (Gorp), No Gorp Req'd on Elect Connections, Denver only	
	0092582	01	Load Manager/Sequencer, MUX	
175	0092562			
74	0648716		Enable/Disable Hi-Idle - e)High Idle enable Headlights, Rectangular Halogen, Imp/Vel	
175	0648425		Light, Directional, Whelen 600 LED Combination, Cab Corners, Imp/Vel/AXT/Qtm/DCF Color, Lens, LED's - m)match LED's	
176	0648074		Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts	
	0620055		Light, Directional/Marker, Intermediate, Truck-Lite 60115Y LED 2lts	
	0020035		Lights, Clearance/Marker/ID, Rear, Truck-Lite 35200R LED 7Lts	
-				
179	0514453		Light, Marker End Outline, Rubber Arm, LED Marker Lamp Location, lights - rear corners of body Qty, Lights, Pair - 1	
180	0551870		Lights, Tail, Whelen M6BTT* Red LED Stop/Tail & M6T* Amber LED Dir w/Flange Color, Lens - Colored	
181	0551875		Lights, Backup, Whelen M6BUW, LED	
82	0664466		Bracket, License Plate & Light, Weldon 9186-23882-30 Incand, Temp Under Tailbrd Location - driver side	
183	0589905		Alarm, Back-up Warning, PRECO 1040	
84	0566520		Indicator, Back-up Warning, Ultrasonic 4-zone Location - next to driver	
85	0695735		Lights, Perimeter Cab, Truck-Lite 44310C LED Z location -	
186	0616274		Cab, Perimeter Scene - Cab, 4dr Custom Lights, Perimeter Body, Truck-Lite 44308C LED 2lts, Turntable Access	
100	0010274		Control, Perimeter Lts - DS Switch Panel and Parking Brake Applied Control, Perimeter Lts - DS Switch Panel and Parking Brake Applied	
87	0554206		Lights, Step, Aerial w/o Pump	
88	0589768		Light, Whelen, 12V PFP1* Pioneer LED Floodlt, PBA103 Recessed 15 Deg 1st Qty, - 01	
			Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - d) No Control	
			Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - d) No Control Color, WIn Lt Housing - White Paint	
			Location, 12/24 Volt Lights - DS Rear Of Cab Door (FR Cab & Qtm Only) 1lt	
189	0589761		Light, Whelen, 12V PFP1 Pioneer LED Floodlt, PBA103 Recessed 15 Deg 2nd Location, lights - passenger side of crew cab high Qty, - 01	

Line Option	Туре	Option Description	Qty
189		Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
		Switch, Lt Control 2 DC,2 - e) No Control	
		Switch, Lt Control 3 DC,3 - d) No Control	
		Switch, Lt Control 4 DC,4 - d) No Control	
100 0612106	00	Color, WIn Lt Housing - White Paint	1
190 0612106	SP	Light, Visor, Whelen, 12V PSL2* Pioneer LED SpotIt, Deep Notch Cab 1st	1
		Qty, - 01 Location, driver's/passenger's/center - centered	
		Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
		Switch, Lt Control 2 DC,2 - g) PS Switch Panel	
		Switch, Lt Control 3 DC,3 - d) No Control	
		Color, WIn Lt Housing - White Paint	
191 0631374		Lights, Deck, Whelen (2) MPPBCS Micro Pioneer LED Rear Flood Lights	1
		Control, Scene Lts - Sw Included on Light	
192 0645676		Lights, Not Required, Hose Bed, Deck Lights At Rear	1
193 0645681		Lights, Not Required, Rear Work, Deck Lights At Rear	1
194 0645687		Lights, Rear Scene, Whelen, M6ZC LED, 1st	2
		Qty, - 02	
		Control, Rear Scene Lts - Cab Switch Panel DS	
		Location, Scene Lights - Each Side Rear Body, High, 2lts	
195 0010143		Aerial, HD Ladder 105', No Pump, Alum Body	1
196 0554269		Body Skirt Height, 18"	1
197 0553729		Not Required, Restraint, Water Tank, Heavy Duty	1
198 0073475		Cargo Area, Alum, IPO Hose Bed (PAL, 85 PAP)	1
199 0019168	SP	Cover, Hose Bed, Aluminized Neoprene, PAL/PAP	1
200 0067106		Special Fasteners, Hose Bed Cover, Velcro w/ Metal	1
201 0579274	SP	Turntable Steps-Morton Cass, Swing Down, Recessed Rear Handrails, DS, PS PAL/PAP	1
202 0554004		Lights, Step (6), P25 LED, Swing Down Access Steps, Each Side	1
203 0690023		Wall, Rear, Smooth Aluminum	1
204 0029503		Tow Eyes (2), Aerial	1
205 0013641		Construction, Compt, Alum, PAL, 85 PAP	1
206 0033674		Compt w/No Pump, 36" Wide w/Rollup Door	1
207 0063695		Compt, DS F/H F/D, Roll Drs, w/o Chute, 105 HDL, 85 PAP, 100 HAL	1
208 0063703		Compt, DS Turntable, F/H F/D, Roll Drs, 105 HDL, 85 PAP	1
209 0023672		Compt, IPO Stairs, Not Required, DS	1
210 0063735		Compt, PS F/H F/D, Roll Drs, w/o Chute, 105 HDL, 85 PAP, 100 HAL	1
211 0063739		Compt, PS Turntable, F/H F/D, Roll Drs, 105 HDL, 85 PAP	1
212 0023673		Compt, IPO Stairs, Not Required, PS	1
213 0612436	SP	Doors, AMDOR, Roll-up, Side Compartments w/AMDOR Magnetic Open Door Switch Qty, Door Accessory - 08	8
		Color, Roll-up Door - aaa) AMDOR satin aluminum	
		Latch, Roll-up Door - Lift-bar	
214 0556162		Not Req'd, Compt Blister in Front of Rear Axle	1
215 0609440	SP	Bumper, Rear, 5" w/Treadplate Cover on Top and Side, PAP/PAL/RMAP	1
216 0551416		Lights, Compt, On Scene Solutions, LED & Truck-Lite Model 79384	11
		Location - all body compartments	
		Qty, - 11	
217 0587545		Lights, Compt, On Scene Solutions, LED Night Stik, 9", Additional	4
		Location, lights - D5 and P5 outrigger compartments and the cab storage compartment on each side of extended cab, controled by an automatic door switch	
		Qty, - 04	
218 0687146		Shelf Tracks, Painted	6
		Qty, Shelf Track - 06	
		Location, Shelf Track - D3, D1, P1, P3, D4 and P4	
219 0687112		Shelves, Adjustable, 500 lb Capacity, Full Width/Depth, Painted	6
		Qty, Shelf - 06	
		Location, Shelf - One (1) in upper portion of D4/P4, one (1) in D3/P3, and	
220 0612228	SP	one in upper portion of D1/P1. Box, Storage, On Top of Body Compt, Hatch Style, 116"L, Alum, LED Strip Light	2
220 0012220	01-	Location - top of driver side and passenger side body	2
		Qty, - 02	

Line	Option	Туре	Option Description	Qty
220			Width - 24.00"	
			Depth - 18.50"	
221	0564828	SP	Compt, Transverse Over Torque Box, Special, PAL/85 PAP	1
			Location - D4 and P4, as larger as possible, per engineering a 15.25"	
			recess in the forward section is required for generator mounting between forward outriggers	
			Qty, Comp. Accessory - 01	
222	0004033		Rub Rail, Aluminum Extruded, Side of Body, Xtra Space (.50")	1
	0004027		Fender Crowns, Rear, S/S, Two Pair	1
	0063150		Handrail, Extra - 50 - 60" Long	2
<i>LL</i> -7	0000100		Location, Handrails - above D4/P4.	2
			Qty, Handrails - 02	
225	0637781		Compt, Air Bottle, Single, Round, Fender Panel, Tandem Axle	7
			Qty, Air Bottle Comp - 7	
			Door Finish, Fender Compt - Polished	
			Location, Fender Compt - Single - DS Rear, Single - PS Fwd, Single - PS	
			Rear, Single (2) - PS Tandem and Single (2) - DS Tandem	
			Latch, Air Bottle Compt - Flush Lift & Turn	
			Insert, Air Bottle Compt - Rubber Matting	
226	0004218		Ladder, 35' Duo-Safety 1200A 2-Sect	1
			Qty, - 1	
227	0010406		Ladder, 28' Duo-Safety 1200A 2-Sec	2
			Qty, - 02	
	0004232		Ladder, (2) 16' Duo-Safety 875A Roof	1
228	0000000	STF	Ladder, 14' Duo-Safety 775-DR Roof with 7/8" Hooks, Both Ends, 16.00" Wide	1
			Qty, - 1	
	0521218		Not Required, Attic Extension Ladder	1
230	0004246		Ladder, 10' Duo-Safety Folding 585A	1
			Qty, - 01	
231	0051028	SP	Ladders Stored in Torque Box, ROM Roll, Rob Mags, (ML, HL, PAP)	1
			Color, Roll-up Door - a) std. satin aluminum	
	0666730	SP	Light, Torque Box Ladder Storage, (1) Truck-Lite 44308C LED IPOS	1
233	0644831	SP	Ladder, Little Giant Model 10102 - Model 17	1
			Location - shipped loose	
234	0004318		Pike Pole, 12' DUO Safety, Fiberglass	2
			Qty, - 02	
235	0004337		Pike Pole, 8' DUO Safety, Fiberglass, Aerial	2
			Qty, - 02	
236	0004347		Pike Pole, 6' DUO Safety, Fiberglass, Aerial	2
			Qty, - 02	
237	0004344		Pike Pole, 3' DUO Safety, Fiberglass, w/D Handle	2
~~~			Qty, - 02	
	0024388		No Steps Required, Front Of Body	1
	0606694		Air Horns, (2) Hadley, 6" Round, In Bumper	1
	0606834		Location, Air Horns, Bumper, Each Side, Outside Frame, Inboard (Pos #2 & #6)	1
	0006064		Control, Air Horn, DS & PS Foot Sw	1
	0006100		No Electronic Siren	1
243	0046133		No Siren Location	1
244	0076155		No Siren Switch	1
245	0006188		No Speaker	1
246	0550461		Location, Not Required, No Speaker (Q2B)	1
247	0016080		Siren, Federal Q2B	1
248	0006095		Siren, Mechanical, Mounted Above Deckplate	1
			Location, Siren, Mech - a) Left	
249	0026160		Control, Mech Siren, Horn Ring, PS Foot Sw	1
250	0606886	SP	Lightbar, Whelen, Freedom IV-Q, 2-21.5", RRWRR RRWRR, 30, Deg	1
			Filter, WhI Freedom Ltbrs - No Filters	
251	0691599		Light, GTT, 792* Strobe Opticom Emitter, Remote Mounted on Cab Roof	1
			Location - drive side cab roof, just to the outside of the notch	
			Opticom Priority - b) High	
			Opticom Activation - Cab Switch & E-Master	
			-	

ine	Option	Туре	Option Description	Qt
252	0540451		Light, Front Zone, Whelen M6* LED, Colored Lens, 4lts Q Bezel	
			Color, Lt DS Frnt Outside - DS Front Outside Red	
			Color, Lt PS Frnt Outside - PS Front Outside Red	
			Color, Lt DS Front Inside - w) DS Front Inside White	
			Color, Lt PS Front Inside - w) PS Front Inside White	
253	0540687		Lights, Side Zone Lower, Whelen M6* LED, Colored Lens, 3pr, Ovr 25	
			Location, Lights Frt Side - b)each side bumper	
			Color, Lt Side Front - Red	
			Color, Lt Side Middle - Blue	
			Color, Lt Side Rear - Red	
			Location, Lights Mid Side - Over Front Wheels	
			Location, Lights Rear Side - Between Tandem	
254	0634517		Lights, Side, Whelen M6* LED w/45 Degree Bezel, Cab Corner, pair	
			Qty, Lights, Pair - 1	
			Control, light - b) side warning	
			Color,Whin Sup600 LED - a) rd/rd	
			Material, Bracket - Polished S/S	
255	0540777		Lights, Rear Zone Lower, Whelen M6* LED, Colored Lens	
			Color, Lt DS Rear - r) DS Rear Lt Red	
			Color, Lt PS Rear - r) PS Rear Lt Red	
256	0540793		Lights, Rear, Whelen M6* LED, Colored Lens	
			Color, Light - p) one blue, one red	
			Location, Rear Lights - Above taillights	
			Qty, - 02	
			Control, light - a) rear upper warning	
257	0098090		Light, Rear Zone Upper, Whelen B6MMR*1P, Super LED beacon	
			Color, Dome, Rear Warning - b)both domes red	
			Control, light - a) rear upper warning	
			Color, Whin Sup700 LED - c) am/am	
258	0006551		Not Required, Lights, Rear Upper Zone Blocking	
	0529685		Light, Traffic Directing, Whelen TAL85, 46.81" Long LED	
200	0020000		Activation, Traffic Dir L - Control Head Only	
260	0530074		Location, Traf Dir Lt, On Top of Body Below Turntable w/Trdplt Box	
	0530280		Location, Traf Dir Lt, On Top of Body Below Tamable with the Box	
	0006646	0.0	Electrical System, 120/240VAC, General Design	
263	0682571	SP	Generator, Harrison 6kW, 6.0MAS-16R/D-11011/15/1, Hydraulic, Hotshift PTO, Spcl	
			Generator Interlocks - Parking Brake/Neutral	
		~ ~	Location, Gen Info Panel - near breaker box	
264	0683686	SP	Mounting, Hydraulic Generator Above Torque Box, Raised	
			Location, Generator - area between the forward outriggers	
	0016752		Starting Sw, Truck Engine Powered Gen, Cab Sw Pnl	
266	0016757		Not Required, Remote Start, Generator	
267	0016740		Not Required, Fuel System	
268	0016767		Not Required, Oil Drain Extension, Generator	
269	0016771		Not Required, Routing Exhaust, Generator	
270	0036738		Circuit Breaker Panel, Included With PTO Generator	
	0000100		Location, Circuit Breaker Panel - D6, Rear Wall to the Left	
271	0071927	SP	Panel, Remote Main	
211	0071327	01		
270	0518647	SP	Location - in the front left compartment - see photo Location, Gen Meter Panel, Spcl Location Inside Compartment, IPO Std.	
212	0510047	3F		
070	0004050		Location - D6 body compartment on forward wall - see photos on S:drive	
273	0664852		Light, Whelen, 150W 120V, PCP2AC LED Fld/Spt, PBA203 Recessed 15 Deg 1st	
			Location, 120/240 Volt Lt - driver side body just forward of turn table	
			Qty, 120/240 Volt Light - 1	
			Switch, Lt Control 1 - ds) DS Switch Panel	
			Switch, Lt Control 2 - n) No Control	
			Switch, Lt Control 3 - n) No Control	
			Switch, Lt Control 4 - n) No Control	
			Color, WIn Lt Housing - White Paint	
	0663549		Light, Whelen, 150W 120V, PCP2AC LED Fld/Spt, PBA203 Recessed 15 Deg 2nd	
274				
274			Location, 120/240 Volt Lt - passenger side body just forward of turn table	
274			Location, 120/240 Volt Lt - passenger side body just forward of turn table Qty, 120/240 Volt Light - 1 Switch, Lt Control 1 - ds) DS Switch Panel	

Line Option	Type Option Description	Qty
274	Switch, Lt Control 2 - n) No Control	
	Switch, Lt Control 3 - n) No Control	
	Switch, Lt Control 4 - n) No Control	
	Color, WIn Lt Housing - White Paint	
275 0006825	Reel, Elect Cable, Hannay, 1600, (3) Wire	1
	Qty, Cord Reels - 1	
	Reel Guide - a) Nylatron guide	
	Finish, Reel - Painted Gray	
276 0006828	Location, Electric Cord Reel - D6, From Ceiling Cord, Electric, 10/3 Yellow, 3 Wire	1
270 0000020		1
	Lengths of Elect Cord - 1 Feet of Yellow Cord - e)200	
	Connection, Cord - No Connection	
277 0619586	Box, Junc, Akron, 3Wire, 4-15A 120V SB	1
211 0010000	Qty, - 01	•
	Color, Electrical Junction Box, Akron - Gray (standard)	
	Connection, Electric Plug / Inlet (Male) - Direct Connection	
278 0086799	Receptacle, 15A 120V 3-Pr 3-Wr SB Dup, Wtrprf	5
	Location, Receptacles - one each side on the extended crew cab, just	
	above the compartment, one each side at the forward portion of each body	
	fender, and one at the rear of the body on passenger side	
	Qty, - 05	
	AC Power Source - Generator	_
279 0016794	Receptacle Strip, 15A 120V 6-Place, Shoreline	2
	Location, Receptacles -	
	along the back of the engine dog house tied up loose (see photo) and in D2 (see	
	photo) mounted high across the top rear corner	
	Qty, - 02	
280 0066681	Receptacle, 15A 120V 3-Pr 3-Wr SB Dup, Gen, Interior	1
	Location, Receptacles -	
	The receptacle is to be located high on the front wall of compartment P6 - see photo	
	Qty, - 01	
281 0519934	Not Required, Brand, Hydraulic Tool System	1
282 0673137	Aerial, 105' Heavy Duty Ladder (500 dry/500 water)	1
283 0000042	Boom Support, Rear of the Chassis Cab	1
284 0680821	Boom Panel, Pair	1
	Paint, Color - white #20	
285 0526885	Indicator, Extension, Inside and Outside Handrails, Every 10'	1
	Color - 1) black	
286 0591645	Steps, Folding, Four, Aerial Device, Trident	1
	Coating, Step - luminescent	
287 0688232	Rung Covers, Aerial Device	1
	Rung Cover Color - Safety Yellow	
288 0678539	Brackets Only, Roof Ladder, Aerial Fly Section	1
	Roof Ladder, Make/Model - 14' Duo-Safety 775-A-DR	
289 0680785	Limited Retraction, Aerial	1
	Limited Retraction - overall height	
290 0657520	Guard, Turntable Lighting	1
291 0120787	Control Stations, PAL, Four Stabilizers	1
292 0593564	Stabilizers, 105' HD Rear Mount Steel Aerial, 14' Spread, 12" G Pen, 500# tip	1
	Material, Stabilizer Pad - Composite	
293 0530817	Aerial Stabilizer Pins	1
294 0548907	Door, Stabilizer Control Box, Smooth Aluminum	1
295 0121266	Hydraulic System, PAL	1
296 0120794	Swivels, PAL, Tiller, 28 Collector Rings	1
297 0120778	Electrical System, 105' PAL	1
298 0006975	Lights, Collins FX-12 (PAL), 4lts	1
299 0540746	Lights, Stabilizer Warn (2) Sets, Whelen M6* LED, Colored Lens	1
	Color, Lt Rr Stabilzr Pan - r) Pan Light Red	
	Color, Lt Fr Stabilzr Pan - r) Pan Light Red	
300 0068701	Lights, Grote Supernova LED, Stabilizer Beam, (2) Sets	1
1/3/2016 1:09 F	· · · · · · · · · · · · · · · · · · ·	

Line	Option	Туре	Option Description	Qty
301	0091927		AC Power To Aerial Tip, 20 Amp Household (PAL)	1
302	0006920		Intercom, 2-Way Atkinson (PAL)	1
303	0590088		Breathing Air to Tip, (1) 6000 PSI, Class 1 Air Minder, PAL	1
			Refill Hose - 50'	
			Breathing Air Fitting - CEJN	
			Breathing Air Mask Box - mask box ladder	
304	0024742		Not Required, Mask, Breathing Air To Tip	1
305	0056918		Not Required, Raised Aerial Pedestal	1
306	0530826		Turntable Access, ManSaver Bars, Yellow	1
307	0026950		Waterway, 100'/105' HDL	1
308	0632856		Monitor, Akron 3480 StreamMaster II Electric	1
			Nozzle, Monitor 1 PAL - Akron 1577 Electric 1250 gpm	
309	0006973		Flowminder, Class 1, Waterway (PAL)	1
310	0696163	SP	Inlet, 6.00" at Rear w/o Midship Pump, (PAP, PAL)	1
	0673128		Quick-Lock Waterway Locking System, 100' HDL/MDL, 105' HDL/107' ASL	1
	0047897		Tools, Aerial, PAL/PAP	1
-	0559494		Manuals and Training, 3 Days, PAL	1
	0007150		Bag of Nuts and Bolts	1
514	0007 100		Qty, Bag Nuts and Bolts - 1	1
215	0532891		NFPA Required Loose Equipment, Aerial, Provided by Fire Department	1
	0532891		Extinguisher, Dry Chemical, Aerial NFPA, Provided by Fire Department	1
				1
	0533282		Extinguisher, 2.5 Gal. Pressurized Water, Aerial, Provided by Fire Department	1
	0007482		Not Required, Crowbars	1
	0007484		Not Required, Claw Tools	1
	0532918		Axes, (2) Flathead, Aerial NFPA, Provided by Fire Department	1
	0532922		Axes, (3) Pickhead, Provided by Fire Department, Aerial NFPA	1
	0007494		Not Required, Sledgehammers	1
323	0559573		Paint, Single Color, Custom	1
			Paint Color, Predefined - #20 White	
324	0636524	SP	Coating, Chassis Frame Assy, With Liner, Hot Dip Galvanized	1
			Paint Color, Frame Assembly - Black	
	0693797		No Paint Required, Aluminum Front Wheels	1
	0693792		No Paint Required, Aluminum Rear Wheels	1
327	0028023		Paint Rotation Motor To Match Aerial Device, PAL	1
328	0007230		Compartment, Painted, Spatter Gray	1
329	0591622		Aerial Ladder Paint	1
			Paint Color, Aerial Device - White 20	
330	0544129		Reflective Band, 1"-6"-1"	1
			Color, Reflect Band - A - e) black	
			Color, Reflect Band - B - t) gold	
			Color, Reflect Band - C - za) black	
331	0510041		Reflective across Cab Face, Imp/Vel	1
332	0583454		Stripe, Chevron, Rear, Diamond Grade, Aerial	1
			Color, Rear Chevron DG - fluorescent yellow green	
333	0598754		Stripe, Reflective/Diamond Grade, 4.00" on Stabilizers	1
			Color, Reflect Band - A - g) yellow	
334	0027341		Jog, In Reflective Stripe, Single or Multiple	1
			Qty, - 1	
335	0515348		Stripe, Black Outline, Scotchlite on Reflective Band	1
			Qty, - 1	
336	0509398		Stripe, Reflective, Chevron, Cab and Crew Cab Doors Interior	1
			Color, Reflect Band - B - t) gold	
			Size, Chevron Striping - 04	
			Color, Reflect Chev - A - e) black	
	0680253		Pick Not Required, See "Aerial Boom Panels" and "Lettering, Special" Category	1
	0033179		Lettering Specifications, Reflective	1
339	0686159		Lettering, Reflective, 3.00", (41-60)	1
			Outline, Lettering - Outline	
340	0686005		Lettering, Reflective, 7.00", (21-40)	1
			Outline, Lettering - Outline	

Line	Option	Туре	Option Description	Qty
341	0515269		Lettering, Reflective 2" Script w/outline	1
			Color, Lettering - e) black	
342	0041534		Emblem, (3) Letter Monogram Style with Lettering, Reflective, Denver, Each	2
			Qty, - 02	
			Location, Emblem - one on each side on the cab doors Color, Reflective - i) gold	
343	0522815		Emblem, American Flag, Waving, Gerber Vision, Pair	1
0.0	0022010		Location, Emblem - in the window over the rear cab doors	•
344	0666414		Emblem, Freedom Flag, Each	1
			Qty, - 01	
			Location, Emblem - R1	
			Size, Flag - 24" - 25"	
	0008554	075	2% Handling Charge on 105' HL	1
345	0000000	STF	Akron Trimeese (3) 2.5" (F) NST x 6" (F) NST - Denver NEW!!!	1
245	000000	отг	Qty, - 1	0
345	0000000	STF	Inspection trip #2 - when - number of people Location - at the factory for a post paint inspection	2
			Qty, - 02	
345	0000000	STF	Service - Oil Samples, 11/08/2014	1
	0000000	STF	Aerial Travel Permits	1
	0000000	STF	Service - Oil Change and Lube, Denver, 12/2011	1
	0000000	STF	Inspection trip #1 - when - number of people	2
			Location - at customer location for a preconstruction conference.	
			Qty, - 02	
345	0000000	STF	Inspection trip #3 - when - number of people	2
			Location - at the factory for a delivery inspection	
o / =		0.T.F.	Qty, - 02	
345	0000000	STF	Cummins Service and Parts Manual, ISX	1
			Location - *	
345	0000000	STF	Qty, - 1 Allison Transmission Service & Parts Manual 5-19-05	1
0-0	0000000	011	Qty, - 1	I
345	0000000	STF	Drive Away Service - Pumper 01/02/12	1
346	0031972	-	Manuals, Two (2), Fire Apparatus Parts, Custom Chassis	1
	0002905		Manuals, Two (2) Chassis Service, Custom	1
348	0032433		Manuals, Two (2) Chassis Operation, Custom	1
349	0030008		Warranty, Basic, 1 Year, Apparatus, WA0008	1
350	0611136		Warranty, Chassis, 3 Year, Velocity/Impel, WA0284	1
351	0696698		Warranty, Engine, Cummins, 5 Year, WA0181	1
352	0684953		Warranty, Steering Gear, Sheppard M110, 3 Year WA0201	1
353	0595767		Warranty, Frame, 50 Year, Velocity/Impel, Dash CF, WA0038	1
354	0595698		Warranty, Axle, 3 Year, TAK-4, WA0050	1
355	0530524		Warranty, Axle, 2 Year, Meritor, General Service, WA0046	1
356	0652758		Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
357	0019914		Warranty, Structure, 10 Year, Custom Cab, WA0012	1
358	0595813		Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
	0524627		Warranty, Electronics, 5 Year, MUX, WA0014	1
	0046369		Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
	0616487		Warranty, Transmission Cooler, Modine WA0216, Champ WA0279	1
	0596025		Warranty, Structure, 10 Year, Body, WA0009	
	0693126		Warranty, AMDOR, Roll-up Door, 10 Year/5 Year Painted, WA0185	1
	0006999		Warranty, Structure, 20 Year, Aerial Device, WA0052	1
	0687388		Warranty, Swivels, 5 Year, Aerial Device, WA0197	1
	0088889		Not Required, Additional Aerial Warranty	
	0687327		Warranty, Waterway, 10 Year, Aerial Device, WA0198	1
	0595860		Warranty, Paint, 4 Year, Aerial Device, Pro-Rated, WA0047	
	0609981		Warranty, Harrison Generator, 6 Year, WA0285	
	0595820		Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
	0595412		Warranty, Graphics Lamination, 1 Year, Apparatus, WA0168	1
	0683627		Certification, Vehicle Stability, CD0089	1
	0610734		Certification, Engine Installation, Velocity, Cummins ISX12, 2016, CD0111	1

Line	Option	Туре	Option Description	Qty
374	0686786		Certification, Power Steering, CD0098	1
375	0543951		Certification, Cab Integrity, Velocity, CD0009	1
376	0548950		Certification, Cab Door Durability, Velocity/Impel, CD0001	1
377	0548967		Certification, Windshield Wiper Durability, Impel/Velocity, CD0005	1
378	0667411		Certification, Electric Window Durability, Velocity/Impel FR, CD0004	1
379	0549273		Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018	1
380	0548947		Certification, Cab Heater and Defroster, Velocity/Impel, CD0015	1
381	0548940		Certification, Cab Air Conditioning Performance, Velocity/Impel, CD0016	1
382	0545073		Amp Draw Report, NFPA Current Edition	1
383	0002758		Amp Draw, NFPA/ULC Radio Allowance	1
384	0000032		PAL BODY	1
385	0000012		PIERCE CHASSIS	1
386	0004713		ENGINE, OTHER	1
387	0046396		EVS 4000 Series TRANSMISSION	1
388	0020015		ABS SYSTEM	1
389	0658751		Manufacturing Attribute	1

## FOR FURNISHING FIRE APPARATUS

January 01, 2016 City and County of Denver The undersigned is prepared to manufacture for you, upon an order being placed by you, for final acceptance by Pierce Manufacturing, Inc., at its home office in Appleton, Wisconsin, the apparatus and equipment herein named and for the following prices: (2) Pierce Velocity Pumpers per attached component list \$1,058,321.80 **Delivery is approximately 9 to 10 months Option 1: Make Chassis Pre-Payment of \$638,247.72 Due in Net 30 Days of Signed Contract** Deduct \$19,147.44 **Option 2: Make 100% Prepayment of \$1,018,321.80** Deduct **Due in Net 30 Days of Signed Contract** \$40,000.00

Total \$

Said apparatus and equipment are to be built and shipped in accordance with the specifications hereto attached, delays due to strikes, war, or intentional conflict, failures to obtain chassis, materials, or other causes beyond our control not preventing, within about 9 to 10 months after receipt of this order and the acceptance thereof at our office at Appleton, Wisconsin, and to be delivered to you at <u>Denver, CO</u>

The specifications herein contained shall form a part of the final contract, and are subject to changes desired by the purchaser, provided such alterations are interlined prior to the acceptance by the company of the order to purchase, and provided such alterations do not materially affect the cost of the construction of the apparatus.

The specifications for fire apparatus conforms with all Federal Department of Transportation (DOT) rules and regulations in effect at the time of bid, and with all National Fire Protection Association (NFPA) Guidelines for Automotive Fire Apparatus as published at the time of bid, except as modified by customer specifications. Any increased costs incurred by first party because of future changes in or additions to said DOT or NFPA standards will be passed along to the customers as an addition to the price set forth above.

Unless accepted within 30 days from date, the right is reserved to withdraw this proposition.

#### PIERCE MANUFACTURING, INC.

By:

Duane Doucette SALES REPRESENTATIVE



Customer:     Denvet Fire Department     Number:     Sign       Oran Range Fire Apparatus, Ltd     and how more hand to be approximated	Pierd	e.	Option List			1/3/2016
Representative Organization - Requirements Manager     Doucatle, Duane From Range Fire Apparatus, Lid     Dute: Number Of Units:     2       Body:     Pumper, Alum, Derver Body:     Pumper, Short, Alum, 2nd Gen Chassist:     Stock Mumber: Price Levol:     34 (Current: 34)       1     0671399     Type     Option Description     Option     Option     Type       1     0671399     Boller Plates, Pumper Fire Department/Customer - Derver Fire Department Operatingfin conjunction W: Service Center - Operating Number of Fire DepMunicipalities - 25 Bidder/Sales Organization - Front Range Fire Apparatus Delvery - Delvery (representative Delvery - Delvery (representative Delvery - Delvery (representative Delvery) - Delvery (r	Customer:		Denver Fire Department Nun	nber:	636	
Requirements Manager: Date: 010-3-2016   Description: Pumper, Short, Alum, Zenver Stock Mumber:   Body: Velocity Chassis (Med Book), 2010 Stock Mumber:   Drine Option Type Option Description Option   1 0671399 Boiler Plates, Pumper 1   Fire Department/Customer - Deriver Fire Department Operating/in conjunction W-Service Center - Operating Mulles - 25 Missies 1   2 0661794 Single Source Compliance 1   3 0584452 RFP Location: Appleton, Wisconsin 1   4 0584452 RFP Location: Appleton, Wisconsin 1   5 0588469 Vehicle Destination, US 1   6 0670275 Unit to be Similar in some Aspects, Excluding Pump Panel 1   1 06870275 Fill in Blank - Appleton, Wisconsin 1   1 0688410 Vehicle Cartification, Pumper 1   1 0688477 Pumper/Pumper with Appartus 1   0 0684787 Pumper/Pumper with Appartus 1   1 0688479 Pumper/Pumper with Appartus 1   1 068036 Career/Paid Department 1   1 0680378 Career/Paid Department 1   1	Representative			Number:		
Description: Pumper, Alum, Denver Pumper, Short, Alum, 2nd Gen Price Lovel: 34 (Current: 34) Velocity Chassis (Med Block), 2010 1 0671399 Boiler Plates, Pumper Fire Department/Customer - Denver Fire Department Operating/in conjunction VS-Service Center - Operating Miles - 25 Miles Number of Fire Department/Customer - Denver Fire Department Operating/in Conjunction VS-Service Center - Operating Miles - 25 Miles Number of Fire Department/Customer - Denver Fire Department Operating/in Conjunction VS-Service Center - Operating Miles - 25 Miles Number of Fire Department/Customer - Denver Fire Aparatus Delivery: Delivery representative DelaershipSales Organization. Front Range Fire Aparatus Delivery: Delivery representative DelaershipSales Organization, Service - Front Range Fire Aparatus Delivery: Delivery representative Delivery: Delivery Representative Delivery				nber of Units:	2	
Body:     Pumper, Short, Alum, 2nd Gen     Price Level:     34 (Current: 34)       Ine     Option     Type     Option Description     Oty       1     0071399     Boiler Plates, Plumper     1     1       1     0071399     Boiler Plates, Plumper     1     1       1     0071399     Boiler Plates, Plumper     1     1       2     0661794     Single Source Compliance     -26     5       2     0661794     Single Source Compliance     1     1       3     0584452     RFP Location: Appleton, Wisconsin     1     1       4     0584452     RFP Location: Appleton, Wisconsin     1     1       7     0533316     Comply PFA 1901 Changes Effective Jan 1, 2009, With Exceptions     1     1       10     06861778     Agency, Apparatus Continace Interview Jan 2, 2009, With Exceptions     1     1       10     06861778     Agency, Apparatus Continace Interview Jan 2, 2009, With Exceptions     1     1       10     06861778     Agency, Apparatus Continace Interview Jan 2, 2009, With Exceptions     1     1	Requirements Man	ager:	Date	Ð:	01-03-2016	
Chasis: Velocity Chasis (Med Block), 2010       Ine     Option     Type     Option Description     Oty       1     0671399     Boiler Plates, Pumper     1       0671399     Boiler Plates, Pumper     1       0671399     Boiler Plates, Pumper     1       0700000     Single Source Compliance     1       07000000     Single Source Compliance     1       070000000     Velocity Chasses Granutation. Service - Front Range Fire Apparatus     1       070000000     Velocity Chasses Granutation. Service - Front Range Fire Apparatus     1       070000000     Velocity Chasses Compliance     1     1       070000000     Velocity Chasses Compliance     1     1       070000000     Velocity Chasses Compliance     1     1       070000000     Velocity Chasses Effective Jan 1, 2009, With Exceptions     1       070000000     STF     Inspection trip 41 - Merial Device Frite Apparatus     1       0700000000     STF     Inspection trip 41 - Merial Device Frite Apparatus     1       070000000000000000     STF     Inspection trip 41 - Merial Device Frite Apparatus     1       10	-					
Ine     Option     Type     Option Description     Oty       1     0671399     Boiler Plates, Pumper     1       1     1071399     Boiler Plates, Pumper     1       1     1071399     Boiler Plates, Pumper     1       1     1071399     Boiler Plates, Pumper     1       2     0661794     Single Source Compliance     1       2     0661794     Single Source Compliance     1       3     0584452     RFP Location, Appleton, Wisconsin     1       1     6     0670275     Unit to be Similar in some Aspects, Excluding Pump Panel     1       1     10     10     Boiler Plates, provious truck 28890     1       0     0670275     Unit to be Similar in some Aspects, Excluding Pump Panel     1       1     10     10     1     1       0     0680776     Unit to be Similar in some Aspects, Excluding Pump Panel     1       1     10     1     1     1     1       1     00680776     Pumper/Pumper anth Aental Device Fire Apparatus     1	-			e Level:	34 (Current: 34)	
1   0671399   Boiler Plates, Pumper   1     Fire Department/Customer - Deriver Fire Department   0perating/n conjunction W-Service Center - Operating Miles - 25 Miles   Number of Fire DepMunicipalities - 25     Bidder/Sales Organization - Front Range Fire Apparatus   Delivery - Delivery representative   1     2   0661794   Single Source Compliance   1     3   0584456   Manufacture Location: Appleton, Wisconsin   1     4   0584457   RFP Location: Appleton, Wisconsin   1     5   0586609   Vehicle Destination, US   1     6   6670275   Unit to be Similar in some Aspects, Excluding Pump Panel   1     7   0533316   Comply MFPA 1901 Changes Effective Jan 1, 2009, With Exceptions   1     10   0667727   Unit to be Similar in some Aspects, Excluding Pump Panel   1     11   0688611   Vehicle Certification, Pumper   1     12   0000000   STF   Inspection tip 47 - when - number of people   2     12   0000000   STF   Inspection tip 43 - when - number of people   2     12   0000000   STF   Inspection tip 43 - when - number of people   2						
Fire Department/Operating/in conjunction W-Service Center - Operating     Miles - 25 Miles     Number of Fire DepMuncipalities - 25     Bidder/Sales Organization - Front Range Fire Apparatus     Delivery - Delivery representative     Delivery - Delivery representative     0 854456     Manufacture Location: Appleton, Wisconsin     1     0 854459     Manufacture Location: Appleton, Wisconsin     1     0 854450     Vehicle Destination, US     0 8570275     Unit to be Similar in some Aspects, Excluding Pump Panel     1     0 858611     Vehicle Destination, US     0 8586611     Vehicle Certification, Pumper     1 10 0661776     Agency, Apparatus Certification, Pumper/Tanker, ULL     1 10 008000     STF     Inspection tip #1 - when - number of people     1 2 0000000     STF     Inspection tip #2 - when - number of people     1 2 0000000     STF     Inspection tip #3 - when - number of people     1 2 0000000     STF     Inspection tip #3 - when - number of people	Line Option	Туре	Option Description		Qty	
Operating/in conjunction W-Service Center - Operating Miles - 25 Miles     Number of Fire Dept/Municipalities - 25     Bidder/Sales Organization - Front Range Fire Apparatus Delivery - Delivery representative Delarship/Sales Organization, Service - Front Range Fire Apparatus     2 0661794   Single Source Compliance   1     3 0584452   RFP Location: Appleton, Wisconsin   1     6 0870275   Unit to be Similar in some Aspects, Excluding Pump Panel   1     7 053337   Pumper/Pumper with Aerial Device Fire Apparatus   1     9 058681   Vehicle Certification, Pumper/Fanker, U.L.   1     10 06661778   Agency, Apparatus Certification, Pumper/Tanker, U.L.   1     11 0006000   Carrely Aden - number of people   2     12 0000000   STF   Inspection trip #1 - when - number of people   2     12 0000000   STF   Inspection trip #2 - when - number of people   2     12 0000000   STF   Inspection trip #3 - when - number of people   2     13 0537375   Unit of Measure, US Gallons   1     14 0000000   BTF   Inspection trip #3 - when - number of people   1     12 0000000   STF   Inspection trip #3 - when - number of people   1     13 0537375	1 0671399		Boiler Plates, Pumper		1	
Miles - 25 Miles     Number of Fire Depl/Municipalities - 25     Bidder/Sales Organization - Front Range Fire Apparatus     Delivery Prepresentative     Delevery Prepresentative     2 0661794   Single Source Compliance     3 0584456   Manufacture Location: Appleton, Wisconsin   1     4 0584452   RFP Location: Appleton, Wisconsin   1     5 0586600   Vehicle Destination, US   1     6 0670275   Unit to be Similar in some Aspects, Excluding Pump Panel   1     1 8 0533216   Comply NFPA 1901 Changes Effective Jan 1, 2009, With Exceptions   1     9 0588611   Vehicle Destination, Pumper Fire Apparatus   1     1 0 0681778   Agency, Apparatus Certification, Pumper/Tanker, ULL.   1     1 0 0681778   Agency, Apparatus Certification, Pumper To apost paint inspection conference Qiy, -02   2     1 2 0000000   STF   Inspection trip #2 - when - number of people   2     1 2 0000000   STF   Inspection trip #3 - when - number of people   2     1 2 0000000   STF   Inspection trip #3 - when - number of people   2     1 0 0652200   Parting Maint Sales (Med Biock), 2010   1     1 0 050006   Bid Bond Not R						
Number of Fire Dept/Municipalities - 25     Bidder(%) - Delivery representative       Delivery - Delivery representative     Delaters(%)       2 0661794     Single Source Compliance     1       3 0564456     Manufacture Location: Appleton, Wisconsin     1       4 0684462     RFP Location: Appleton, Wisconsin     1       5 0688609     Vehicle Destination, US     1       6 0670275     Unit to be Similar in some Aspects, Excluding Pump Panel     1       7 0533347     Pumper/Pumper with Aerial Device Fire Apparatus     1       10 0661778     Agency, Apparatus Certification, Pumper/Tanker, U.L.     1       10 066378     Carrer/Pail Department     1       12 0000000     STF     Inspection trip #1 - when - number of people     2       12 0000000     STF     Inspection trip #2 - when - number of people     2       12 0000000     STF     Inspection trip #3 - when - number of people     2       13 0537375     Unit of Measure, US Gallons     1       14 0030006     Bid Bond Not Requested     1       15 0582800     Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment     1       16 00000						
Bilder/Sales Organization - Front Range Fire Apparatus     Delivery prepresentative       Delivery of prepresentative     Delivery of prepresentative       2 6661794     Single Source Compliance     1       3 6584456     Manufacture Location: Appleton, Wisconsin     1       4 0584452     RFP Location: Appleton, Wisconsin     1       6 0670275     Unit to be Similar in some Aspects, Excluding Pump Panel     1       7 0533316     Comply NFPA 1901 Changes Effective Jan 1, 2009. With Exceptions     1       8 0533377     Pumper/Pumper with Aerial Device Fire Apparatus     1       10 0681778     Agency, Apparatus Certification, Pumper/Tanker, U.L.     1       10 068178     Agency, Apparatus Certification, Pumper/Tanker, U.L.     1       12 0000000     STF     Inspection trip #1 - when - number of people     2       Location - at the factory for a post paint inspection     2     1       12 0000000     STF     Inspection trip #3 - when - number of people     2       12 0000000     STF     Inspection trip #3 - when - number of people     2       12 0000000     STF     Inspection trip #3 - when - number of people     2       13 0537375						
Delivery - Delivery representative     Delivery - Delivery incrementative       2 0661794     Single Source Compliance     1       3 0584456     Manufacture Location: Appleton, Wisconsin     1       4 0584452     RFP Location: Appleton, Wisconsin     1       6 0670275     Unit to be Similar in some Aspects, Excluding Pump Panel     1       7 0533316     Comply NFPA 1901 Changes Effective Jan 1, 2009, With Exceptions     1       8 0533347     Pumper/Pumper with Aerial Device Fire Apparatus     1       10 0661778     Agency, Apparatus Certification, Pumper/Tanker, U.L.     1       11 0006036     Careen/Paid Department     1       12 0000000     STF     Inspection trip #1 - when - number of people     2       12 0000000     STF     Inspection trip #2 - when - number of people     2       12 0000000     STF     Inspection trip #3 - when - number of people     2       13 0537375     Unit of Measure, US Galons     1       14 0030006     Bid Bond Not Requested     1       15 0582800     Performance Bond, 100 Percent W/25 Percent Warranty Bond, 1 Yr, and Payment     1       16 0000007     Approval Drawing     1 <						
Dealership/Sales Organization, Service - Front Range Fire Apparatus       2 0661794     Single Source Compliance     1       3 0584456     Manufacture Location: Appleton, Wisconsin     1       4 0684452     RFP Location: Appleton, Wisconsin     1       5 0588069     Wehicle Destination, US     1       6 0670275     Unit to be Similar in some Aspects, Excluding Pump Panel     1       7 0533316     Comptly NFPA 1901 Changes Effective Jan 1, 2009, With Exceptions     1       9 0588611     Vehicle Certification, Pumper     1       10 0661778     Agency, Apparatus Certification, Pumper/Tanker, U.L.     1       11 000805     Career/Paid Department     1       12 0000000     STF     Inspection trip #1 - when - number of people     2       Location - at the factory for a post paint inspection     2     Location - at the factory for a delivery inspection       04y, -02     1     Location - at the factory for a delivery inspection     1       14 0030006     Bid Bond Not Requested     1     1       15 058200     Performance Bond, 100 Percent W25 Percent Warranty Bond, 1 Yr, and Payment     1       16 0000007     Approval Drawing     1 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
2 0681794     Single Source Compliance     1       3 0584456     Manufacture Location: Appleton, Wisconsin     1       4 0584452     RFP Location: Appleton, Wisconsin     1       5 0588609     Vehicle Destination, US     1       6 0670275     Unit to be Similar in some Aspects, Excluding Pump Panel     1       7 0533347     Pumper/Pumper with Aerial Device Fire Apparatus     1       9 0588611     Vehicle Certification, Pumper/Tanker, U.L.     1       10 0661778     Agency, Apparatus Certification, Pumper/Tanker, U.L.     1       10 006036     Career/Paid Department     1       12 0000000     STF     Inspection trip #1 - when - number of people     2       Location - at the factory for a post paint inspection     2     Location - at the factory for a delivery inspection       12 0000000     STF     Inspection trip #3 - when - number of people     2       Location - at the factory for a delivery inspection     1     2       13 0537375     Unit of Measure, US Sallons     1       14 0030006     Bid Bond Not Requested     1       15 0582800     Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment				oparatus		
3 0584456     Marufacture Location: Appleton, Wisconsin     1       4 0584452     RFP Location: Appleton, Wisconsin     1       6 0670275     Unit to be Similar in some Aspects, Excluding Pump Panel     1       7 0533316     Compty NFPA 1901 Changes Effective Jan 1, 2009, With Exceptions     1       8 053337     Pumper/Pumper with Aerial Device Fire Apparatus     1       9 0588611     Vehicle Certification, Pumper/Tanker, U.L.     1       11 000630     Career/Paid Department     1       12 0000000     STF     Inspection trip #1 - when - number of people     2       Location - at the factory for a post paint inspection     Qty, -02     2       12 0000000     STF     Inspection trip #3 - when - number of people     2       Location - at the factory for a post paint inspection     Qty, -02     2       12 0000000     STF     Inspection trip #3 - when - number of people     2       Location - at the factory for a delivery inspection     Qty, -02     2       14 0030007     Approval Drawing     1     1       14 0030007     Approval Drawing     1     1       17 0087832     Drawing, Preliminary La	2 0661794			ppulatus	1	
4 0584452     RFP Location: Appleton, Wisconsin     1       5 0588609     Vehicle Destination, US     1       6 0670275     Unit to be Similar in some Aspects, Excluding Pump Panel     1       7 0533316     Comply NFPA 1901 Changes Effective Jan 1, 2009, With Exceptions     1       8 053347     Pumper/Pumper with Aerial Device Fire Apparatus     1       10 0661778     Agency, Apparatus Certification, Pumper/Tanker, U.L.     1       10 0061778     Agency, Apparatus Certification, Pumper/Tanker, U.L.     1       12 0000000     STF     Inspection trip #1 - when - number of people     2       12 0000000     STF     Inspection trip #2 - when - number of people     2       12 0000000     STF     Inspection trip #2 - when - number of people     2       12 0000000     STF     Inspection trip #2 - when - number of people     2       12 0000000     STF     Inspection trip #3 - when - number of people     2       12 0000000     STF     Inspection trip #3 - when - number of people     2       12 0000000     STF     Inspection trip #3 - when - number of people     1       13 0537375     Unit of Measure, US adlions <td< td=""><td></td><td></td><td>-</td><td></td><td></td><td></td></td<>			-			
5   0588809   Vehicle Destination, US   1     6   0670275   Unit to be Similar in some Aspects, Excluding Pump Panel   1     7   0533316   Comply NFPA 1901 Changes Effective Jan 1, 2009, With Exceptions   1     8   0533347   Pumper/Pumper with Aerail Device Fire Apparatus   1     9   0588611   Vehicle Certification, Pumper   1     10   0661778   Agency, Apparatus Certification, Pumper/Tanker, U.L.   1     11   0008017   Agency, Apparatus Certification, Pumper/Tanker, U.L.   1     12   0000000   STF   Inspection trip #1 - when - number of people   2     12   0000000   STF   Inspection trip #2 - when - number of people   2     13   0537375   Unit of Measure, US Gallons   1     14   0030006   Bid Bond Not Requested   1     15   0582800   Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment   1     16   0000007   Approval Drawing   1   1     17   0087832   Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only   1     18   0002928   Ele						
6     0670275     Unit to be Similar in some Aspects. Excluding Pump Panel     1       Fill in Blank - previous truck 28980     1       8     0533347     Pumper/Pumper with Aerial Device Fire Apparatus     1       9     058861     Vehicle Certification, Pumper     1       10     0681178     Agency, Apparatus Certification, Pumper/Tanker, U.L.     1       11     10008036     Careen/Paid Department     1       12     10000000     STF     Inspection trip #1 - when - number of people     2       12     Location - at the customer location for a preconstruction conference Oty, -02     2     1       12     0000000     STF     Inspection trip #3 - when - number of people     2       12     0000000     STF     Inspection trip #3 - when - number of people     2       12     0000000     STF     Inspection trip #3 - when - number of people     2       13     0537375     Unit of Measure, US Gallons     1     1       14     0030006     Bid Bond Not Requested     1     1       15     0582800     Performance Bond, 100 Percent w/25 Percent Warranty					1	
Fill in Blank - previous truck 26980   1     7 053316   Comply NFPA 1901 Changes Effective Jan 1, 2009, With Exceptions   1     9 0588611   Vehicle Certification, Pumper   1     10 0661778   Agency, Appratuts Certification, Pumper/Tanker, U.L.   1     11 0008036   Career/Paid Department   1     12 000000   STF   Inspection trip #1 - when - number of people   2     Location - at the customer location for a preconstruction conference Qty, - 02   2   2     12 0000000   STF   Inspection trip #2 - when - number of people   2     Location - at the factory for a post paint inspection Qty, - 02   2   2     13 0537375   Unit of Measure, US Gallons   1     14 0030006   Bid Bond Not Requested   1     15 0582800   Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment   1     16 0000007   Approval Drawing   1   1     17 0087832   Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only   1     18 0002928   Electrical Diagrams   1   1     20 000010   GVW rating - 42,000 pounds   1   2     21 0000110   Wheelbase - 175.					1	
7 0533316     Comply NFPA 1901 Changes Effective Jan 1, 2009, With Exceptions     1       8 0533347     Pumper/Pumper with Aerial Device Fire Apparatus     1       10 0661778     Agency, Apparatus Certification, Pumper/Tanker, U.L.     1       11 0008036     Career/Paid Department     1       12 0000000     STF     Inspection trip #1 - when - number of people     2       12 0000000     STF     Inspection trip #2 - when - number of people     2       12 0000000     STF     Inspection trip #3 - when - number of people     2       12 0000000     STF     Inspection trip #3 - when - number of people     2       12 0000000     STF     Inspection trip #3 - when - number of people     2       12 0000000     STF     Inspection trip #3 - when - number of people     2       10 0537375     Unit of Measure, US Gallons     1       14 0030006     Bid Bord Not Requested     1       15 0582800     Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment Bond     1       16 000007     Approval Drawing     1     1       17 0087832     Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only     <						
8     0533347     Pumper/Pumper with Aerial Device Fire Apparatus     1       9     0588611     Vehicle Certification, Pumper     1       10     0661778     Agency, Apparatus Certification, Pumper/Tanker, U.L.     1       11     0008036     Career/Paid Department     1       12     000000     STF     Inspection trip #1 - when - number of people     2       12     000000     STF     Inspection trip #2 - when - number of people     2       12     000000     STF     Inspection trip #2 - when - number of people     2       12     000000     STF     Inspection trip #3 - when - number of people     2       13     0537375     Unit of Measure, US Gallons     1     1       14     0030006     Bid Bond Not Requested     1     1       15     0582800     Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment     1       16     000007     Approval Drawing     1     1       17     0087832     Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only     1       19     0597588	7 0533316				1	
10     0661778     Agency, Apparatus Certification, Pumper/Tanker, U.L.     1       11     0008036     Career/Paid Department     1       12     0000000     STF     Inspection trip #1 - when - number of people Location - at the customer location for a preconstruction conference Oty, - 02     2       12     0000000     STF     Inspection trip #2 - when - number of people Location - at the factory for a post paint inspection Oty, - 02     2       12     0000000     STF     Inspection trip #3 - when - number of people Location - at the factory for a delivery inspection Oty, - 02     2       13     0537375     Unit of Measure, US Gallons     1       14     0030006     Bid Bond Not Requested     1       15     0582800     Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment Bond     1       16     000007     Approval Drawing     1     1       18     0002928     Electrical Diagrams     1       19     0597598     Velocity Chassis (Med Block), 2010     1       20     Ou0070     GVW Rating     1       21     0000110     Wheelbase     1       22	8 0533347				1	
11     0008036     Career/Paid Department     1       12     0000000     STF     Inspection trip #1 - when - number of people     2       12     0000000     STF     Inspection trip #2 - when - number of people     2       12     0000000     STF     Inspection trip #3 - when - number of people     2       12     0000000     STF     Inspection trip #3 - when - number of people     2       14     0030000     STF     Inspection trip #3 - when - number of people     2       14     0030006     Bid Bond Not Requested     1     1       14     0030006     Bid Bond Not Requested     1     1       15     0582800     Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment     1       16     000007     Approval Drawing     1     1       17     087832     Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only     1       18     0002109     Overail Length, Target     1       19     0597598     Velocity Chassis (Med Block), 2010     1       20     Ou0070     GVW	9 0588611		Vehicle Certification, Pumper		1	
12 000000   STF   Inspection trip #1 - when - number of people   2     12 000000   STF   Inspection trip #2 - when - number of people   2     12 000000   STF   Inspection trip #2 - when - number of people   2     12 000000   STF   Inspection trip #3 - when - number of people   2     12 000000   STF   Inspection trip #3 - when - number of people   2     13 0537375   Unit of Measure, US Gallons   1     14 0030006   Bid Bond Not Requested   1     15 0582800   Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment   1     16 000007   Approval Drawing   1   1     17 0087832   Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only   1     18 0002928   Electrical Diagrams   1     19 0597598   Velocity Chassis (Med Block), 2010   1     20 000070   GVW Rating   1     21 0000110   Wheelbase   1     22 0000070   GVW Rating   1     23 0000203   Frame Liner Not Req'd   1     24 0020018   Frame Liner Not Req'd   1     25 0508847   Axle,	10 0661778		Agency, Apparatus Certification, Pumper/Tanker, U.L.		1	
Location - at the customer location for a preconstruction conference Qty 02 12 000000 STF Inspection trip #2 - when - number of people Location - at the factory for a post paint inspection Qty 02 12 000000 STF Inspection trip #3 - when - number of people Location - at the factory for a delivery inspection Qty 02 13 0537375 Unit of Measure, US Gallons 1 14 003006 Bid Bond Not Requested 1 15 0582800 Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment 1 Bond Bond Bond 16 000007 Approval Drawing 1 17 0087832 Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only 1 18 0002928 Electrical Diagrams 1 19 059758 Velocity Chassis (Med Block), 2010 1 20 0021009 Overall Length, Target 1 21 0000110 Wheelbase - 175.50" 22 0000070 GVW Rating - 42,000 pounds - 1 32 0000203 Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF 1 24 002018 Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF 1 25 008847 Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/Vel 1 25 008847 Axle, Front, Oshkosh TAK-4, Qtm/AXT/Imp/Vel/DCF, 1 27 0087572 Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf 1 28 0000322 Oil Seals, Front Axle 4, 15/000 lb, Qtm/AXT/Imp/Vel/DCF/Enf 1 29 0582836 Tirres, Front, Godyear, G289 WHA, 315/80R22.50, 20 ply 1 30 0019575 Wheels, Front, Alca, 22.50" x 9.00", Aluminum, Hub Pliot 1	11 0008036		Career/Paid Department		1	
Qty 02       12 000000     STF     Inspection trip #2 - when - number of people Location - at the factory for a post paint inspection Qty 02     2       12 000000     STF     Inspection trip #3 - when - number of people Location - at the factory for a delivery inspection Qty 02     2       13 0537375     Unit of Measure, US Gallons     1       14 0030006     Bid Bond Not Requested     1       15 0582800     Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment Bond     1       16 0000007     Approval Drawing     1       17 0087832     Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only     1       18 0002928     Electrical Diagrams     1       19 0597588     Velocity Chassis (Med Block), 2010     1       20 000070     GVW Rating     1       21 0000110     Wheelbase     1       0002033     Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/VeI/DCF     1       23 0000203     Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/VeI/DCF     1       24 002018     Frame Liner Not Req'd     1       25 0508847     Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/VeI     1 <t< td=""><td>12 0000000</td><td>STF</td><td>Inspection trip #1 - when - number of people</td><td></td><td>2</td><td></td></t<>	12 0000000	STF	Inspection trip #1 - when - number of people		2	
12 000000   STF   Inspection trip #2 - when - number of people   2     Location - at the factory for a post paint inspection   Qty 02     12 0000000   STF   Inspection trip #3 - when - number of people   2     Location - at the factory for a delivery inspection   Qty 02   1     13 0537375   Unit of Measure, US Gallons   1     14 0030006   Bid Bond Not Requested   1     15 0582800   Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment Bond   1     16 0000007   Approval Drawing   1     17 0087832   Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only   1     18 0002288   Electrical Diagrams   1     19 0597598   Velocity Chassis (Med Block), 2010   1     20 000070   GVW rating - 42,000 pounds   1     21 0000110   Wheelbase - 175.50"   1     22 0000070   GVW Rating   1     32 0000203   Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/VeI/DCF   1     24 002018   Frame Liner Not Req'd   1     25 0508847   Akle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/VeI   1     26 0091744   Su				ference		
Location - at the factory for a post paint inspection Qty, - 02 12 000000 STF Inspection trip #3 - when - number of people Location - at the factory for a delivery inspection Qty, - 02 13 0537375 Unit of Measure, US Gallons 1 14 0030006 Bid Bond Not Requested 1 15 0582800 Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment 1 Bond 16 0000007 Approval Drawing 1 17 0087832 Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only 1 18 0002928 Electrical Diagrams 1 19 0597598 Velocity Chassis (Med Block), 2010 1 21 0000110 Wheelbase Electrical Diagrams 1 21 0000110 Wheelbase - 175.50" 22 000070 GVW Rating - 42,000 pounds - GVW rating - 42,000 pounds - GVW rating - 42,000 pounds - 12 000018 Frame Rails, 13.38 x 3.50 x 3.75, Qtm/AXT/Imp/Vel/DCF 1 23 0000203 Frame Rails, 13.38 x 3.50 x 3.75, Qtm/AXT/Imp/Vel/DCF 1 24 002018 Frame Rails, 13.38 x 3.50 x 3.75, Qtm/AXT/Imp/Vel/DCF 1 25 050847 Axle, Front, Oshkosh TAK-4, 18,000 lb, Imp/Vel 1 26 0091744 Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/Vel/DCF/Enf 1 27 0087572 Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf 1 28 000032 Oli Seals, Front Axle 1 29 0582936 Tress, Front, Acca, 22.50" x 9.00", Aluminum, Hub Pilot 1	12 000000	отг			0	
Qty 02     2       12 000000     STF     Inspection trip #3 - when - number of people     2       Location - at the factory for a delivery inspection Qty 02     1     1       13 0537375     Unit of Measure, US Gallons     1       14 0030006     Bid Bond Not Requested     1       15 0582800     Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment Bond     1       16 000007     Approval Drawing Preliminary Layout, Pump Panel, Control Zone, Reference Only     1       18 0002928     Electrical Diagrams     1       19 0597598     Velocity Chassis (Med Block), 2010     1       20 000100     Overall Length, Target Wheelbase     1       21 0000110     Wheelbase     1       Wheelbase     1     0       22 0000070     GVW rating - 42,000 pounds     1       23 0000203     Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF     1       24 002018     Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF     1       25 050847     Axke, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/Vel     1       26 0091744     Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/Vel/DCF	12 0000000	51F			Z	
12 000000     STF     Inspection trip #3 - when - number of people     2       Location - at the factory for a delivery inspection Qty, - 02     1     1       13 0537375     Unit of Measure, US Gallons     1       14 0030006     Bid Bond Not Requested     1       15 0582800     Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment Bond     1       16 000007     Approval Drawing     1       17 0087832     Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only     1       18 0002928     Electrical Diagrams     1       19 0597598     Velocity Chassis (Med Block), 2010     1       20 000110     Wheelbase     1       21 0000110     Wheelbase - 175.50"     1       22 0000070     GVW Rating     1       23 0000203     Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/VeI/DCF     1       24 0020018     Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/VeI/DCF     1       25 0508847     Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/VeI/DCF     1       26 00091744     Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/VeI/DCF     1       27 0087572     Shock Abs						
Location - at the factory for a delivery inspection Qty 02     Init of Measure, US Gallons     1       13     0537375     Unit of Measure, US Gallons     1       14     0030006     Bid Bond Not Requested     1       15     0582800     Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment     1       16     0000007     Approval Drawing     1       17     0087832     Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only     1       18     0002928     Electrical Diagrams     1       19     0597598     Velocity Chassis (Med Block), 2010     1       20     0021009     Overall Length, Target     1       10     Wheelbase     1     5       21     0000110     Wheelbase - 175.50"     1       22     0000070     GVW Rating     1       23     000203     Frame Liner Not Req'd     1       24     0020018     Frame Liner Not Req'd     1       25     0508847     Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/Vel/DCF     1       26     0091744 </td <td>12 000000</td> <td>STF</td> <td></td> <td></td> <td>2</td> <td></td>	12 000000	STF			2	
Qty 02       13     0537375     Unit of Measure, US Gallons     1       14     003006     Bid Bond Not Requested     1       15     0582800     Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment Bond     1       16     0000007     Approval Drawing     1     1       17     0087832     Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only     1       18     0002928     Electrical Diagrams     1       19     0597598     Velocity Chassis (Med Block), 2010     1       20     0021009     Overall Length, Target     1       10     Wheelbase     175.50"     1       22     000070     GVW Rating     1       000203     Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF     1       24     0020018     Frame Liner Not Req'd     1       25     0508847     Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/Vel     1       26     0091744     Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/Vel/DCF     1       27     0087572     Shock Absorbers, KONI, TAK-4	12 0000000	011			-	
13   0537375   Unit of Measure, US Gallons   1     14   0030006   Bid Bond Not Requested   1     15   0582800   Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment Bond   1     16   0000007   Approval Drawing   1     17   0087832   Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only   1     18   0002928   Electrical Diagrams   1     19   0597598   Velocity Chassis (Med Block), 2010   1     20   0021009   Overall Length, Target   1     Size - approximately 31'.25"   21   000010   Wheelbase   1     21   0000070   GVW Rating   1   1     23   000203   Frame Raiis, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF   1     24   002018   Frame Liner Not Req'd   1     25   0508847   Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/Vel   1     26   0091744   Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/Vel/DCF/Enf   1     27   0087572   Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf   1     28						
15     0582800     Performance Bond, 100 Percent w/25 Percent Warranty Bond, 1 Yr, and Payment Bond     1       16     0000007     Approval Drawing Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only     1       17     0087832     Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only     1       18     0002928     Electrical Diagrams     1       19     0597598     Velocity Chassis (Med Block), 2010     1       20     0021009     Overall Length, Target Size - approximately 31'.25"     1       21     000010     Wheelbase Wheelbase - 175.50"     1       22     000070     GVW Rating GVW rating - 42,000 pounds     1       23     0000203     Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF     1       24     002018     Frame Liner Not Req'd     1       25     0508847     Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/Vel/DCF     1       26     0091744     Suspension, Front TAK-4, 48,000 lb, Qtm/AXT/Imp/Vel/DCF/Enf     1       26     000322     Oil Seals, Front, Axle     1       27     0087572     Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DC	13 0537375				1	
Bond     1       16 000007     Approval Drawing     1       17 0087832     Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only     1       18 0002928     Electrical Diagrams     1       19 0597598     Velocity Chassis (Med Block), 2010     1       20 0021009     Overall Length, Target     1       21 0000110     Wheelbase     1       22 0000070     GVW Rating     1       GVW rating - 42,000 pounds     1       23 0000203     Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF     1       25 050847     Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/Vel     1       26 000322     Oil Seals, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/Vel/DCF/Enf     1       28 0000322     Oil Seals, Front Axle     1       29 0582936     Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply     1       30 0019575     Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot     1	14 0030006		Bid Bond Not Requested		1	
16   0000007   Approval Drawing   1     17   0087832   Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only   1     18   0002928   Electrical Diagrams   1     19   0597598   Velocity Chassis (Med Block), 2010   1     20   0021009   Overall Length, Target   1     20   0021009   Overall Length, Target   1     21   0000110   Wheelbase   1     22   000070   GVW Rating   1     23   0000203   Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF   1     24   0020018   Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF   1     25   0508847   Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/Vel   1     26   0091744   Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/Vel/DCF   1     28   000322   Oil Seals, Front, Akle   1     29   0582936   Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply   1     30   0019575   Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot   1	15 0582800			nd Payment	1	
17   0087832   Drawing, Preliminary Layout, Pump Panel, Control Zone, Reference Only   1     18   0002928   Electrical Diagrams   1     19   0597598   Velocity Chassis (Med Block), 2010   1     20   0021009   Overall Length, Target   1     Size - approximately 31'.25"     21   0000100   Wheelbase   1     Wheelbase - 175.50"     22   0000070   GVW Rating   1     GVW rating - 42,000 pounds   1   1     23   000203   Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/VeI/DCF   1     24   0020018   Frame Liner Not Req'd   1     25   0508847   Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/VeI   1     26   0091744   Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/VeI/DCF   1     27   0087572   Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/VeI/DCF/Enf   1     29   0582936   Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply   1     30   0019575   Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot   1	16 0000007				1	
18 0002928   Electrical Diagrams   1     19 0597598   Velocity Chassis (Med Block), 2010   1     20 0021009   Overall Length, Target   1     Size - approximately 31'.25"   1     21 0000110   Wheelbase   1     Wheelbase - 175.50"   1     22 0000070   GVW Rating   1     GVW rating - 42,000 pounds   1     23 0000203   Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF   1     24 0020018   Frame Liner Not Req'd   1     25 0508847   Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/Vel   1     26 0091744   Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/Vel/DCF   1     27 0087572   Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf   1     28 0000322   Oil Seals, Front Axle   1     29 0582936   Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply   1     30 0019575   Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot   1				nlv	1	
19   0597598   Velocity Chassis (Med Block), 2010   1     20   0021009   Overall Length, Target Size - approximately 31'.25"   1     21   0000110   Wheelbase Wheelbase - 175.50"   1     22   0000070   GVW Rating GVW rating - 42,000 pounds   1     23   0000203   Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF   1     24   0020018   Frame Liner Not Req'd   1     25   0508847   Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/Vel   1     26   0091744   Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/Vel/DCF   1     27   087572   Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf   1     28   000322   Oil Seals, Front Axle   1     29   0582936   Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply   1     30   0019575   Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot   1				,	1	
20 0021009   Overall Length, Target Size - approximately 31'.25"   1     21 0000110   Wheelbase Wheelbase - 175.50"   1     22 000070   GVW Rating GVW rating - 42,000 pounds   1     23 0000203   Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/VeI/DCF   1     24 0020018   Frame Liner Not Req'd   1     25 0508847   Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/VeI   1     26 0091744   Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/VeI/DCF   1     27 0087572   Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/VeI/DCF/Enf   1     28 0000322   Oil Seals, Front Axle   1     29 0582936   Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply   1     30 0019575   Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot   1					1	
Size - approximately 31'.25"     21 0000110   Wheelbase   1     Wheelbase - 175.50"     22 000070   GVW Rating   1     GVW rating - 42,000 pounds   1     23 0000203   Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/VeI/DCF   1     24 0020018   Frame Liner Not Req'd   1     25 0508847   Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/VeI   1     26 0091744   Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/VeI/DCF   1     27 0087572   Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/VeI/DCF/Enf   1     28 0000322   Oil Seals, Front Axle   1     29 0582936   Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply   1     30 0019575   Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot   1					1	
Wheelbase - 175.50"     1       22 0000070     GVW Rating GVW rating - 42,000 pounds     1       23 0000203     Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF     1       24 0020018     Frame Liner Not Req'd     1       25 0508847     Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/Vel     1       26 0091744     Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/Vel/DCF     1       27 0087572     Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf     1       28 0000322     Oil Seals, Front Axle     1       29 0582936     Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply     1       30 0019575     Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot     1						
22 0000070   GVW Rating GVW rating - 42,000 pounds   1     23 0000203   Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF   1     24 0020018   Frame Liner Not Req'd   1     25 0508847   Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/Vel   1     26 0091744   Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/Vel/DCF   1     27 0087572   Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf   1     28 0000322   Oil Seals, Front Axle   1     29 0582936   Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply   1     30 0019575   Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot   1	21 0000110		Wheelbase		1	
GVW rating - 42,000 pounds   1     23 0000203   Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/VeI/DCF   1     24 0020018   Frame Liner Not Req'd   1     25 0508847   Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/Vel   1     26 0091744   Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/VeI/DCF   1     27 0087572   Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/VeI/DCF/Enf   1     28 0000322   Oil Seals, Front Axle   1     29 0582936   Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply   1     30 0019575   Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot   1			Wheelbase - 175.50"			
23 0000203   Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF   1     24 0020018   Frame Liner Not Req'd   1     25 0508847   Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/Vel   1     26 0091744   Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/Vel/DCF   1     27 0087572   Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf   1     28 0000322   Oil Seals, Front Axle   1     29 0582936   Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply   1     30 0019575   Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot   1	22 0000070		GVW Rating		1	
24 0020018   Frame Liner Not Req'd   1     25 0508847   Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/Vel   1     26 0091744   Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/Vel/DCF   1     27 0087572   Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf   1     28 0000322   Oil Seals, Front Axle   1     29 0582936   Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply   1     30 0019575   Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot   1						
25   0508847   Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Imp/Vel   1     26   0091744   Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/Vel/DCF   1     27   0087572   Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf   1     28   0000322   Oil Seals, Front Axle   1     29   0582936   Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply   1     30   0019575   Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot   1					1	
26 0091744   Suspension, Front TAK-4, 18,000 lb, Qtm/AXT/Imp/Vel/DCF   1     27 0087572   Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf   1     28 0000322   Oil Seals, Front Axle   1     29 0582936   Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply   1     30 0019575   Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot   1					1	
27     0087572     Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf     1       28     0000322     Oil Seals, Front Axle     1       29     0582936     Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply     1       30     0019575     Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot     1					1	
28 0000322   Oil Seals, Front Axle   1     29 0582936   Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply   1     30 0019575   Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot   1					1	
29     0582936     Tires, Front, Goodyear, G289 WHA, 315/80R22.50, 20 ply     1       30     0019575     Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot     1					1	
30 0019575     Wheels, Front, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot     1					1	
					1	
31 0000310 Request for Turning Radius Report 1					1	
	31 0000310		Request for Turning Radius Report		1	

Line	Option	Туре	Option Description	Qty
32	0530463		Axle, Rear, Meritor RS23-186, 24,000 lb Imp/Vel/Dash CF	1
33	0544253		Top Speed of Vehicle, 68 MPH	1
34	0040557		Suspen, Rear, Reyco, Spring, 27,000 lb, w/24,000 lb Axle	1
35	0000485		Oil Seals, Rear Axle	1
36	0587216		Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single	1
37	0019625		Wheels, Rear, Alcoa, 22.50" x 8.25", Aluminum, Hub Pilot, Single	1
38	0568081		Tire Balancing, Counteract Beads	1
39	0627984		Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Front Tires Only	1
			Qty, Tire Pressure Ind - 2	
	0003245		Axle Hub Covers w/center hole, S/S, Front Axle	1
	0002002		Chains, Rud automatic tire, 18 strand	1
42	0097571		Mud Flaps, Mounted even with Fenderetts	1
			Location - front	
40	0002045		Qty, - 1 Mud Flore, wilders front & room	1
	0002045 0640104	SP	Mud Flaps, w/logo front & rear	1
	0040104	ЪГ	Label, Informational, Crossfire System, 85 PSI Tire, "Crossfire" Air Pressure Equalization	1
	0544802		Chocks, Wheel, SAC-44-E, Folding	1
40	0544002		Qty, Pair - 01	I
47	0544806		Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal	1
	0011000		Qty, Pair - 01	·
			Location, Wheel Chocks - Left Side Rear Tire, Forward	
48	0593760		ESC/ABS/ATC Wabco Brake System, Single Rear Axle, 2010	1
49	0030185		Brakes, Knorr/Bendix 17", Disc, Front, TAK-4	1
	0000730		Brakes, Meritor, Cam, Rear, 16.50 x 7.00"	1
	0020784		Air Compressor, Brake, Cummins/Wabco 18.7 CFM	1
	0000785		Brake Reservoirs, Three	1
53	0587033		Air Dryer, Brake, AD-9 w/heat, 2010	1
54	0000790		Brake Lines, Nylon	1
55	0000854		Air Inlet, w/Disconnect Coupling	1
			Location, Air Coupling(s) - a) DS Step Well	
			Qty, Air Coupling (s) - 1	
56	0000860		Outlet, Air, with shut off valve	1
			Location, Air Coupling(s) - o) DS Frt Body Compt	
57	0004200		Qty, Air Coupling (s) - 1	2
57	0004200		Hose, Air 25' length, w/air chuck Qtv 02	2
58	0648999		Air Tank, Additional for Extra Air Horn Capacity, Above R1	1
	0522855		Aux Braking Systems, Simultaneous Operation	1
	0610822		Engine, Cummins ISL9, 370 hp, 1250 lb-ft, W/OBD, EPA 2016, Imp/Vel	1
	0001244		High Idle w/Electronic Engine, Custom	1
	0678027		Engine Brake, Jacobs Compression Brake, Cummins Engine, with Allison Retarder	1
			Switch, Engine Brake - a) Series 60	
63	0607623	SP	Clutch, Fan, Air Actuated, Horton Drive Master, Compression Fitting	1
64	0123135		Air Intake, w/Ember separator, Imp/Vel	1
65	0597542		Exhaust System, 4", 2010 ISL9/ISC 8.3 Engine, Horizontal, Officer Side	1
66	0634308	SP	Exhaust, Modified 35 Degree, 2010/2013 Engine - Approval Req'd	1
67	0557543		Radiator, Impel/Velocity	1
68	0616439		Cooling Hoses, Gates Silicone	1
69	0659434	SP	Modification, Rubber Hose at Radiator, Denver	1
70	0673756		Winter Cover With Ventilation, Front Cab Grille, One Piece, Vel	1
			Color, Vinyl Cover - d) White	
	0001125		Fuel Tank, 65 Gallon, Left Side Fill	1
	0001129		Lines, Fuel	1
73	0595087		DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle	1
<b>_</b> .	0550300		Door, Material & Finish, DEF Tank - Polished Stainless	
	0552793		Not Required, Fuel Priming Pump	1
	0582243		Shutoff Valves, Fuel Line @ Primary Filter, Cummins	1
	0699437		Cooler, Chassis Fuel, Not Req'd.	1
77	0642576		Trans, Allison 5th Gen, 3000 EVS PR, Imp/Vel/Dash CF	1
			Trans. retarder capacity - a. low/1000, 3000 EVS	

	Option	Туре	Option Description	Qty
77			Trans, retarder control - I) Auto 1/3, 2/3, 3/3	
78	0640825	SP	Transmission, Shifter, 6-Spd, Push Button w/4+2 mode, ISL9, Short Body, Denver	1
			Trans, ratio - 3000 EVS, 6Spd	
79	0679627		Transmission Oil Cooler, Champ, Imp/Vel/Dash CF	1
80	0535530		Mode, Downshift, Aggressive downshift to 2nd, w/engine brake, 6 speed	1
	0001370		Driveline, Spicer 1710	1
	0669988		Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler	1
	0001544		Not Required, Steering Assist Cylinder on Front Axle	1
	0509230		Steering Wheel, 4 Spoke without Controls	1
	0690274		Logo/Emblem, on Dash	1
60	0090274			1
			Text, Row (1) One - Denver	
			Text, Row (2) Two - Fire	
96	0034671		Text, Row (3) Three - Department	1
00	0034671		Lube System, Vogel, 22 Point, w/TAK-4 Suspension	I
07	0400005		Location - in the right rear pump house area	4
	0123625		Bumper, 19" Extended, Imp/Vel	1
88	0616492		Tray, Hose, Center, 19" Bumper, Outside Air Horns, Imp/Vel	1
			Grating, Bumper extension - Grating, Rubber	
			Capacity, Bumper Tray - 09) 150' of 1.50"	
89	0626469		Cover, Aluminum Treadplate, Two (2) Flush Lift and Turn, Hose Tray, Notched	1
			Stay arm, Tray Cover - b) Pneumatic Stay Arm	
90	0510226		Lift & Tow Package, Imp/Vel, AXT, Dash CF	1
91	0002270		Tow Hooks, Chrome	1
92	0668315		Cab, Velocity FR, 7010 Raised Roof	1
93	0668309		Engine Tunnel, ISL and DD13, Impel/Velocity FR	1
	0677478		Rear Wall, Exterior, Cab, Aluminum Treadplate	1
	0122466		Cab Lift, Elec/Hyd, w/Manual Override, Imp/Vel	1
	0123176		Grille, Bright Finished, Front of Cab, Impel/Velocity	1
	0002224		Scuffplates, S/S At Cab Door Jambs, 4-Door Cab	
91	0002224			1
00	0507000		Material Trim/Scuffplate - c) S/S, Polished	1
98	0527032		Trim, S/S Band, Across Cab Face, Rect Lights, Velocity	1
			Material Trim/Scuffplate - b) S/S, Brushed	
~~	0007057		Turnsignal Covers - No Covers	
	0087357		Molding, Chrome on Side of Cab	1
100	0559130		Mirrors, Forward Mtd, Htd/Rmt, Pierce One-Eleven	1
			Finish, Arm Cover - Chrome	
			Finish, Mirror Head - Chrome	
	0667937		Door, Full Height, Velocity FR 4-Door Cab, Raised Roof	1
102	0655511		Door Panel, Brushed Stainless Steel, Impel/Velocity 4-Door Cab	1
103	0667905		Storage Pockets w/ Elastic Cover, Recessed, Impel/Velocity FR	1
104	0667902		Controls, Electric Windows, All Cab Doors, Impel/Velocity FR	1
105	0555485		Steps, 4-Door Full Tilt Cab, Std, Imp/Vel	1
106	0509649		Lights, Cab and Crew Cab Access Steps, P25, LED w/Bezel, 1 Light Per Step	1
	0002140		Fenders, S/S on Cab	1
	0122479		Window, Side of C/C, Fixed, Velocity	1
	0552935		Trim, Cab Side Windows, Velocity	1
	0552955		-	4
			Windows, (2), Front of Crew Cab, 10" Raised Roof, Impel/Velocity FR	1
	0509287		Windows, Rear CC, (2) 8" x 14", Velocity	1
	0553196		Trim, Cab Rear Windows, Velocity	1
113	0667945		Cab Interior, Vinyl, Velocity FR	1
			Color, Cab Interior Vinyl/Fabric - a) Silver/Gray	
114	0667943		Cab Interior, Paint Color, Impel/Velocity FR	1
			Color, Cab Interior Paint - a) gray	
115	0509532		Floor, Rubber Padded Cab & Crew Cab, Imp/Vel, Dash CF	1
116	0667936		Heater/defroster, Dual Zone Control, Impel/Velocity FR	1
	0640885		Air Conditioning, Impel/Velocity FR, Dual Zone Control, Center Mt, Hinge Acc Pnl	1
	0639675		Sun Visor, Smoked Lexan, AXT, Dash CF, Imp/Vel, Saber FR/Enforcer	1
	2000010		Sun Visor Retention - No Retention	
110	0548172		(Fran Handles, Liriver and Passender Liver Dest Imp/1/o	-
	0548173 0002526		Grab Handles, Driver and Passenger Door Post, Imp/Vel Light, Engine Compt, All Custom Chassis	1

Line	Option	Туре	Option Description	Qty
122	0583042		Side Roll and Frontal Impact Protection	1
123	0699999		Not Required, Frontal Impact Protection, 2010	1
124	0699998		Not Required, Side Roll Protection Package, 2010	1
125	0622617		Seating Capacity, 6 Seats	1
126	0697005		Seat, Driver, Pierce PS6, Premium, Air Ride, High Back, Safety	1
127	0696994		Seat, Officer, Pierce, PS6, Premium, Air Ride, SCBA, Safety	1
128	0656795		Radio Compartment, Behind Officer Air Ride SCBA Seat, Imp/Vel	1
129	0122183		Seat, Rr Facing C/C, DS Outboard, Pierce PS6, Premium, Safety, SCBA	1
130	0102783		Not Required, Seat, Rr Facing C/C, Center	1
131	0122186		Seat, Rr Facing C/C, PS Outboard, Pierce PS6, Premium, Safety, SCBA	1
132	0108189		Not Required, Seat, Forward Facing C/C, DS Outboard	1
133	0122744		Seat, Forward Facing C/C, Center, (2) Pierce PS6, Premium Safety, SCBA	1
134	0108190		Not Required, Seat, Forward Facing C/C, PS Outboard	1
	0511300		Upholstery, Seats In Cab, All Imperial 1200, Pierce PS6	1
			Color, Cab Interior Vinyl/Fabric - h) Gray/Black	
136	0543991		Bracket, Air Bottle, Hands-Free II, Cab Seats	5
			Qty, - 05	
137	0627339		Seat Belt, Ready Reach	1
			Seat Belt Color - Red	
138	0553393		Seat Belt Height Adjustment, Imp/Vel, Dash CF	6
			Qty, - 06	
139	0627014		Pick Not Required, Seat Belt Color Selected in Seat Belt Option 627339	1
140	0566465		Seat Belt Monitoring, NFPA 2009, Command Zone Color Display	1
141	0543917		Helmet Storage, Provided by Fire Department, NFPA	1
142	0647638		Lights, Dome, Weldon Dual LED 4 Lts	1
			Color, Dome Lt - Red & White	
			Color, Dome Lt Bzl - Grey	
			Control, Dome Lt White - Door Switches and Lens Switch	
			Control, Dome Lt Color - Lens Switch	
143	0631779		Light, Map, Overhead, Round Halogen, AXT/Imp/Vel/Dash CF, Hawk EX	1
			12vdc power from - Battery switched	
144	0650352		Spotlight, Golight® Stryker™, Model 30**4, LED, 2 Lts	1
			Location - one each side	
			Color, GoLt - White	
115	0650050		Bracket, Spotlight - Pedestal - 2 Lts	1
	0650059 0649967		Controller, Spotlight, Golight Stryker, Wired Dash Mount, 2 Lts Location, Spotlight Controller, Driver and Officer, 2 Lts	1
		OTE		1 1
140	0000000	STF	Handlights, (2) Streamlight, E-Spot LiteBox, 45855 LED, 12v, Orange Strap	I
147	0544516		Location, lights - ship loose Spotlight, Handheld Cab, Specialty Lighting 2150-1	1
147	0544516			1
1/18	0568369		Location, Fixed Hand Light - Officer Side Cab Cab Instruments, Ivory Gauges, Chrome Bezels, Impel/Velocity 2010, Dash CF	1
	0509511		Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX	1
	0543751		Light, Do Not Move Apparatus	1
150	0545751		Alarm, Do Not Move Truck - No Alarm	I
151	0509042		Messages, Open Door/Do Not Move Truck, MUX w/Color Display	1
	0611681		Switching, Cab, Membrane, Impel/Velocity/Quantum, Dash CF, AXT WiFi MUX	1
152	0011001		Location, Emerg Sw Pnls - Driver's Side Overhead	I
153	0555915		Wiper Control, 2-Speed with Intermittent, MUX, Impel/Velocity	1
	0548009		Wiring, Spare, 20 A 12V DC 1st	1
104	0040009		Qty, - 01	1
			12vdc power from - Battery direct	
			Wire termination - Stud	
			Location, Spare Wiring - center lower console behind panel #9 rearward	
155	0548006		Wiring, Spare, 15 A 12V DC 2nd	1
			Qty, - 01	
			12vdc power from - Battery direct	
			Wire termination - 15 amp power point plug	
			Location - on the rear face of the dog house. Location, 1" - 2" to the right of	
			the engine access door hinge, as near the top edge of dog house as practical	
			with an enclosure on the inside of engine tunnel for protection - see photo.	

Line	Option	Туре	Option Description	Qty
156	0548004		Wiring, Spare, 15 A 12V DC 1st	4
			Qty, - 04	
			12vdc power from - Battery direct Wire termination - Butt Splice	
			Location, Spare Wiring - two in the rear, tucked into the forward facing	
			seat riser	
	0566101		Recess, Dash Panel, Officer Side, Vel/Imp	1
158	0615386		Vehicle Information Center, 7" Color Display, Touchscreen, MUX	1
450	0540000		System Of Measurement - US Customary	
	0543930		Vehicle Data Recorder, Dual Module	1
160	0696438		Antenna Mount, Custom Chassis, Cable Routed to Radio Box	1
			Location - just to the rear of officer seat Qty, - 01	
161	0615100		Pierce Command Zone, Advanced Electronics & Control System, Diag LEDs, Vel,	1
			WiFi	
162	0624254		Electrical System, Velocity	1
163	0079166		Batteries, (4) Exide Grp 31, 950 CCA each, Threaded Stud	1
	0008621		Battery System, Single Start, All Custom Chassis	1
	0123174		Battery Compartment, Imp/Vel	1
	0579436		Charger, Sngl Sys, Kussmaul, 1200, 091-187-12-Remote, 40 Amp	1
167	0090367		Location, Charger/Compr, Front left body compt, Location Feature	1
			Location - high on the rear wall D3, high as possible, mouted horizontally, takes up most of the upper compartment	
168	0531403		Location, Battery Charger Indicator, Driver's Seat with Bracket	1
	0016856		Shoreline, 15A 120V, Kussmaul Auto Eject, 091-55-15-120, Super	1
			Qty, - 01	
			Color, Kussmaul Cover - d) yellow	
			Connection, Shoreline - the battery charger and the 6 place outlet in the	
170	0000000		crew cab	4
170	0026800		Shoreline Location	1
171	0608786	SP	Location, Shoreline(s) - DS Rear bulkhead Battery Box, Mount Kussmaul Fuse to Side of Battery Box	1
	0529667	01	Cover, Protection Battery Box IO Modules	1
	0656404		Alternator, 320 amp, Leece-Neville 4909AA, Ext Rectifier, Duct	1
	0608728	SP	Fan,Electrical Component Cooling 12 V,Switched Battery,Ignition/rectifier compt	1
			Location - ceiling of the rectifier compartment	
			Qty, - 1	
175	0695819		Sealer (Gorp), No Gorp Req'd on Elect Connections Execpt Fuel Sender	1
	0673595		Programming & Wiring Only, Deck Gun to Do Not Move Truck Lt & CZ Display	1
177	0092582		Load Manager/Sequencer, MUX	1
470	0040740		Enable/Disable Hi-Idle - e)High Idle enable	4
	0648716		Headlights, Rectangular Halogen, Imp/Vel	1
179	0648425		Light, Directional, Whelen 600 LED Combination, Cab Corners, Imp/Vel/AXT/Qtm/DCF	1
			Color, Lens, LED's - m)match LED's	
180	0648256		Light, Directional, Whelen M6T LED Arrow, Recessed, Angle Bracket, Back of Cab	1
181	0648074		Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts	1
182	0620055		Light, Directional/Marker, Intermediate, Truck-Lite 60115Y LED 2lts	1
183	0090155		Lights, Clearance/Marker/ID, Rear, Truck-Lite 35200R LED 7Lts	1
184	0551870		Lights, Tail, Whelen M6BTT* Red LED Stop/Tail & M6T* Amber LED Dir w/Flange	1
			Color, Lens - Colored	
	0551875		Lights, Backup, Whelen M6BUW, LED	1
186	0664466		Bracket, License Plate & Light, Weldon 9186-23882-30 Incand, Temp Under Tailbrd	1
107	0590005		Location - driver side	1
	0589905 0566520		Alarm, Back-up Warning, PRECO 1040 Indicator, Back-up Warning, Ultrasonic 4-zone	1
100	0000020		Location - next to driver	1
189	0695735		Lights, Perimeter Cab, Truck-Lite 44310C LED	1
			Z location -	
			Cab, Perimeter Scene - Cab, 4dr Custom	
190	0617874		Lights, Perimeter Pump House, Truck-Lite 44310C LED 2lts	1

Line	Option	Туре	Option Description	Qty
191	0695719		Lights, Perimeter Body, Truck-Lite 44310C LED 2lts, Rear Step	1
			Control, Perimeter Lts - DS Switch Panel	
192	0556360		Lights, Step, P25 LED 4lts, Pump Pnl Sw	1
193	0619047	SP	Rear Bulkhead Cup Switch, Stainless Steel	1
			Location, lights - deck	
194	0618234		Light, Visor, Whelen, 12V PSL2* Pioneer LED SpotIt 1st	1
			Qty, - 01	
			Location, driver's/passenger's/center - centered	
			Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
			Switch, Lt Control 2 DC,2 - e) No Control	
			Switch, Lt Control 3 DC,3 - d) No Control	
			Switch, Lt Control 4 DC,4 - d) No Control	
			Color, WIn Lt Housing - White Paint	
105	0667759		Light, Visor, Flash - Steady Burning	1
195	0667758		Light, Whelen, 12V PCP2P* Pioneer LED Fld/Spt, Pole Mt 1st	1
			Location, lights - back of cab driver side	
			Qty, - 01 Switch, Lt Control 1 DC,1 - e) Pump Operators Panel	
			Switch, Lt Control 2 DC,2 - e) No Control	
			Switch, Lt Control 3 DC,3 - d) No Control	
			Switch, Lt Control 4 DC,4 - d) No Control	
			Color, WIn Lt Housing - White Paint	
			Poles, W - Side Body/Surface Mount, Push-Up Pole	
			Handle Holder and Up Ind Sw W - Without Handle Holder	
			Pole Length W - 20.00" Outside Pole	
196	0664667		Light, Whelen, 12V PFP2P Pioneer LED Fld/Fld, Pole Mt 2nd	1
			Location, lights - back of cab passenger side	
			Qty, - 01	
			Switch, Lt Control 1 DC,1 - e) Pump Operators Panel	
			Switch, Lt Control 2 DC,2 - e) No Control	
			Switch, Lt Control 3 DC,3 - d) No Control	
			Switch, Lt Control 4 DC,4 - d) No Control	
			Color, WIn Lt Housing - White Paint	
			Poles, W - Side Body/Surface Mount, Push-Up Pole	
			Handle Holder and Up Ind Sw W - Without Handle Holder Pole Length W - 20.00" Outside Pole	
197	0631374		Lights, Deck, Whelen (2) MPPBCS Micro Pioneer LED Rear Flood Lights	1
107	0001071		Control, Scene Lts - Sw Included on Light	•
198	0645676		Lights, Not Required, Hose Bed, Deck Lights At Rear	1
	0645681		Lights, Not Required, Rear Work, Deck Lights At Rear	1
	0645687		Lights, Rear Scene, Whelen, M6ZC LED, 1st	2
200	0040007		Qty, - 02	2
			Control, Rear Scene Lts - Cab Switch Panel DS	
			Location, Scene Lights - Rear Body Bulkhead, Low, 2lt	
201	0060101		Pumper, Short, Alum, 2nd Gen	1
	0554271		Body Skirt Height, 20"	1
	0028294		Tank, Water, 500 Gallon, Poly, Short	1
	0003405		Overflow, 4" Water Tank, Poly	1
	0028104		Foam Cell Required	1
	0635756	SP	Tank Cradle, Hot Dip Galvanized, Pumpers, Tankers, For Use With Gal Frame	1
200	0000700	01	Option	
207	0553729		Not Required, Restraint, Water Tank, Heavy Duty	1
	0003429		Not Required, Direct Tank Fill	1
	0003424		(No Dump Valve required)	1
	0003424		Jet Assist Not Req'd	1
	0048710		(No Dump Chute Required)	1
				ا 4
	0514778		Not Required, Switch, Tank Dump Master	1
	0126633		Hose Bed, Aluminum, Pumper	1
	0003482		Hose Bed Capacity, Additional	1
214			Capacity, Hosebed - 300' X 1.75", 500' X 2.5", 500' X 2.5", 500' X 2.5",	
214				
	0003488		300' X 1.75" Divider, Hose Bed, Unpainted	4

Line	Option	Туре	Option Description	Qty
216	0003469		Liner, S/S, All Side Walls and Front Wall	1
217	0620997	SP	Hose Restraint, Hose Bed, Vinyl, 22oz, Top/Rr, Perm Frt, StayPut Fasteners Spacing	1
			Color, Vinyl Cover - b) yellow	
			Vinyl flap weight - Lead Shot Weighted	
218	0013512		Running Boards, 12.75" Deep	1
	0689621		Tailboard, 16" Deep	1
220	0690037		Wall, Rear, Smooth Aluminum/Body Material	1
			Material, Rear Wall Inboard Facing Surfaces - Aluminum Diamondplate	
221	0003531		Tow Bar, Under Tailboard	1
222	0077384		Bumper, Rear, Aluminum Treadplate, Raised	1
223	0003518		Morton Cass Insert in Running Boards	1
224	0003516		Morton Cass Insert in Tailboard	1
	0003561		Construction, Compt, Alum, Pumper	1
	0053650		DS 140" Rollup, Full Height Front & Rear	1
			· ·	
	0053657		PS 140" Rollup, Low	1
228	0594005		Doors, Rollup, AMDOR, Side Compartments	5
			Qty, Door Accessory - 05	
			Color, Roll-up Door - aaa) AMDOR satin aluminum	
			Latch, Roll-up Door - Lift-bar	
229	0083700		Rear, Rollup, 37.75" FF	1
230	0594003		Door(s), AMDOR, Rollup, Rear Compt	1
			Color, Roll-up Door - aaa) AMDOR satin aluminum	-
			Latch, Roll-up Door - Lift-bar	
221	0554995		No Body Modification Required	1
		00		
232	0612707	SP	Switch, Amdor, Magnetic Open Door, Rollup Door	6
			Qty, Door Accessory - 06	
			Location, Door Accessory - D1, D2, D3, P1, P2 and R1	
233	0551416		Lights, Compt, On Scene Solutions, LED & Truck-Lite Model 79384	6
			Location - each compartment	
			Qty, - 06	
234	0618626	SP	Cover, Cargo Compt, Vinyl, 22 oz, Perm Front, Velcro	1
			Color, Vinyl Cover - b) yellow	
			Qty, - 1	
235	0687146		Shelf Tracks, Painted	2
			Qty, Shelf Track - 02	-
			Location, Shelf Track - D1 Upper and P1 Upper	
226	0687112		Shelves, Adjustable, 500 lb Capacity, Full Width/Depth, Painted	3
230	0007112			5
			Qty, Shelf - 03	
~~-	0500040		Location, Shelf - two (2) in D1 upper, P1	
237	0529812		Access Panel, Compartment Wall, 1/4 Turn Fasteners	1
			Location - in the left front compartment	
			Size - size to fit	
			Fill in Blank - intake relief valve	
238	0003908		Partition, Trans Rear Compt	2
			Qty, Partition - 02	
			Location, Partition - c) both sides	
239	0539177		Rub Rail, Aluminum Extruded, Side and Rear Body, Xtra Space (.50")	1
	0004024		Fender Crowns, Rear, S/S	1
	0519849		Not Required, Hose, Hard Suction	1
	0626229		Handrails, Side Pump Panels, Per Print	1
243	0588719		Handrails, Beavertail, Full Length DS, Offset PS	1
244	0014136		Handrails, Rear, (2), (1) Above and (1) Below Hose Bed	1
			Reinforcement, Hose Bed Divider - Not Required	
245	0657524		Compt, Air Bottle, Single, Round, Fender Panel	4
0			Qty, Air Bottle Comp - 4	-
			Door Finish, Fender Compt - Polished	
			Location, Fender Compt - Single - DS Fwd, Single - DS Rear, Single - PS	
			Fwd and Single - PS Rear	
			Latch, Air Bottle Compt - Flush Lift & Turn	
			Insert, Air Bottle Compt - Rubber Matting	
-	0045507		Horizontal Mounting Tracks for Air Bottle Holders	1
246	0045527		Location, Bracket/comp D2	

	Option	Гуре	Option Description	Qty
246			Qty, - 1	
			qty, Mounting Studs - 03	
	0000000	STF	Ladder, 24' Duo-Safety 900A 2-Sect, Provided By FRFA	1
	0000000	STF	Ladder, 14' Duo-Safety 775A Roof, Provided By FRFA	1
	0004300		Brackets, Adjustable, Passenger Side	1
247	0000000	STF	Ladder, Folding, 10' 585A, Duo-Safety, w/Mtg, Provided By FRFA	1
			Location, Folding Ladder - a) Right Compt	
	0055949		Trough, S/S, Backboard Storage, Behind Ladder Storage	1
249	0554061		Pike Pole, 10' DUO Safety, Fiberglass, Pumper NFPA Classification	1
			Qty, Pike Poles - 1	
			Location - on passenger side compartment top	
250	0548202		Pike Pole, 6' DUO Safety, Fiberglass	1
			Qty, Pike Poles - 1	
054	0004260		Location - on passenger side compartment top	4
251	0004360		Tulip Clip Holders For Pike Poles, Pierce Furnished Pike Poles	1
			Location - over the right compartments - no rubber coating on clips, same as previous 28980	
252	0004380		Steps, Folding, Front of Body, Eberhard	1
	0004381		Steps, Corner, Rear of Body	1
	0004390		Step, Folding - Extra, Body Only, Eberhard	2
204	0004330		Qty, Folding Step - 02	2
			Location, Additional Step - driver side front bulkhead	
255	0004460		Pump, Waterous, CMU, 1500 GPM, Two Stage	1
	0004482		Seal, Mechanical, Waterous	1
	0559769		Transmission, Pump, Waterous C20 Series	1
	0535256		Pump Shift, Air w/Manual Override, Split Shaft, Waterous	1
	0003148		Transmission Lock-up, EVS	1
	0003148		Auxiliary Cooling System	1
	0004347			1
			Transfer Valve, Electric, Waterous	1
	0004513		Valve, Relief Intake, Waterous, Set @ 125 PSI	1
	0546803		Controller, Pressure, Class 1 Total Pressure Governor (TPG)	1
	0673872		Primer, Trident, Air Prime, Air Operated, Automatic	1
	0528229		Drain Locations, Special Instructions	1
	0058516		Manuals, Pump (2), CD	1
	0089351		Plumbing, Stainless Steel & Hose, Control Zone	1
	0064656		Not Required, Black Iron Pipe with Stainless Steel Plumbing	1
	0004645		Inlets, 6.00" - 1250 GPM or Larger Pump	1
	0004646		Cap, Main Pump Inlet, Long Handle, NST, VLH	1
	0549882		Valve, w/Relief, DS Inlet, 6", Electric Cntrl, LED, Manual Overide, Wat Pump	1
	0034651		Short Suction Tube, Passenger Side	1
273	0024615		Valves, Full Flow Waterous Side with Akron 8000 Series Valve	3
			Qty, Valves - 3	
	0004660		Inlet, Left Side, 2.50"	1
	0004680		Inlet, Right Side, 2.50"	1
276	0016158		Valve, Inlet(s) Recessed, Side Cntrl, "Control Zone"	2
			Qty, Inlets - 2	
277	0004700		Control, Inlet, at Valve	1
278	0092569		No Rear Inlet (Large Dia) Requested	1
279	0092696		Not Required, Cap, Rear Inlet	1
280	0064116		No Rear Inlet Actuation Required	1
281	0009648		No Rear Intake Relief Valve Required on Rear Inlet	1
282	0092568		No Rear Auxiliary Inlet Requested	1
283	0563738		Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle	1
284	0029043		Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing	1
285	0004905		Outlet, 1.50" Tank Fill	1
	0004940		Outlet, Left Side, 2.50"	1
			Qty, Discharges - 01	
287	0092570		Not Required, Outlets, Left Side Additional	1
	0004945		Outlet, Right Side, 2.50"	2
			Qty, Discharges - 02	-

Line	Option	Туре	Option Description	Qty
290	0008731		Outlet, 5.00" w/4.00" Right, Handwheel	1
			Valve, Brand - Akron	
291	0648906		Outlet, Front, 2.50" w/2.50" Plumbing	1
			Fitting, Outlet - 2.50" NST with 90 degree swivel	
			Drain, Front Outlet - Class 1 Automatic	
			Location, Front, Single - top of right bumper	
	0092575		Not Required, Outlet, Rear	1
293	0044930		Outlet, Rear, 2.50", Additional	2
			Location - Location will be one left and right side	
			Qty, Discharges - 02	
294	0004925		Outlet, Front HB, 1.50" w/2.00" Plumbing	2
			Qty, Discharges - 02	
~~-			Location, Outlet - c) one (1) each side	
	0085076		Caps for 1.50" to 3.00" Discharge, VLH	1
	0563739		Valve, 0.75" Bleeder, Discharges, Swing Handle	1
	0005091		Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
	0035094		Not Required, Elbow, Left Side Outlets, Additional	1
299	0025091		Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
300	0089584		Not Required, Elbow, Right Side Outlets, Additional	1
301	0045099		Not Required, Elbow, Rear Outlets	1
302	0076593		Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.5" MNST, VLH, Additional	1
303	0005099		Elbow, Large Dia Outlet, 30 Deg, 5.00" FNST x 5.00" Storz	1
304	0627309	SP	Adapter - 1.50"F NST X 1.50"M Special, w/Chain	2
			Qty, Adapter for Outlets - 02	
			Special Threads - NPSH	
			Location, Adaptor - boh hosebed discharges	
305	0039313		Adapter, Thread - 5" Storz X 2.5" MNST & Cap	1
			Qty, Adapter for Outlets - 01	
			Location, Adaptor - passenger side large diameter	
	0062133		Control, Outlets, Manual, Pierce HW if applicable	1
	0005065		Outlet, 3.00" Deluge Riser	1
308	0029302		No Monitor Requested	1
309	0029304		No Nozzle Req'd	1
310	0005070		Deluge Mount, NPT	1
311	0025140		Not Required, 1.50" Crosslays	1
312	0029199		Crosslays Sngl Sheet unpainted, (2+) 2.50" Std Cap	2
			Qty, Crosslays - 2	
313	0029260		Not Required, Speedlays	1
314	0591145		Hose Restraint, Crosslay/Deadlay, Top and Ends, Elastic Netting	2
			Qty, - 02	
315	0015180		Roller, Horizl/Vertical, (2) Crosslays	1
316	0005248		Reel, Booster - Rear Compt., Steel, Roll-up Door	1
			Finish, Reel - Painted Gray	
317	0005279		Switch, Reel Rewind - One at Reel	1
318	0010925		Hose, Booster - 200' of 1.00"/800 PSI(100'+50'+50')	1
	0005244		Capacity, Hose Reel 200' of 1"	1
	0007428		Nozzle for Booster Reel Not Req'd	1
	0005326		Blowout, Hose Reel - Valve at Panel	1
			Qty, - 1	
322	0015412		Foam Sys, Akron Eductor 3126-125 (Single Agent)	1
-			Discharge - front crosslay	-
323	0012126		Not Required, CAF Compressor	1
	0552517		Not Required, Refill, Foam Tank	1
	0649000		Cover, Foam Tank Dome, Hinge Location	1
520	30.0000		Location - forward edge of the fill dome	I
326	0028553		Tag, Foam Tank	1
	0020555		Demonstration, Foam System, Dealer Provided	1
	0031890		Foam Cell, 30 Gallon, Not Reduce Water	1
520	0000447			I
			Type of Foam - Class "B" Foam, Brand Name - Angus	
320	0091036		Drain, 1.00" Foam Tank #1	1
529	0091030		Diain, 1.00 FUalli Talin #1	1

Line	Option	Туре	Option Description	Qty
330	0091079		Not Required, Foam Tank #2	1
331	0091112		Not Required, Foam Tank Drain	1
332	0007575		Pump House, Side Control, 48", Control Zone	1
333	0519215		Pump Panel Configuration, Control Zone, Special Layout Information	1
			Fill in Blank - same a 28980 series	
334	0005525		Material, Pump Panels, Side Control Brushed Stainless	1
	0005577		Panel, Pump Access - Pass Side and Front	1
	0035501		Pump House Structure, Std Height	1
	0005945		Light, Pump Compt	1
	0586438			1
			Gauges, Engine - Pump Panel, IAT Pressure Controller	1
	0005601		Throttle Included w/ Pressure Controller	1
	0549333		Indicators, Engine, Included with Pressure Controller	1
	0065626		Compt, PS Pump Panel, Insulated, Rectifier	1
342	0001750		Tag, Special Colors	3
			Qty, Gauges/Disc 03 Color, Discharge Tag - Passenger Rear 1.5" Preconnect = Aqua, Driver	
			Rear 1.5" Preconnect = Light Green, Large Diameter Side Discharge = Blue	
343	0044860		Test Port, Electronic, Pump RPM, Waterous Pump	1
	0005690		Gauges, 6.00" Master, Class 1, 30"-0-600psi	י 1
			-	1
	0005715		Gauge, 3.50" Pressure, Class 1, 30"-0-600psi	1
	0683969		Gauge, Water Level, IC, 14-LED, PN 3030385-01	1
	0683947		Gauge, Foam Level, Innovative Controls, 14-LED PN 3030386-01B, Class B Foam	1
	0679660		Light Shield, S/S, On Scene Solutions Night Axe, LED	1
349	0606697		Air Horns, (2) Grover, In Bumper	1
350	0606834		Location, Air Horns, Bumper, Each Side, Outside Frame, Inboard (Pos #2 & #6)	1
351	0006064		Control, Air Horn, DS & PS Foot Sw	1
352	0006100		No Electronic Siren	1
353	0046133		No Siren Location	1
354	0076155		No Siren Switch	1
355	0006188		No Speaker	1
	0550461		Location, Not Required, No Speaker (Q2B)	1
	0016080		Siren, Federal Q2B	1
300	0006095		Siren, Mechanical, Mounted Above Deckplate	1
250	0000400		Location, Siren, Mech - a) Left	4
	0026160		Control, Mech Siren, Horn Ring, PS Foot Sw	1
	0642299		Grounding Strap, Q2B Siren Motor to Ground Stud	1
361	0603446	SP	Lightbar, Whelen, Freedom IV-Q, 92", RRR_WR_RWOptWR_RW_RRR	1
			Opticom Priority - b) High	
			Opticom Activation - Cab Switch w/Out E-Master	
			Momentary Opticom Activation - DS Switch	
			Filter, WhI Freedom Ltbrs - No Filters	
362	0540451		Light, Front Zone, Whelen M6* LED, Colored Lens, 4lts Q Bezel	1
			Color, Lt DS Frnt Outside - DS Front Outside Red	
			Color, Lt PS Frnt Outside - PS Front Outside Red	
			Color, Lt DS Front Inside - w) DS Front Inside White	
			Color, Lt PS Front Inside - w) PS Front Inside White	
363	0653937		Flasher, Headlight Alternating	1
			Headlt flash deactivation - b)w/any head lights	
364	0540687		Lights, Side Zone Lower, Whelen M6* LED, Colored Lens, 3pr, Ovr 25	1
			Location, Lights Frt Side - b)each side bumper	
			Color, Lt Side Front - Red	
			Color, Lt Side Middle - Blue	
			Color, Lt Side Rear - Red	
			Location, Lights Mid Side - Rearward of Crew Cab Doors	
			Location, Lights Rear Side - Rear Fender Panel	
365	0634517		Lights, Side, Whelen M6* LED w/45 Degree Bezel, Cab Corner, pair	1
			Qty, Lights, Pair - 1	
			Control, light - b) side warning	
			Color, Whin Sup600 LED - a) rd/rd	
			Material, Bracket - Polished S/S	
366	0540777		Lights, Rear Zone Lower, Whelen M6* LED, Colored Lens	1
			Color, Lt DS Rear - r) DS Rear Lt Red	

366Color, Lt PS Rear - b) PS Rear Lt Blue3670098090Light, Rear Zone Upper, Whelen B6MMR*1P, Super LED beacon Color, Dome, Rear Warning - b)both domes red Control, light - a) rear upper warning Color, Whin Sup700 LED - c) am/am3680006551Not Required, Lights, Rear Upper Zone Blocking Mtg, Rear Warn Lts, Std Mount, S/S Brkts Light, Traffic Directing, Whelen TAL85, 46.81" Long LED	1 1 1 1
Color, Dome, Rear Warning - b)both domes red Control, light - a) rear upper warning Color,Whln Sup700 LED - c) am/am 368 0006551 Not Required, Lights, Rear Upper Zone Blocking 369 0016610 Mtg, Rear Warn Lts, Std Mount, S/S Brkts	1 1
Control, light - a) rear upper warning Color,WhIn Sup700 LED - c) am/am368 0006551Not Required, Lights, Rear Upper Zone Blocking369 0016610Mtg, Rear Warn Lts, Std Mount, S/S Brkts	1
Color,Whin Sup700 LED - c) am/am368 0006551Not Required, Lights, Rear Upper Zone Blocking369 0016610Mtg, Rear Warn Lts, Std Mount, S/S Brkts	1
368 0006551Not Required, Lights, Rear Upper Zone Blocking369 0016610Mtg, Rear Warn Lts, Std Mount, S/S Brkts	1
369 0016610 Mtg, Rear Warn Lts, Std Mount, S/S Brkts	1
	I
370 0529685 Light, Traffic Directing, Whelen TAL85, 46.81" Long LED Activation, Traffic Dir L - Control Head Only	
371 0551728 Location, Traf Dir Lt, Recessed with S/S Trim	1
372 0530282 Location, Traf Dir Lt, Recessed with 0/0 mini	
373 0076826 Cup Holder for Telescopic - Pushup - Light Pole	2
Qty, 120/240 Volt Light - 2	2
374 0016794 Receptacle Strip, 15A 120V 6-Place, Shoreline	1
Location, Receptacles - 120 volt receptacle that the pov	
will be located behind the drive seat recessed in side wall, po	
ran thru the crew cab floor rear od engine tunnel and coiled lo	ose with final install
by the Customer - see photo	
Qty, - 01	4
375     0519934     Not Required, Brand, Hydraulic Tool System       370     0007450     Date of Nuts and Date	1
376 0007150 Bag of Nuts and Bolts	1
Qty, Bag Nuts and Bolts - 1	ortmont 1
377 0532883 NFPA Required Loose Equipment, Pumper, Provided by Fire Dep 378 0540114 Soft Suction Hose, Provided by Fire Department, Pumper NFPA (	
379 0027023 No Strainer Required	n Dopartmont 1
380 0533269 Extinguisher, Dry Chemical, Pumper NFPA Class, Provided by Fil	-
381 0533278 Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA, Provide	•
382 0532921 Axe, Flathead, Pumper NFPA Classification, Provided by Fire Dep 282 0522024 Ave, Pietkead, Pumper NFPA Classification, Provided by Fire Dep	
383 0532924 Axe, Pickhead, Pumper NFPA Classification, Provided by Fire De	partment 1
384 0559573 Paint, Single Color, Custom Paint Color, Predefined - #20 White	I
385 0636525 SP Coating, Chassis Frame Assy, Hot Dip Galvanized	1
Paint Color, Frame Assembly - Black	1
386 0693797 No Paint Required, Aluminum Front Wheels	1
387 0693792 No Paint Required, Aluminum Rear Wheels	1
388 0007738 Paint, Air Conditioner Cover/Mounts to Match Roof	1
389 0007230 Compartment, Painted, Spatter Gray	1
390 0544129 Reflective Band, 1"-6"-1"	1
Color, Reflect Band - A - e) black	
Color, Reflect Band - B - t) gold	
Color, Reflect Band - C - za) black	
391 0510041 Reflective across Cab Face, Imp/Vel	1
392 0536954 Stripe, Chevron, Rear, Diamond Grade, Pumper	1
Color, Rear Chevron DG - fluorescent yellow green	
393 0027341 Jog, In Reflective Stripe, Single or Multiple	1
Qty, - 1	
394 0515348 Stripe, Black Outline, Scotchlite on Reflective Band	1
Qty, - 1	
395 0509398 Stripe, Reflective, Chevron, Cab and Crew Cab Doors Interior	1
Color, Reflect Band - B - t) gold	
Size, Chevron Striping - 04 Color, Reflect Chev - A - e) black	
396 0033179 Lettering Specifications, Reflective	1
397 0686159 Lettering, Reflective, 3.00", (41-60)	1
Outline, Lettering - Outline and Shade	I
398 0515269 Lettering, Reflective 2" Script w/outline	1
Color, Lettering - e) black	I I
399 0041534 Emblem, (3) Letter Monogram Style with Lettering, Reflective, De	nver, Each 2
Qty, - 02	
Location, Emblem - on the front cab doors	
Color, Reflective - i) gold	

401 0 401 0 401 0 401 0 401 0 401 0 401 0 401 0 401 0 402 0 403 0 403 0 403 0 405 0 406 0 407 0 408 0 409 0 411 0	0522815 0666414 0000000 000000 0000000 0000000 0000000	STF STF STF STF STF STF	Emblem, American Flag, Waving, Gerber Vision, Pair Location, Emblem - on the rear crew cab windows Emblem, Freedom Flag, Each Qty, - 01 Location, Emblem - R1 Size, Flag - 24" - 25" Intercom, David Clark Allowance for Denver Engine - 11/10/2014 Service - Oil Samples, 11/08/2014 Akron 3423 Deluge, 5160 Nozzle, 3505 Bracket, 3501 Cover, 01-12-2011 Service - Oil Change and Lube, Denver, 12/2011 Oval Strapping Heron Rib - roll - color 07/07/2014 Qty, - 1 Allison Transmission Service & Parts Manual 01-12-2009 Qty, - 1 Cummins Service and Parts Manual, 01-12-2009 Qty, - 1 Drive Away Service - Pumper 1/07/12 Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis Manuals, Two (2) Chassis Service, Custom Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181 Warranty, Steering Gear, Sheppard M110, 3 Year WA0201	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
401 0 401 0 401 0 401 0 401 0 401 0 401 0 401 0 402 0 403 0 403 0 403 0 404 0 405 0 406 0 407 0 408 0 409 0 411 0	0000000 0000000 0000000 0000000 0000000	STF STF STF STF STF	Emblem, Freedom Flag, Each Qty, - 01 Location, Emblem - R1 Size, Flag - 24" - 25" Intercom, David Clark Allowance for Denver Engine - 11/10/2014 Service - Oil Samples, 11/08/2014 Akron 3423 Deluge, 5160 Nozzle, 3505 Bracket, 3501 Cover, 01-12-2011 Service - Oil Change and Lube, Denver, 12/2011 Oval Strapping Heron Rib - roll - color 07/07/2014 Qty, - 1 Allison Transmission Service & Parts Manual 01-12-2009 Qty, - 1 Cummins Service and Parts Manual, 01-12-2009 Qty, - 1 Drive Away Service - Pumper 1/07/12 Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis Manuals, Two (2) Chassis Operation, Custom Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1 1 1 1 1 1 1 1 1 1
401 0 401 0 401 0 401 0 401 0 401 0 401 0 401 0 402 0 403 0 404 0 405 0 406 0 406 0 407 0 408 0 409 0 410 0	0000000 0000000 0000000 0000000 0000000	STF STF STF STF STF	Qty, - 01 Location, Emblem - R1 Size, Flag - 24" - 25" Intercom, David Clark Allowance for Denver Engine - 11/10/2014 Service - Oil Samples, 11/08/2014 Akron 3423 Deluge, 5160 Nozzle, 3505 Bracket, 3501 Cover, 01-12-2011 Service - Oil Change and Lube, Denver, 12/2011 Oval Strapping Heron Rib - roll - color 07/07/2014 Qty, - 1 Allison Transmission Service & Parts Manual 01-12-2009 Qty, - 1 Cummins Service and Parts Manual, 01-12-2009 Qty, - 1 Drive Away Service - Pumper 1/07/12 Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis Manuals, Two (2) Chassis Service, Custom Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1 1 1 1 1 1 1 1 1
401 0 401 0 401 0 401 0 401 0 401 0 401 0 402 0 403 0 404 0 405 0 406 0 408 0 409 0 409 0 410 0	0000000 0000000 0000000 0000000 0000000	STF STF STF STF STF	Location, Emblem - R1 Size, Flag - 24" - 25" Intercom, David Clark Allowance for Denver Engine - 11/10/2014 Service - Oil Samples, 11/08/2014 Akron 3423 Deluge, 5160 Nozzle, 3505 Bracket, 3501 Cover, 01-12-2011 Service - Oil Change and Lube, Denver, 12/2011 Oval Strapping Heron Rib - roll - color 07/07/2014 Qty, - 1 Allison Transmission Service & Parts Manual 01-12-2009 Qty, - 1 Cummins Service and Parts Manual, 01-12-2009 Qty, - 1 Drive Away Service - Pumper 1/07/12 Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis Manuals, Two (2) Chassis Service, Custom Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1 1 1 1 1 1 1 1
401 0 401 0 401 0 401 0 401 0 401 0 401 0 402 0 403 0 404 0 405 0 406 0 408 0 409 0 409 0 410 0	0000000 0000000 0000000 0000000 0000000	STF STF STF STF STF	Size, Flag - 24" - 25" Intercom, David Clark Allowance for Denver Engine - 11/10/2014 Service - Oil Samples, 11/08/2014 Akron 3423 Deluge, 5160 Nozzle, 3505 Bracket, 3501 Cover, 01-12-2011 Service - Oil Change and Lube, Denver, 12/2011 Oval Strapping Heron Rib - roll - color 07/07/2014 Qty, - 1 Allison Transmission Service & Parts Manual 01-12-2009 Qty, - 1 Cummins Service and Parts Manual, 01-12-2009 Qty, - 1 Drive Away Service - Pumper 1/07/12 Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis Manuals, Two (2) Chassis Service, Custom Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1 1 1 1 1 1 1 1
401 0 401 0 401 0 401 0 401 0 401 0 401 0 402 0 403 0 404 0 405 0 406 0 406 0 408 0 409 0 409 0 410 0	0000000 0000000 0000000 0000000 0000000	STF STF STF STF STF	Intercom, David Clark Allowance for Denver Engine - 11/10/2014 Service - Oil Samples, 11/08/2014 Akron 3423 Deluge, 5160 Nozzle, 3505 Bracket, 3501 Cover, 01-12-2011 Service - Oil Change and Lube, Denver, 12/2011 Oval Strapping Heron Rib - roll - color 07/07/2014 Qty, - 1 Allison Transmission Service & Parts Manual 01-12-2009 Qty, - 1 Cummins Service and Parts Manual, 01-12-2009 Qty, - 1 Drive Away Service - Pumper 1/07/12 Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis Manuals, Two (2) Chassis Service, Custom Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1 1 1 1 1 1 1 1
401 0 401 0 401 0 401 0 401 0 401 0 401 0 402 0 403 0 404 0 405 0 406 0 406 0 408 0 409 0 409 0 410 0	0000000 0000000 0000000 0000000 0000000	STF STF STF STF STF	Service - Oil Samples, 11/08/2014 Akron 3423 Deluge, 5160 Nozzle, 3505 Bracket, 3501 Cover, 01-12-2011 Service - Oil Change and Lube, Denver, 12/2011 Oval Strapping Heron Rib - roll - color 07/07/2014 Qty, - 1 Allison Transmission Service & Parts Manual 01-12-2009 Qty, - 1 Cummins Service and Parts Manual, 01-12-2009 Qty, - 1 Drive Away Service - Pumper 1/07/12 Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis Manuals, Two (2) Chassis Service, Custom Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1 1 1 1 1 1 1 1
401 0 401 0 401 0 401 0 401 0 402 0 403 0 404 0 405 0 406 0 406 0 408 0 409 0 410 0 411 0	0000000 0000000 0000000 0000000 0000000	STF STF STF STF STF	Akron 3423 Deluge, 5160 Nozzle, 3505 Bracket, 3501 Cover, 01-12-2011 Service - Oil Change and Lube, Denver, 12/2011 Oval Strapping Heron Rib - roll - color 07/07/2014 Qty, - 1 Allison Transmission Service & Parts Manual 01-12-2009 Qty, - 1 Cummins Service and Parts Manual, 01-12-2009 Qty, - 1 Drive Away Service - Pumper 1/07/12 Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis Manuals, Two (2) Chassis Service, Custom Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1 1 1 1 1 1 1 1 1
401 0 401 0 401 0 401 0 401 0 402 0 403 0 403 0 404 0 405 0 406 0 407 0 408 0 409 0 410 0 411 0	0000000 0000000 0000000 0000000 0002905 0032433 0030008 0611136 0696698 0684953 0595767 0595698	STF STF STF STF	Service - Oil Change and Lube, Denver, 12/2011 Oval Strapping Heron Rib - roll - color 07/07/2014 Qty, - 1 Allison Transmission Service & Parts Manual 01-12-2009 Qty, - 1 Cummins Service and Parts Manual, 01-12-2009 Qty, - 1 Drive Away Service - Pumper 1/07/12 Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis Manuals, Two (2) Chassis Service, Custom Manuals, Two (2) Chassis Operation, Custom Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1 1 1 1 1 1 1 1
401 0 401 0 401 0 401 0 402 0 403 0 403 0 403 0 405 0 406 0 407 0 408 0 409 0 410 0 411 0	0000000 0000000 0000000 0000000 0032773 0002905 0032433 0030008 0611136 0696698 0684953 0595767 0595698	STF STF STF	Oval Strapping Heron Rib - roll - color 07/07/2014 Qty, - 1 Allison Transmission Service & Parts Manual 01-12-2009 Qty, - 1 Cummins Service and Parts Manual, 01-12-2009 Qty, - 1 Drive Away Service - Pumper 1/07/12 Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis Manuals, Two (2) Chassis Service, Custom Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1 1 1 1 1 1 1
401 0 401 0 402 0 403 0 404 0 405 0 406 0 407 0 408 0 409 0 409 0 410 0	0000000 0000000 0032773 0002905 0032433 0030008 0611136 0696698 0684953 0595767 0595698	STF STF	Qty, - 1 Allison Transmission Service & Parts Manual 01-12-2009 Qty, - 1 Cummins Service and Parts Manual, 01-12-2009 Qty, - 1 Drive Away Service - Pumper 1/07/12 Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis Manuals, Two (2) Chassis Service, Custom Manuals, Two (2) Chassis Operation, Custom Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1 1 1 1 1 1
401 0 401 0 402 0 403 0 404 0 405 0 406 0 407 0 408 0 409 0 410 0 411 0	0000000 0032773 0002905 0032433 0030008 0611136 0696698 0684953 0595767 0595698	STF	Allison Transmission Service & Parts Manual 01-12-2009 Qty, - 1 Cummins Service and Parts Manual, 01-12-2009 Qty, - 1 Drive Away Service - Pumper 1/07/12 Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis Manuals, Two (2) Chassis Service, Custom Manuals, Two (2) Chassis Operation, Custom Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1 1 1 1
401 0 401 0 402 0 403 0 404 0 405 0 406 0 407 0 408 0 409 0 410 0 411 0	0000000 0032773 0002905 0032433 0030008 0611136 0696698 0684953 0595767 0595698	STF	Qty, - 1 Cummins Service and Parts Manual, 01-12-2009 Qty, - 1 Drive Away Service - Pumper 1/07/12 Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis Manuals, Two (2) Chassis Service, Custom Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1 1 1
401 0 402 0 403 0 404 0 405 0 406 0 407 0 408 0 409 0 410 0 411 0	0000000 0032773 0002905 0032433 0030008 0611136 0696698 0684953 0595767 0595698		Cummins Service and Parts Manual, 01-12-2009 Qty, - 1 Drive Away Service - Pumper 1/07/12 Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis Manuals, Two (2) Chassis Service, Custom Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1 1 1
402 0 403 0 404 0 405 0 406 0 407 0 408 0 409 0 410 0 411 0	0032773 0002905 0032433 0030008 0611136 0696698 0684953 0595767 0595698	STF	Drive Away Service - Pumper 1/07/12 Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis Manuals, Two (2) Chassis Service, Custom Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1 1 1
402 0 403 0 404 0 405 0 406 0 407 0 408 0 409 0 410 0 411 0	0032773 0002905 0032433 0030008 0611136 0696698 0684953 0595767 0595698	STF	Manuals, Two (2), Fire Apparatus Parts, & (1) CD, Custom Chassis Manuals, Two (2) Chassis Service, Custom Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1 1 1
403 ( 404 ( 405 ( 406 ( 407 ( 408 ( 409 ( 410 ( 411 (	0002905 0032433 0030008 0611136 0696698 0684953 0595767 0595698		Manuals, Two (2) Chassis Service, Custom Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1
404 0 405 0 406 0 407 0 408 0 409 0 410 0 411 0	0032433 0030008 0611136 0696698 0684953 0595767 0595698		Manuals, Two (2) Chassis Operation, Custom Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1
405 0 406 0 407 0 408 0 409 0 410 0 411 0	0030008 0611136 0696698 0684953 0595767 0595698		Warranty, Basic, 1 Year, Apparatus, WA0008 Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	
406 0 407 0 408 0 409 0 410 0 411 0	0611136 0696698 0684953 0595767 0595698		Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 Warranty, Engine, Cummins, 5 Year, WA0181	1 1 1
407 ( 408 ( 409 ( 410 ( 411 (	0696698 0684953 0595767 0595698		Warranty, Engine, Cummins, 5 Year, WA0181	1 1
408 ( 409 ( 410 ( 411 (	0684953 0595767 0595698			1
409 ( 410 ( 411 (	0595767 0595698		Warranty Steering Gear, Shenpard M110, 3 Vear WA0201	
410 0 411 0	0595698		wananty, oteening deal, oneppart witho, o real wAU201	1
411 0			Warranty, Frame, 50 Year, Velocity/Impel, Dash CF, WA0038	1
	0=00=0 ·		Warranty, Axle, 3 Year, TAK-4, WA0050	1
412 (	0530524		Warranty, Axle, 2 Year, Meritor, General Service, WA0046	1
	0652758		Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
413 (	0019914		Warranty, Structure, 10 Year, Custom Cab, WA0012	1
414 (	0595813		Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
	0524627		Warranty, Electronics, 5 Year, MUX, WA0014	1
416 0	0046369		Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
	0685945		Warranty, Transmission Cooler, WA0216	1
	0688798		Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195	1
	0596025		Warranty, Structure, 10 Year, Body, WA0009	1
	0690936		Warranty, Roll up Doors, Not Required	1
421 (	0063510		Warranty, Pump, Waterous, 5 Year Parts, WA0225	1
	0648675		Warranty, 10 Year S/S Pumbing, WA0035	1
423 (	0641372		Warranty, Foam System, Not Available	1
	0595820		Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
425 (	0595412		Warranty, Graphics Lamination, 1 Year, Apparatus, WA0168	1
426 0	0683627		Certification, Vehicle Stability, CD0089	1
	0610739		Certification, Engine Installation, Imp/Vel, Cummins ISL9, 2016, CD0112	1
	0686786		Certification, Power Steering, CD0098	1
	0667417		Certification, Cab Integrity, Velocity FR, CD0009	1
	0548950		Certification, Cab Door Durability, Velocity/Impel, CD0001	1
431 (	0548967		Certification, Windshield Wiper Durability, Impel/Velocity, CD0005	1
	0667411		Certification, Electric Window Durability, Velocity/Impel FR, CD0004	1
	0549273		Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018	1
	0667416		Certification, Cab Heater and Defroster, Velocity/Impel FR, CD0015	1
	0667415		Certification, Cab Air Conditioning Performance, Velocity/Impel FR, CD0016	1
	0545073		Amp Draw Report, NFPA Current Edition	1
	0002758		Amp Draw, NFPA/ULC Radio Allowance	1
	0000018		PUMPER, 2ND GEN	1
	0000012		PIERCE CHASSIS	1
	0004713		ENGINE, OTHER	1
	0046395		EVS 3000 Series TRANSMISSION	1
	0020011		WATEROUS PUMP	1
	0020009		POLY TANK	1
	0028087		EDUCTOR FOAM SYSTEM	1

Line Option	Туре	Option Description	Qty
445 0020006		SIDE CONTROL	1
446 0020007		AKRON VALVES	1
447 0020015		ABS SYSTEM	1
448 0658751		Manufacturing Attribute	1