
Exhibit A



Denver International Airport,

Product Information Report (47QMCA18D0001)

Product Name: DI-4000 DE-ICER WITH CHASSIS

Manufacturer: BATTS INC.

Mfg. Part #: DI-4000 WITH CHASSIS

Contractor Part #: DI-4000 WITH CHASSIS

SIN #: 271-104

Product Description: 4,000-gallon runway de-icer mounted on a 72,000 GVW chassis. Hydraulic driven pumping system and hydraulic controlled 50 Ft. boom. GPS Rate Control and Twin Nozzle Spraying System for ultimate coverage, stainless steel tank and fenders.

Dimension and Packaging:

LN - 150 FEET AND DECIMAL WD - 125 FEET AND DECIMAL

HT - 120 FEET AND DECIMAL

Weight - 1,542 lbs.

Shipping Package Cube - 1,542 Cubic Feet

Unit Packaging - EACH

Warranty – 1 YEAR

Production Points: US

Time of Delivery: 120 Days - Delivered (after receipt of order)

FOB POINTS:

Alaska, Hawaii, and Puerto Rico - No Delivery To These Destinations


Continental US - Destination

Website Address: http://battsinc.com/

Price or Credit - Zone 00

Commercial/Catolog Price: \$323,927.46

GSA Price: \$304,491.82



Batts Inc. will supply the Runway De-icer Pro 4,000 Gallon 50 Ft. Boom Series on a Western Star Chassis with Transwest and Myslik Inc., per previous conversations, to Denver International Airport for \$304,491.82 each. This pertains to GSA Contract # 47QMCA18D0001, GSA-MFR Part/ Model # DI-4000 with Chassis.

Sincerely,

John R. Batts

X John R. Botton

X President X 4-4-19

Denver International Airport (DIA) 8500 Pena


Denver, CO 80249 Phone: 3033422796 Prepared by:
Jeremiah Brodal
TRANSWEST TRUCKS
20770 I 76 FRONTAGE
BRIGHTON, CO 80603
Phone: (303)289-3161

A proposal for Denver International Airport (DIA)


Prepared by **TRANSWEST TRUCKS**Jeremiah Brodal

Apr 01, 2019

Western Star 4700SB



Components shown may not reflect all spec'd options and are not to scale





Denver International Airport (DIA)

8500 Pena Denver, CO 80249 Phone: 3033422796 Prepared by:
Jeremiah Brodal
TRANSWEST TRUCKS
20770 I 76 FRONTAGE
BRIGHTON, CO 80603
Phone: (303)289-3161

SPECIFICATION PROPOSAL

Description

Weight Front

Weight Rear

Price Level

WESTERN STAR 4700 PRL-18T (EFF:04/14/18)

Data Version

SPECPRO21 DATA RELEASE VER 011

Vehicle Configuration

4700 SET-BACK FRONT AXLE CHASSIS

9,215

6,530

2020 MODEL YEAR SPECIFIED

SET BACK AXLE - TRUCK STRAIGHT TRUCK PROVISION

LH PRIMARY STEERING LOCATION

General Service

TRUCK CONFIGURATION

DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)

UTILITY/REPAIR/MAINTENANCE SERVICE

GOVERNMENT BUSINESS SEGMENT

LIQUID BULK COMMODITY

TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS

MAXIMUM 8% EXPECTED GRADE

SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES)

ROAD SURFACE

WESTERN STAR SEVERE SERVICE WARRANTY

EXPECTED FRONT AXLE(S) LOAD: 22000.0 lbs

EXPECTED REAR DRIVE AXLE(S) LOAD :

52000.0 lbs

EXPECTED GROSS VEHICLE WEIGHT CAPACITY

: 74000.0 lbs

Truck Service

TANK BODY

Application Version 10.1.202 Data Version PRL-18T.011 DIA 4700 Batts Spec



04/01/2019 10:48 AM

Page 2 of 16

Denver International Airport (DIA)

8500 Pena Denver, CO 80249 Phone: 3033422796

	Description	Weight Front	Weight Rear
Engine			
	CUM X12 430V HP @ 1900 RPM, 1650 LB/FT @ 1000 RPM, 2000 GOV RPM,VOC	-390	-45
Electronic Paramete	ers		
	55 MPH ROAD SPEED LIMIT		
	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED		
	PTO MINIMUM RPM - 700		
	REGEN INHIBIT SPEED THRESHOLD - 5 MPH		
	TEMPERATURE OVERRIDE BELOW 20 DEGREES AND ABOVE 70 DEGREES AMBIENT TEMPERATURE		
Engine Equipment			
	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION	and the second section of the second	entissims artir iriae, suuria
	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)		
	STANDARD OIL PAN		
	ENGINE MOUNTED OIL CHECK AND FILL		
	ONE PIECE VALVE COVER		
	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT, PASSIVE PRECLEANER AND INSIDE/OUTSIDE AIR WITH SNOW DOOR	10	
	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
	(3) DTNA GENUINE, FLOODED STARTING, MIN 2850CCA, 525RC, THREADED STUD BATTERIES	-10	
	BATTERY BOX FRAME MOUNTED	35	
	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB		
	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
	NON-POLISHED BATTERY BOX COVER		
	POSITIVE LOAD DISCONNECT WITH DASH MOUNTED CONTROL SWITCH WITH LOCKING PROVISION	8	
	LOW VOLTAGE BATTERY DISCONNECT AT 12.3 VOLTS FOR ISOLATED CIRCUITS WITH LOCAL ALARM		



Denver International Airport (DIA)

8500 Pena Denver, CO 80249 Phone: 3033422796

	Weight	Weight	
Description	Front	Rear	
CUMMINS NATURALLY ASPIRATED 25.9 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
AIR COMPRESSOR DISCHARGE LINE			
ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
CUMMINS INTEBRAKE COMPRESSION BRAKE WITH (2) SWITCHES; (1) ON/OFF AND (1) LOW/MEDIUM/HIGH RETARDATION LEVEL	20		
RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE			
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			
11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			
RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			
13 GALLON DIESEL EXHAUST FLUID TANK	35	10	
100 PERCENT DIESEL EXHAUST FLUID FILL			
STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD			
BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH			
AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED			
CUMMINS SPIN ON FUEL FILTER			
COMBINATION FULL FLOW/BYPASS OIL FILTER			
1500 SQUARE INCH ALUMINUM RADIATOR			
MOUNTING FOR FIREWALL MOUNTED SURGE TANK			
ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			



Victor Lovato Denver International Airport (DIA)

8500 Pena Denver, CO 80249 Phone: 3033422796 Prepared by: Jeremiah Brodal TRANSWEST TRUCKS 20770 I 76 FRONTAGE BRIGHTON, CO 80603 Phone: (303)289-3161

	Description	Weight Front	Weight Rear
	RADIATOR DRAIN VALVE		
	LOWER RADIATOR GUARD		
	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	20	
	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4	
	PHILLIPS-TEMRO 150 WATT/115 VOLT OIL PREHEATER	4	
	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
	ALUMINUM FLYWHEEL HOUSING		
	ELECTRIC GRID AIR INTAKE WARMER		
	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	-35	
Transmission			
SELECTION OF A MATERIAL CONTRACT CONTRA	ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	170	50
		STATES STATES TO A RECEIVED A 15	

Transmission Equipment

ALLISON VOCATIONAL PACKAGE 223 -AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV

ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES

PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

SECONDARY SHIFT SCHEDULE

RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE


SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE



Denver International Airport (DIA)

8500 Pena Denver, CO 80249 Phone: 3033422796 Prepared by: Jeremiah Brodal TRANSWEST TRUCKS 20770 I 76 FRONTAGE BRIGHTON, CO 80603 Phone: (303)289-3161

	Description	Weight Front	Weight Rear
	FUEL SENSE 2.0 DISABLED - MAXIMUM PERFORMANCE - TABLE BASED		
	NO REAR PTO TRANSMISSION RANGE		
	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
	ELECTRONIC CONTROL SHIFT LEVER, TUNNEL/FLOOR MOUNTED		
	TRANSMISSION PROGNOSTICS - ENABLED 2013		
	WATER TO OIL TRANSMISSION COOLER, FRAME MOUNTED	15	
	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
Front Axle and Equ	ipment		
	MFS-20-133A 22,000# FL1 71.0 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE	60	
	MERITOR 16.5X6 Q+ HIGH CAPCITY CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	10	
	NON-ASBESTOS FRONT BRAKE LINING		
	CONMET CAST IRON FRONT BRAKE DRUMS		
	FRONT OIL SEALS		
	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
	STANDARD SPINDLE NUTS FOR ALL AXLES		
	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
	STANDARD KING PIN BUSHINGS		
	TRW TAS-85 POWER STEERING WITH RCH45 AUXILIARY GEAR	135	
	POWER STEERING PUMP		
	4 QUART POWER STEERING RESERVOIR		
	OIL/AIR POWER STEERING COOLER		
	SYNTHETIC 50W FRONT AXLE LUBE		
Front Suspension			
	23,000# FLAT LEAF FRONT SUSPENSION	120	
	THREADED SPRING PINS AND BUSHINGS - FRONT SUSPENSION		
PORTUGE STREET, THE SECTION OF THE S	BEDING MARKETON PROGRESS TO STATE OF THE WEST OF THE WARREST OF TH	NORTH DEPRESENTATION OF THE PROPERTY OF THE PR	THE CONTROL AS A STOREGY AND PROPERTY OF THE P



Rear Axle and Equipment



Prepared for: Victor Lovato Denver International Airport (DIA)

8500 Pena Denver, CO 80249 Phone: 3033422796 Prepared by: Jeremiah Brodal TRANSWEST TRUCKS 20770 I 76 FRONTAGE BRIGHTON, CO 80603 Phone: (303)289-3161

	Description	Weight Front	Weight Rear	
	RT-52-185 52,000# T-SERIES TANDEM REAR AXLE		770	
	5.38 REAR AXLE RATIO			
	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	40	40	
	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			
	DRIVER CONTROLLED TRACTION DIFFERENTIAL - REAR MOST TANDEM/TRIDEM REAR AXLE		20	
	(1) INTERAXLE LOCK VALVE AND (1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR-REAR AXLE VALVE			
	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH			
	INDICATOR LIGHT FOR EACH DRIVER CONTROLLED TRACTION DEVICE SWITCH			
	MERITOR 16.5X7 P CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, CAST SHOES		40	
	NON-ASBESTOS REAR BRAKE LINING			
	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)			
	WEBB HEAVY WEIGHT CAST IRON REAR BRAKE DRUMS		80	
	REAR OIL SEALS			
	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS			
	HALDEX AUTOMATIC REAR SLACK ADJUSTERS			
	SYNTHETIC 75W-90 REAR AXLE LUBE			
Rear Suspension				
	TUFTRAC 52,000# REAR SPRING SUSPENSION	SVH STATESTAN DA A CARDO	480	
	TUFTRAC STANDARD RIDE HEIGHT			
	AXLE CLAMPING GROUP			
	56 INCH AXLE SPACING			
	FORE/AFT AND TRANSVERSE CONTROL RODS			
	REAR SHOCK ABSORBERS - ONE AXLE			
Brake System				

Application Version 10.1.202 Data Version PRL-18T.011 DIA 4700 Batts Spec

WABCO 4S/4M ABS

BRAID CHASSIS AIR LINES

REINFORCED NYLON, FABRIC BRAID AND WIRE



04/01/2019 10:48 AM

Denver International Airport (DIA)

8500 Pena Denver, CO 80249 Phone: 3033422796 Prepared by: Jeremiah Brodal TRANSWEST TRUCKS 20770 I 76 FRONTAGE BRIGHTON, CO 80603 Phone: (303)289-3161

Description

Weight Front Weight Rear

FIBER BRAID PARKING BRAKE HOSE

STANDARD BRAKE SYSTEM VALVES

RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,

NO REAR PROPORTIONING VALVE

WABCO SYSTEM SAVER HP WITH INTEGRAL

AIR GOVERNOR AND HEATER

WABCO OIL COALESCING FILTER FOR AIR

DRYER

176.69 in

TRANSMISSION

SQUARE END OF FRAME

STANDARD WEIGHT ENGINE CROSSMEMBER STANDARD CROSSMEMBER BACK OF

AIR DRYER FRAME MOUNTED

STEEL AIR BRAKE RESERVOIRS

PULL CABLE ON WET TANK, PETCOCK DRAIN

VALVES ON ALL OTHER AIR TANKS

Trailer Connections

NO TRAILER RECEPTACLE BRACKET

Wheelbase & Frame

6100MM (240 INCH) WHEELBASE		
7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	620	60
1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT	230	421
3050MM (120 INCH) REAR FRAME OVERHANG		
FRAME OVERHANG RANGE: 111 INCH TO 120 INCH	-120	510
24 INCH INTEGRAL FRONT FRAME EXTENSION	158	-20
CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 176.89 in		
CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 173.89 in		
CALC'D FRAME LENGTH - OVERALL: 429.91		
FRAME HEIGHT TOP FRONT UNLADEN: 35.41 in		
FRAME HEIGHT TOP FRONT LADEN: 31.73 in		
FRAME HEIGHT TOP REAR UNLADEN: 46.2 in		
FRAME HEIGHT TOP REAR LADEN: 31.73 in		
CALCULATED FRAME SPACE LH SIDE: 84.26 in		
CALCULATED FRAME SPACE RH SIDE: 227.86 in		
CALC'D SPACE AVAILABLE FOR DECKPLATE :		

Application Version 10.1.202 Data Version PRL-18T.011 DIA 4700 Batts Spec



04/01/2019 10:48 AM

Page 8 of 16

Prepared for: Victor Lovato Denver International Airport (DIA)

8500 Pena Denver, CO 80249 Phone: 3033422796

Prepared by: Jeremiah Brodal TRANSWEST TRUCKS 20770 I 76 FRONTAGE BRIGHTON, CO 80603 Phone: (303)289-3161

	Description	Weight Front	Weight Rear
	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
	STANDARD REARMOST CROSSMEMBER		
	HEAVY DUTY SUSPENSION CROSSMEMBER		
	STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER		
Chassis Equipment			
Lunda no Chielloliny Gracity a Renegativise	14 INCH PAINTED STEEL BUMPER	22.000 02.000 200 06.00 9 h 1 7 4 1	A MERCENIA AND AND A SERVEY OF BUT GREET APPROXIC
	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS		
	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE		
Fuel Tanks			
Comment of Section Sec	80 GALLON/302 LITER ALUMINUM FUEL TANK - LH	10	CONTRACTOR AND ACCOUNTS AND ACCOUNTS AND ACCOUNTS
	25 INCH DIAMETER FUEL TANK(S)		
	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
	FUEL TANK(S) FORWARD		
	PLAIN STEP FINISH		
	FUEL TANK CAP(S)		
	ALLIANCE FUEL FILTERWATER SEPARATOR	15	
	EQUIFLO INBOARD FUEL SYSTEM		
	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
eric mere acceptancemo externale como escela. Le mun	NO FUEL COOLER	-10	NYCHTENELIS (SEN) (196 als 186 is Unit teal Activities (197 als 187 is 198 is teal Activities (197 als 187 is 198
Tires			
N N N N N N N N N N N N N N N N N N N	MICHELIN XFE 425/65R22.5 20 PLY RADIAL FRONT TIRES	172	is active reference of the discount of place for the process of the place of the pl
	MICHELIN X WORKS XDY 315/80R22.5 20 PLY RADIAL REAR TIRES		464
Hubs			
an managan sangan mangan mangan kan sa	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS		
	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		



Wheels

Prepared for: Victor Lovato Denver International Airport (DIA) 8500 Pena

8500 Pena Denver, CO 80249 Phone: 3033422796

	Description	Weight Front	Weight Rear	
	ACCURIDE 29807 22.5X12.25 10-HUB PILOT 4.75 INSET 5-HAND STEEL DISC FRONT WHEELS	98		
	ACCURIDE 29300 22.5X9.00 10-HUB PILOT 5- HAND STEEL DISC REAR WHEELS		328	
	FRONT WHEEL MOUNTING NUTS			
	REAR WHEEL MOUNTING NUTS			
Cab Exterior				
	110 INCH BBC STEEL CONVENTIONAL CAB		and the continues of the continues of	
	WESTERN STAR PAINTED ALUMINUM CAB SKIRT			
	AIR CAB MOUNTS WITH CHECK VALVE			
	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			
	FRONT FENDERS			
	2 INCH FENDER EXTENSIONS	5		
	LH AND RH EXTERIOR GRAB HANDLES WITH RUBBER INSERTS AND RH INTERIOR GRAB HANDLE MOUNTED TO A POST			
	STATIONARY BRIGHT FINISH GRILLE			
	CHROME HOOD MOUNTED AIR INTAKE GRILLE			
	GALVANEALED STEEL SEVERE SERVICE CAB			
	FIBERGLASS HOOD			
	DUAL HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS			
	SINGLE ELECTRIC HORN			
	DUAL HORN SHIELDS			
	DOORS AND IGNITION KEYED THE SAME			
	REAR LICENSE PLATE MOUNT END OF FRAME			
	DUAL AMBER ELECTRONIC STROBE LIGHTS WITH STAINLESS STEEL BRACKETS	20		
	SINGLE RECTANGULAR SEALED BEAM HEADLIGHTS WITH BRIGHT BEZELS			
	(5) AMBER MARKER LIGHTS			
	INTEGRAL STOP/TAIL/BACKUP LIGHTS			
	STANDARD FRONT TURN SIGNAL LAMPS			
	DUAL MEKRA AERO BRIGHT FINISH HEATED DUAL AXIS 1-PIECE MOTORIZED MIRRORS WITH LIGHTS, LH AND RH REMOTE AND INTEGRAL CONVEX MIRRORS	20		
	CAB MOUNTED MIRRORS			
	102 INCH EQUIPMENT WIDTH			



Victor Lovato Denver International Airport (DIA)

8500 Pena Denver, CO 80249

Denver, CO 80249 Phone: 3033422796 Prepared by:
Jeremiah Brodal
TRANSWEST TRUCKS
20770 I 76 FRONTAGE
BRIGHTON, CO 80603
Phone: (303)289-3161

Description	Weight Front	Weight Rear	
DUAL MEKRA BRIGHT FINISH HEATED CONVEX MIRRORS WITH MANUAL ADJUSTMENT AND DUAL AXIS FOR 1-PIECE PRIMARY MIRRORS			
RH DOWN VIEW MIRROR			
STANDARD SIDE/REAR REFLECTORS			
ELECTRIC DOOR LOCKS, MECHANICAL KEY TUMBLER			
RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN DIAMOND PLATE COVER			
STAINLESS STEEL EXTERIOR SUN VISOR	28		
17.5X35 INCH TINTED REAR WINDOW			
TINTED DOOR GLASS			
MANUAL DOOR WINDOW REGULATORS			
2-PIECE TINTED CURVED GASKET MOUNTED WINDSHIELD			
2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, MOUNTED			

Cab Interior

SMOKY MOUNTAIN GRAY VINYL PREMIUM

INTERIOR

BLACK HARD TRIM

BASE LEFT HAND DOOR TRIM

BASE RIGHT HAND DOOR TRIM

UNDER CAB, WITH REMOTE FILL

BLACK MATS WITH SINGLE INSULATION

DASH MOUNTED ASH TRAY AND LIGHTER,

DRIVER SIDE

FORWARD ROOF MOUNTED CONSOLE

PASSENGER SIDE WING DASH MOUNTED GLOVE BOX WITH LOCKING DOOR

LH AND RH DOOR MAP POCKETS

(2) COAT HOOKS ON BACKWALL OF CAB

(1) DOUBLE CUP HOLDER WITH CELL PHONE

HOLDER LH OR RH DASH

TWO-TONE CHARCOAL UPPER/COOL GRAY LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER

2-1/2 LB. FIRE EXTINGUISHER MOUNTED

OUTBOARD OF DRIVER SEAT

HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT TEMPERATURE CONTROL

AND COSMETIC COVER

WESTERN STAR

5

Application Version 10.1.202 Data Version PRL-18T.011 DIA 4700 Batts Spec 04/01/2019 10:48 AM

Page 11 of 16

Victor Lovato Denver International Airport (DIA)

8500 Pena Denver, CO 80249

Phone: 3033422796

Prepared by: Jeremiah Brodal TRANSWEST TRUCKS 20770 I 76 FRONTAGE BRIGHTON, CO 80603 Phone: (303)289-3161

Description

Weight Front

20

-30

Weight Rear

HVAC DUCTING WITH FOAM MAIN FRESH AIR

FILTER AND OUTSIDE PRE-FILTER

MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH

STANDARD HEATER PLUMBING

VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR

RADIATOR MOUNTED AIR CONDITIONER CONDENSER

BINARY CONTROL, R-134A

CAB INSULATION

AUTOMATIC SELF-RESET CIRCUIT BREAKERS/FUSES IN DASH POWER DISTRIBUTION BOXES AND FUSES IN **AUXILIARY POWER DISTRIBUTION BOXES**

DOOR ACTIVATED DOME LIGHT, UNDER DASH LIGHT AND LH AND RH DOOR MOUNTED **COURTESY LIGHTS**

LH AND RH ELECTRIC DOOR LOCKS

ELITE HIGH BACK AIR SUSPENSION DRIVER SEAT WITH HEAT, 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT AND ADJUSTABLE SHOCK

NO FRONT PASSENGER SEAT

BLACK MORDURA CLOTH DRIVER SEAT COVER 3 POINT DRIVER ONLY SEAT BELT RETRACTOR

ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN

4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH SWITCHES

DRIVER AND PASSENGER INTERIOR SUN **VISORS**

Instruments & Controls

NON-ADJUSTABLE SUSPENDED PEDALS

ELECTRONIC FOOT ACCELERATOR

BRIGHT ARGENT FINISH GAUGE BEZELS

ROYAL ROSEWOOD MATTE FINISH DRIVER

INSTRUMENT PANEL

ROSEWOOD VINYL MATTE FINISH CENTER

INSTRUMENT PANEL INSERT

LOW AIR PRESSURE INDICATOR LIGHT AND

AUDIBLE ALARM



Prepared for: Victor Lovato Denver International Airport (DIA)

8500 Pena

Denver, CO 80249 Phone: 3033422796

		Wai-t-	Mainh
	Description	Weight Front	Weight Rear
	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES		
	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS		
	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
	ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED		
	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
	2 INCH ELECTRIC FUEL GAUGE		
	EMISSIONS LIMITED IDLE ADJUST		
	NO ADDITIONAL EXTRA SWITCH ACCUATORS		
N	NO CUSTOMER INTERFACE CONNECTOR		
	NO PREWIRED HIGH POWER CIRCUIT		
	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
	ELECTRIC ENGINE OIL PRESSURE GAUGE		
	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939	10	
	ROOF/OVERHEAD CONSOLE MOUNTED RADIO		
	(4) RADIO SPEAKERS IN CAB		
	POWER AND GROUND WIRING FOR CB RADIO IN OVERHEAD CONSOLE AND TOP OF DASH WITH CB TRAY	5	
	TOP OF DASH MOUNT CB RADIO PROVISION WITH PLATE AND STRAPS	2	
	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM		
	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITH ODOMETER		
	STANDARD VEHICLE SPEED SENSOR		
	ELECTRONIC 3000 RPM TACHOMETER		
	NO VEHICLE PERFORMANCE MONITOR	-5	
N	IGNITION SWITCH CONTROLLED ENGINE STOP		



Victor Lovato
Denver International Airport (DIA)

8500 Pena Denver, CO 80249 Phone: 3033422796 Prepared by:
Jeremiah Brodal
TRANSWEST TRUCKS
20770 I 76 FRONTAGE
BRIGHTON, CO 80603
Phone: (303)289-3161

Description

Weight Front Weight Rear

FIVE EXTRA SWITCHES IN DASH

HARDWIRE SWITCH #1,0N/OFF LATCHING, 10 AMPS IGNITION WIRED TO BACK OF CAB

HARDWIRE SWITCH #2,0N/OFF LATCHING, 10 AMPS IGNITION WIRED TO CUSTOMER INTERFACE CONNECTOR

HARDWIRE SWITCH #3,0N/OFF LATCHING, 10 AMPS IGNITION WIRED TO CUSTOMER INTERFACE CONNECTOR

HARDWIRE SWITCH #4,0N/OFF LATCHING, 10 AMPS IGNITION WIRED TO CUSTOMER INTERFACECONNECTOR

HARDWIRE SWITCH #5,0N/OFF LATCHING, 10 AMPS IGNITION WIRED TO CUSTOMER INTERFACECONNECTOR

NO HARDWIRE SWITCH #6,0N/OFF LATCHING, WIRED TO CUSTOMER INTERFACE CONNECTOR

NO HARDWIRE SWITCH #7,ON/OFF LATCHING, WIRED TO CUSTOMER INTERFACE CONNECTOR

NO HARDWIRE SWITCH #8,0N/OFF LATCHING, WIRED TO CUSTOMER INTERFACE CONNECTOR

NO HARDWIRE SWITCH #9,0N/OFF LATCHING, WIRED TO CUSTOMER INTERFACE CONNECTOR

NO HARDWIRE SWITCH #10,0N/OFF LATCHING,WIRED TO CUSTOMER INTERFACE CONNECTOR

DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY

SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY

CAB/TRAILER MARKER LIGHT SWITCH WITH SEPARATE HEADLIGHT SWITCH WITH HEADLIGHT/MARKER LIGHT INTERRUPTER SWITCHES ON STEERING WHEEL

ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR

MANUAL TURN SIGNAL SWITCH, HEADLAMP HIGH/LOW AND FLASH, WASH/WIPE/INTERMITTENT

PACIFIC INSIGHT ELECTRONIC FLASHER

Design

PAINT: ONE SOLID COLOR

Application Version 10.1.202 Data Version PRL-18T.011 DIA 4700 Batts Spec



04/01/2019 10:48 AM

Page 14 of 16

Victor Lovato Denver International Airport (DIA)

8500 Pena Denver, CO 80249 Phone: 3033422796 Prepared by:
Jeremiah Brodal
TRANSWEST TRUCKS
20770 I 76 FRONTAGE
BRIGHTON, CO 80603
Phone: (303)289-3161

Description

Weight Front Weight Rear

Color

CAB COLOR A: L3783EB YELLOW ELITE BC CAB INTERIOR PAINTED SAME AS CAB COLOR BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT

POWDER WHITE (N0006EA) FRONT

WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)

POWDER WHITE (N0006EA) REAR

WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)

BUMPER PAINTED SAME AS CHASSIS

Certification / Compliance

U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

Raw Performance Data

CALC'D FRAME LENGTH - OVERALL: 429.91
CALCULATED EFFECTIVE BACK OF CAB TO
REAR SUSPENSION C/L (CA): 173.89 in
CALC'D SPACE AVAILABLE FOR DECKPLATE:
176.69 in

Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

TOTAL VEHICLE SUMMARY

	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight ⁺	10719 lbs	9738 lbs	20457 lbs
Total Weight ⁺	10719 lbs	9738 lbs	20457 lbs

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

Application Version 10.1.202 Data Version PRL-18T.011 DIA 4700 Batts Spec



04/01/2019 10:48 AM

Page 15 of 16

Prepared for: Victor Lovato Denver International Airport (DIA) 8500 Pena Denver, CO 80249 Phone: 3033422796

