



Legislation Text

File #: 19-0255, Version: 1

**Contract Request Template (Contracts; IGAs; Leases)**

**Date Submitted:** 3-12-19

**Requesting Agency:** Arts and Venues  
**Division:**

**Subject Matter Expert Name:**

Name:	Tad Bowman or Ethan Frey
Email:	Tad.Bowman@denvergov.org or Ethan.Frey@denvergov.org

**Item Title & Description:**

*(Do not delete the following instructions)*

*These appear on the Council meeting agenda. Initially, the requesting agency will enter a 2-3 sentence description. Upon bill filling, the City Attorney’s Office should enter the title above the description (the title should be in **bold** font).*

*Both the title and description must be entered between the red "title" and "body" below. Do **not** at any time delete the red "title" or "body" markers from this template.*

**A bill for an ordinance approving a proposed Third Amendatory Agreement between the City and County of Denver and Town of Morrison, to facilitate acquisition of identified improvements necessary to ensure long-term treatment of wastewater in an efficient and economical manner.**

Amends an intergovernmental agreement with the Town of Morrison by adding \$946,000 for a new total of \$1,500,900 and six months for a new end date of 12-31-19 for engineering services and acquisition of wastewater improvements related to wastewater infrastructure at Red Rocks amphitheater (THTRS-201628380-03). The last regularly scheduled Council meeting within the 30-day review period is on 4-29-19. The Committee approved filing this item at its meeting on 3-20-19.

**Affected Council District(s) or citywide?**

**Contract Control Number:** THTRS-201628380-03

**Vendor/Contractor Name (including any "DBA"):** Town of Morrison

**Type and Scope of services to be performed:**

The city of Denver and the Town of Morrison have been working together on engineering projects pertaining to Red Rocks Amphitheatre’s wastewater infrastructure. The original scope of work was engineering investigation and recommendations; amendments were later approved to include design of the recommended improvements. This amendment allows for implementation of the wastewater system improvements between Red Rocks and the Town of Morrison. The project outcome will be wastewater infrastructure that accommodates direct flow from Red Rocks into the Town of Morrison wastewater system and addresses existing odor issues in both Red Rocks and the Town.

**Location (if applicable):**

**WBE/MBE/DBE goals that were applied, if applicable (construction, design, Airport concession contracts):**

**Are WBE/MBE/DBE goals met (if applicable)?**

**Is the contract new/a renewal/extension or amendment?**

**Was this contractor selected by competitive process or sole source?**

**For New contracts**

**Term of initial contract:**

**Options for Renewal:**

**How many renewals (i.e. up to 2 renewals)?**

**Term of any renewals (i.e. 1 year each):**

**Cost of initial contract term:**

**Cost of any renewals:**

**Total contract value council is approving if all renewals exercised:**

**For Amendments/Renewals Extensions:**

**Is this a change to cost/pricing; length of term; terms unrelated to time or price (List all that apply)?**

***If length changing***

**What was the length of the term of the original contract?**

Three years

**What is the length of the extension/renewal?**

Six months

**What is the revised total term of the contract?**

Three years and six months

***If cost changing***

**What was the original value of the entire contract prior to this proposed change?**

\$554,900

**What is the value of the proposed change?**

\$946,000

**What is the new/revised total value including change?**

\$1,500,900

***If terms changing***

**Describe the change and the reason for it (i.e. compliance with state law, different way of doing business etc.)**

Wastewater Engineering and Infrastructure; this amendment allows for implementation of the wastewater system improvements between Red Rocks and the Town of Morrison. The project outcome will be wastewater infrastructure that accommodates direct flow from Red Rocks into the Town of Morrison wastewater system and addresses existing odor issues in both Red Rocks and the Town